

- (575) 393-6161
 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	30-025-35188
5. Indicate Type of Lease	STATE FEE X
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	TRINITY BURRUS Abo UNIT
8. Well Number	2H
9. OGRID Number	4323
10. Pool name or Wildcat	WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
 DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
 PROPOSALS.)

1. Type of Well: Oil Well Gas Well ☒ INJECTION

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address of Operator
6301 DEAUVILLE BOULEVARD RM #N3002 MIDLAND, TX. 79706

4. Well Location Y-LAT 32. X-LONG. -103.
 Unit Letter 10: 900 feet from the SOUTH line and 600 feet from the EAST line
 Section 22 Township 12-S Range 38-E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,815' RKB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK []
 COMMENCE DRILLING OPNS. []
 CASING/CEMENT JOB []
 OTHER: []
 INT TO PA PMX
 P&A NR
 P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 13 3/8" -400' TOC SURF, 9 5/8" 36, 40# - 4,530' TOC SURFACE, 7" 23, 26# -9,800' TOC 7,780', 4 1/2" LINER 8,779' - 9,549', PERFS 9,098' - 9,506', TD - 9,025'.

RUN GAUGE RING, TAG
LINER TOP

1. CALL AND NOTIFY NMOCD 24 HRS. BEFORE OPERATIONS BEGIN.

2. MOVE IN & SPOT EQUIP. TEST TBG. POOH W/ RODS, NDWH & NU BOP, POOH W/ TBG & TAC. RIH 4 1/2" CIBP @ 8,830'.
 3 RIH TO CIBP @ 8,830', CIR MLF, TEST CASING, MIX & SPOT 35 SX CL "H" CMT FROM 8,830' - 8,600'. (PERFS, 4 1/2" TOL)

4. SPOT 30 SX CL "H" CMT FROM 7,871' - 7,731'. (Abo)

5. SPOT PERF @ 7,208', MIX & SQZ 30 SX CL "H" CMT FROM 7,208' - 7,000'. WOC & TAG. (TUBB)

6. PERF @ 5,950', MIX & SQZ 75 SX CL "C" CMT FROM 5,950' - 5,750'. WOC & TAG. (GLORIETA)

7. PERF @ 4,580' MIX & CIR 75 SX CL "C" CMT FROM 4,580' - 4,380'. WOC & TAG (INTER SHOE, SAN ANDRES)

8. PERF @ 3,110', MIX & CIR 75 SX CL "C" CMT FROM 3,110' - 2,910'. WOC & TAG (YATES)

9. PERF @ 2,325, MIX & CIR 75 SX CL "C" CMT FROM 2,325' - 2,125'. WOC & TAG (T. SALT) Perf @ 2200'

10. PERF @ 471', MIX & CIR 175 SX CL "C" CEMENT FROM 471' - SURFACE ON BOTH STRINGS. (FW, SURFACE SHOE)
 NIPPLE DOWN CUT & CAP WELL TO MEET WITH RULE 19.15.7.14 NMAC REQUIRMENTS.

CLOSED LOOP SYSTEM USED, CLASS "H & C" CEMENT USED.

Spud Date:

Rig Release Date:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent for Chevron U.S.A. DATE 06/19/17

Type or print name Monty L. McCarver E-mail address: monty.mccarver@cjes.com PHONE: 713-325-6288

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engr. Specialist DATE 06/21/2017


Conditions of Approval (if any):

CURRENT WELLBORE SCHEMATIC CHESAPEAKE OPERATING INC.



WELL : BURRUS 2A
LOCATION : 900' FSL & 600' FEL, SEC. 22-T12S-R38E
COUNTY : LEA STATE : NM
FIELD : WOLFCAMP
ELEVATION : 3,797' GL 3,815' RKB

API #: 30-025-35188
SPUD DATE: 3/2/01
RIG RELEASED: 3/28/01



P+A WELLBORE SCHEMATIC
CHESAPEAKE OPERATING INC.

WELL : BURRUS 2A
LOCATION : 900' FSL & 600' FEL, SEC. 22-T12S-R38E
COUNTY : LEA STATE : NM
FIELD : WOLFCAMP
ELEVATION : 3,797' GL 3,815' RKB



API #: 30-025-35188
SPUD DATE: 3/2/01
RIG RELEASED: 3/28/01

