Form 3160-5 (June 2015)	UNITED STATES	TERIOR			FORM OMB N	APPROVED 0, 1004-0137	
B	DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT Arishad Field Field Field						
SUNDRY Do not use thi	NOTICES AND REPO is form for proposals to II. Use form 3160-3 (APL	RTS ON WE		Hohl	NMLC063798		
abandoned we	II. Use form 3160-3 (API	D) for such p	roposals. He	ALUUR	If Indian, Allottee	or Tribe Name	
SUBMIT IN	NOTICES AND REPO is form for proposals to II. Use form 3160-3 (API TRIPLICATE - Other inst	ructions on p	age 2	BBS	7. If Unit or CA/Agre	ement, Name an	d/or No.
1. Type of Well			JUN	192017	8. Well Name and No. BLUE KRAIT 23	EED 6H	
Oil Well Gas Well Oth Oth Oth Oth Oth	/ Contact:	REBECCA DI	EAL REO	<017	9. API Well No.		c
DEVON ÉNERGY PRODUCT	ION CONTRAIN: Rebecca.D	eal@dvn.com		EIVEN	30-025-43239		
						0. Field and Pool or Exploratory Area RED HILLS; BONE SPRING N	
4. Location of Well (Footage, Sec., T)			11. County or Parish,		÷
Sec 23 T24S R33E SESE 200	DFSL 660FEL √				LEA COUNTY, NM		
		TO DIDICA		E NOTICE	DEDODT OD OT		
	PPROPRIATE BOX(ES)	TO INDICAL			REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION			TYPE OF	F ACTION			
Notice of Intent	Acidize	Deep Deep		-	ion (Start/Resume)	Water Sl	
Subsequent Report	 Alter Casing Casing Repair 		aulic Fracturing Construction	□ Reclam		□ Well Int	
Final Abandonment Notice	Change Plans	_	and Abandon		arily Abandon	Change to PD	Original A
	Convert to Injection	🗖 Plug	Back	U Water D	Disposal		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleted. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.							
Devon energy respectfully req Please see the attached Desig	uests to change the interi gn Safety Factors docume	mediate casin ent.	g grade from HC	CK-55 to J-5	5.		
		S	EE ATTA	CHED	FOR	т	
CONDITIONS OF APPROVAL							
14. I hereby certify that the foregoing is							
	Electronic Submission #3 For DEVON ENERG	Y PRODUCTIC	ON COMPAN, se	nt to the Hob	obs		
Name(Printed/Typed) REBECCA	Committed to AFMSS for p A DEAL	processing by			MPLIANCE PROFE	SSI	
Signature (Electronic S				017PPP]	
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By Musta	Hague]	Title	ETROLEU	M EXCONEER	Date 6	5/08/2017
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent which would entitle the applicant to condu	itable title to those rights in the	not warrant or subject lease	Office	AU OF LANE) MANAGEMENT		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							
(Instructions on page 2) ** OPERAT	OR-SUBMITTED ** O	PERATOR-	UBMITTED *	* OPERAT	OR-SUBMITTED	** K	2
				e		Va	

ĩ.

Devon Energy, Blue Krait 23 Fed 6H

2. Casing Program

Hole Size	Casing Interval		Csg.	Weight	Grade	Conn	SF	SF Burst	SF
	From	То	Size	(lbs)			Collapse		Tension
17.5"	0	1,350'	13.375"	54.5	J-55	BTC	1.81	2.64	8.05
12.25"	0	5,200'	9.625"	40	J-55	BTC	1.31	1.72	4.12
8.75"	0	15,404'	5.5"	17	P-110	BTC	1.59	1.98	2.29
				BLM Min	imum Safet	y Factor	1.125	1.00	1.6 Dry 1.8 Wet

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

Must have table for contingency casing

	Y or N
Is casing new? If used, attach certification as required in Onshore Order #1	Y
Does casing meet API specifications? If no, attach casing specification sheet.	Y
Is premium or uncommon casing planned? If yes attach casing specification sheet.	N
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	Y
Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	Y
Is well located within Capitan Reef?	N
If yes, does production casing cement tie back a minimum of 50' above the Reef?	
Is well within the designated 4 string boundary.	
Is well located in SOPA but not in R-111-P?	N
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?	
Is well located in R-111-P and SOPA?	N
If yes, are the first three strings cemented to surface?	
Is 2 nd string set 100' to 600' below the base of salt?	
Is well located in high Cave/Karst?	N
If yes, are there two strings cemented to surface?	
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?	
Is well located in critical Cave/Karst?	N
If yes, are there three strings cemented to surface?	

PECOS DISTRICT CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Devon Energy Production Company, L.P.
LEASE NO.:	NMLC063798
WELL NAME & NO.:	6H- Blue Krait 23 Fed
SURFACE HOLE FOOTAGE:	200'/S & 610'/E
BOTTOM HOLE FOOTAGE	330'/N & 350'/E
LOCATION:	Section 23, T. 24 S., R. 33 E., NMPM
COUNTY:	Lea County, New Mexico

All previous COAs still apply except the following:

Intermediate casing must be kept fluid filled to meet BLM minimum collapse requirement.

MHH 06082017