

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS JUN 29 2017 RECEIVED

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

WELL API NO. 30-025-05534
5. Indicate Type of Lease STATE [x] FEE [ ]
6. State Oil & Gas Lease No. B-153-42
7. Lease Name or Unit Agreement Name East Eumout Unit
8. Well Number 4
9. OGRID Number 192463
10. Pool name or Wildcat Eumout Yates TR Qn
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3716

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [ ] Gas Well [ ] Other Injection [x]
2. Name of Operator OXY USA WTP Limited Partnership
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter K : 1980 feet from the South line and 1980 feet from the west line Section 33 Township 13S Range 37E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ] TEMPORARILY ABANDON [ ] CHANGE PLANS [ ] PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ] DOWNHOLE COMMINGLE [ ] CLOSED-LOOP SYSTEM [ ] OTHER: [ ]
SUBSEQUENT REPORT OF: REMEDIAL WORK [ ] ALTERING CASING [ ] COMMENCE DRILLING OPNS. [ ] P AND A [ ] CASING/CEMENT JOB [ ] OTHER: TA, CIBP, MIT [x]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
6/5/2017 Csg-150# Tbg-350#, bled down csg, attempt to bleed off tbg, had steady stream. MIRU PU, Well died down enough to attempt to ND flange.
6/6/2017 Cut off flange, NU BOP, unset pkr, POOH & LD pkr & tbg. RIH w/ gauge ring & tag up @ 3595', POOH.
6/7/2017 RIH w/ bit, csg scrapper & tag up @ 3600', work down to 3680', POOH. RIH w/ gauge ring & tagged @ 3665', POOH. RIH w/ CIBP & set @ 3600', POOH, make 3 runs w/ dump bailer, for calc 30' cmt on top of CIBP.
6/8/2017 RIH w/ tbg & tag cmt @ 3575', circ hole w/ 10# MLF, test csg for 30min, lost 20#. Contact Maxey Brown-NMOCD to set-up witness of CIT, inspector not available, approved to go ahead and run test. POOH w/ tbg, ND BOP, flange up B-1 adaptor, RU pressure recorder, test to 510#, lost 40# in 30min, WOC considered test a pass. RDPU.

This Approval of Temporary Abandonment Expires

Spud Date: [ ] Rig Release Date: [ ]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Sr. Regulatory Advisor DATE 6/26/17

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only


APPROVED BY: [ ] TITLE [ ] DATE [ ]

Conditions of Approval (if any):

DENIED Chart fall off exceeded 10%. 530-470 MSBROWN

OXY USA WTP LP - Current  
East Eumont Unit #4  
API No. 30-025-05534

11" hole @ 299'  
8-5/8" csg @ 299'  
w/ 225sx-TOC-Surf-Circ



***CIBP @ 3600' w/ 25' cmt to 3575' Tagged***

CIBP @ 3945' w/ 5sx cmt PB-3905'

7-7/8" hole @ 4035'  
5-1/2" csg @ 4035'  
w/ 300sx-TOC-2425'-TS

Perfs @ 3751-3849'

1994-sqz w/ 150sx cmt @ 3618-3984'

TD-4035'

