

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-34720

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
CIMAREX ENERGY CO. OF COLORADO

3. Address of Operator
600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701

4. Well Location

Unit Letter **J** : 1650 feet from the SOUTH line and 2310 feet from the EAST line
Section 29 Township 19S Range 35E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3,751' - GR

7. Lease Name or Unit Agreement Name
LEA AQ STATE

8. Well Number
013

9. OGRID Number
162683

10. Pool name or Wildcat
PEARL SAN ANDRES, WEST

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 4-1/2" CIBP @ 5,700'; PUMP 55 SXS. CMT. @ 5,700'-5,150'; CIRC. WELL W/ MUD LADEN FLUID.
2) PUMP 25 SXS. CMT. @ 1,855'-1,745' (B/SALT); WOC X TAG CMT. PLUG. *Spot 25sx cmt @ 3500' (B.SALT)*
3) PERF. X ATTEMPT TO SQZ. 45 SXS. CMT. @ 488'-388' (8-5/8" CSG.SHOE); WOC X TAG CMT. PLUG. *Pressure test*
4) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, 25 SXS. CMT. @ 63'-3'.
5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; VERIFY CMT. TO SURF. ON ALL ANNULI; WELD ON STEEL PLATE ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM W/ A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

David A. Eyler

TITLE: AGENT

DATE: 06/30/17

Type or print name: DAVID A. EYLER

E-mail address: deyler@milagro-res.com

PHONE: 432.687.3033

For State Use Only

APPROVED BY:

Mark Whitaker

TITLE: *Petroleum Engr. Specialist*

DATE: *07/10/2017*

Conditions of Approval (if any):

CIMAREX

Cimarex Energy Co. of Colorado

Lea AQ State 13

1650' FSL & 2310 FEL

Sec. 29, T-19-S, R-35E, Lea Co., NM

A. Santiago **30-025-34720** 9/23/2015

8 5/8", 24# J-55 csg @ 438'. Cmt w/ 165 sks.


TOC - N/A

Rods - 12-7/8"D, 150 - 3/4" D Rods,
59-7/8" D Rods
Pump- 2"x 1 1/2"x 16' RWBC_HVR

San Andres 5770-71,5790-91,5820-21,5852-53

PBTD @ 6729'
4 1/2", 11.6# P-110 @ 6100' cmtd w/ 1294 sx & 292 sks.
TD @ 6100'

B/SALT ~ 1,800'
T/QN. ~ 4,664'
T/G.B. ~ 4,923
T/S.A. ~ 5,201



DAE 06/30/17.