

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-28976
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 19552
7. Lease Name or Unit Agreement Name South Hobbs Unit (G/SA)
8. Well Number 178
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3640' KB

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM O-10) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
Occidental Permian Ltd

3. Address of Operator
P.O. Box 4294, Houston, TX 77210

4. Well Location
 Unit Letter C : 862 feet from the North line and 1745 feet from the West line
 Section 5 Township 19S Range 38E NMPM County Lea

HOBBSCOCD
 JUL 13 2017
 RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: TA <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU x NDWH x NUBOP.
- POOH 126 jts tbx x production equipment.
- RIH 5 1/2" CIBP @ 4018' x dumped 4 sx cmt on top.
- Tagged TOC @ 3890'.
- RD x NDBOP x NUWH.

CHART TEST 6/22/2017

***** Well is currently TA'd *****

This Approval of Temporary Abandonment Expires 6/22/2019 pm ✓

Spud Date:

06/21/17

Rig Release Date:

06/22/17

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

April Hood

TITLE Regulatory Specialist

DATE 07/11/2017

Type or print name April Hood

E-mail address: April_Hood@Oxy.com

PHONE: 713-366-5771

For State Use Only

APPROVED BY:

Malay S Brown

TITLE

AO/II

DATE

7/13/2017

Conditions of Approval (if any):

RBDMS-CHART-✓

Proposed Wellbore

Occidental Permian Ltd.

South Hobbs G/SA Unit

Lea. County

Well No. 178

API: 30-025-28976

Footage Location: 862' FNL & 1745' FWL

Section: 5, T-19-S, R-38-E, U.L. "C"

Current Status: Active Producer


RECEIVED
OCT 17 2011
OBB-2010-000
14" @ 40'
Cemented w/ 4.5 yds redi mix
TOC: surf. (circulated)

8 5/8" (24#) @ 1486'
Cemented w/ 825 sxs
TOC: surface (circulated)

Cap w/ 35' cement (TOC at 3983')
CIBP SA 4018' (50' above top perf)

5 1/2" (15.5#) @ 4299'
Cemented w/ 1465 sxs
TOC: surface (circulated)


Total Depth: 4300'



**Open Perfs: 4068'-4110', 4116'-27', 4133'-42',
4146'-51', 4156'-68', 4181'-85', 4188'-93',
4201'-12', 4214'-43', 4248'-53' (4 SPF)**

SQZ'd Perfs: None

PRINTED IN U.S.A.



K0251

K027

Hector Buncinga

SHOU-178 ~~6-22-027~~

South Hobbs (GSA) unit
Well No. 178

Unit C
Sec. 5-T195-R38E
Appt # 30-025-28916

DATE
MOI P 0-1000-8-96MIN

Graphic Controls LLC
(6.375 ARC LINE GRAD.)

START