

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

HOBBS OCD
AUG 07 2017
RECEIVED

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address LEGACY RESERVES OPERATING LP PO BOX 10848 MIDLAND, TX 79702		² OGRID Number 240974
		³ Reason for Filing Code/ Effective Date NW/01-07-17
⁴ API Number 30 - 025-43145	⁵ Pool Name LEA; BONE SPRING	⁶ Pool Code 37570
⁷ Property Code 302802	⁸ Property Name LEA UNIT	⁹ Well Number 47H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	1	20S	34E		630	S	2130	W	LEA

¹¹ Bottom Hole Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	12	20S	34E		340	S	1908	W	LEA
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING, L.P. 500 DALLAS, STE. 700, HOUSTON, TX	OIL
24650	TARGA MIDSTREAM SERVICES LLC 1000 LOUISIANA, STE. 4700, HOUSTON, TX 77002	GAS

IV. Well Completion Data

²¹ Spud Date 09/28/2016	²² Ready Date 01/07/2017	²³ TD 15,757'	²⁴ PBSD 15,710'	²⁵ Perforations 10,933'-15,682'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8"	1795'	1500 sx		
12 1/4"	9 5/8"	5596'	1800 sx		
8 3/4"	5 1/2"	15,757'	3300 sx		

V. Well Test Data

³¹ Date New Oil 02/15/2017	³² Gas Delivery Date 01/14/2017	³³ Test Date 02/15/2017	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 340#	³⁶ Csg. Pressure 250#
³⁷ Choke Size	³⁸ Oil 677	³⁹ Water 1285	⁴⁰ Gas 465	⁴¹ Test Method Pumping	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.


Signature: *Laura Pina*
Printed name: **LAURA PINA**
Title: **COMPLIANCE COORDINATOR**
E-mail Address: **lpina@legacylp.com**
Date: **08/02/2017** Phone: **432-689-5200**

OIL CONSERVATION DIVISION
Approved by: *[Signature]*
Title: **Petroleum Engineer**
Approval Date: *08/11/17*

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

HOBBS OCD

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018



SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

AUG 07 2017

RECEIVED

5. Lease Serial No.
NMNM128366

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
LEA UNIT 47H

9. API Well No.
30-025-43145

10. Field and Pool or Exploratory Area
LEA; BONE SPRING

11. County or Parish, State
LEA CO COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
LEGACY RESERVES OPERATING LP
Contact: D. PATRICK DARDEN, PE
E-Mail: pdarden@legacylp.com

3a. Address
303 W WALL ST SUITE 1800
MIDLAND, TX 79701

3b. Phone No. (include area code)
Ph: 432-689-5200

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 1 T20S R34E SESW 630FSL 2130FWL

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

11/09/2016 Ran Gamma Ray/CCL log.

12/26/2016-01/04/2017 Perf Bone Spring fr/10,933'-15,682' MD w/780 shots. Treated well w/2,470 bbls 10% acid, 7,669,440# sand & 189,420 BW.

01/04-06/2017 Drilled out plugs.

01/07/2017 Began flowback operations.

02/15/2017 Date of first production.

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #377222 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Hobbs

Name (Printed/Typed) D. PATRICK DARDEN, PE Title SR. ENGINEERING ADVISOR

Signature (Electronic Submission) Date 05/24/2017

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____ Title _____ Date _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

HOBBS OCD

AUG 07 2017

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010



WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No. NMNM128366

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No. LEA UNIT 47H

9. API Well No. 30-025-43145

10. Field and Pool, or Exploratory LEA; BONE SPRINGS

11. Sec., T., R., M., or Block and Survey or Area Sec 1 T20S R34E Mer

12. County or Parish LEA COUNTY

13. State NM

14. Date Spudded 09/28/2016

15. Date T.D. Reached 10/13/2016

16. Date Completed 01/07/2017
 D & A Ready to Prod.

17. Elevations (DF, KB, RT, GL)* 3676 GL

18. Total Depth: MD 15757 TVD 10521

19. Plug Back T.D.: MD 15757 TVD 10521

20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each) GR-CCL

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit analysis)
Directional Survey? No Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J-55	54.5	0	1795		1500		0	
12.250	9.625 J-55	40.0	0	5596		1800		0	
8.750	5.500 HCP110	20.0	0	15757		3300		0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	9734							

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) BONE SPRING	10933	15682	10933 TO 15682		780	PRODUCING
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
10933 TO 15682	TREAT WELL W/2470 BBLs ACID & 7,669,440# SD & 189,420 BBL WTR

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
02/15/2017	02/15/2017	24	→	677.0	465.0	1285.0	42.6	0.81	ELECTRIC PUMP SUB-SURFACE
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI	340	250.0	→	677	465	1285	687	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI			→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #383274 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
BELL CANYON	7507	8473		BELL CANYON	7507
BRUSHY CANYON	8473	8778		AVALON	8778
AVALON	8778	9498		1ST BONE SPRING	9498
1ST BONE SPRING	9498	10035		2ND BONE SPRING	10035
2ND BONE SPRING	10035	10693		3RD BONE SPRING	10693
3RD BONE SPRING	10693	10990			

32. Additional remarks (include plugging procedure):
Directional survey attached. Logs will be mailed to BLM Carlsbad office.

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7. Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #383274 Verified by the BLM Well Information System.
For LEGACY RESERVES OPERATING LP, sent to the Hobbs**

Name (please print) D. PATRICK DARDEN, PE Title SR. ENGINEERING ADVISOR

Signature _____ (Electronic Submission) Date 07/31/2017

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.