

NM OIL CONSERVATION

Submit 1 Copy To Appropriate District Office

ARTESIA DISTRICT

State of New Mexico

Form C-103

Revised July 18, 2013

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals and Natural Resources

AUG 07 2017

HOBBS OOD
AUG 08 2017
RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-01931
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Northeast Kemnitz
8. Well Number #2
9. OGRID Number 228937
10. Pool name or Wildcat KEMNITZ; LOWER WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Matador Production Company

3. Address of Operator
P.O. Box 1936, Roswell, NM 88201

4. Well Location
Unit Letter G : 1980 feet from the N line and 1980 feet from the E line
Section 22 Township 16S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4100' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: Remove RBP to run cased hole logs ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Intend to remove retrievable bridge plug at 11,130' in order to run a cased hole log suite from TD to top of cement at 9,200'. After logging is complete, the well will be shut-in while the logs are processed and analyzed to determine the next course of action for the wellbore.

Spud Date: 5/8/1980 Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chris Villarreal TITLE Engineer DATE 8/1/2017
Type or print name Chris Villarreal E-mail address: cvillarreal@matadorresources.com PHONE: 972-371-5471

For State Use Only

APPROVED BY: Shut & Ryd TITLE COMPLIANCE OFFICER DATE 8/17/2017
Conditions of Approval (if any):