* B SUNDRY Do not use th	UNITED STATE: EPARTMENT OF THE I UREAU OF LAND MANA NOTICES AND REPO is form for proposals to II. Use form 3160-3 (AP TRIPLICATE - Other inst	NTERIOR GEMENT RTS ON W drill or to re	NMOC Hobbs ELLS -enter au proposals B		OMB NO	APPROVED D. 1004-0137 muary 31, 2018 r Tribe Name
SUBMIT IN	TRIPLICATE - Other ins	tructions on	page 2AUG 1	120	. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well	JACKIE LATHAN wbourne.com			8. Well Name and No. RED HILLS WEST 21 W1DM FED COM 3H		
2. Name of Operator MEWBOURNE OIL COMPAN	HAN	ED	 API Well No. 30-025-42914-0 	0-X1		
3a. Address P O BOX 5270 HOBBS, NM 88241	3b. Phone No. (include area code) Ph: 575-393-5905			10. Field and Pool or Exploratory Area WC025G08S263205N-UP WOLFCAMP		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State	
Sec 21 T26S R32E NWNW 185FNL 500FWL					LEA COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
□ Notice of Intent	□ Acidize	Dee	pen	Product	ion (Start/Resume)	□ Water Shut-Off
Subsequent Report	Alter Casing		Iraulic Fracturing	Reclam		U Well Integrity
	Casing Repair	□ New Construction		Recomp		☑ Other Well Spud
Final Abandonment Notice	Change Plans			□ Tempor	arily Abandon Disposal	
testing has been completed. Final Al determined that the site is ready for f 06/23/17MI Patterson/UTI ri Ran 915' of 13 3/8" 54.5# J55 w/1.73 yd. Tailed w/200 sks C Plug down @ 3:45 P.M. 06/24 5000#. Tested pack-off to 900 Drilled out with 12 1/4" bit. FI Charts & Schematic attached Bond on file: NM1693 nationw	inal inspection. g #231 & spud 17 1/2" ho ST&C csg. Cemented w Class C w/2% CaCl2. Mixe I/17. Circ 158 sks cement #. At 7:30 P.M. 06/26/17 T test to 10.5 PPG EMW.	ele. TD'd hole ith 600 sks C ed @ 14,8#/g to pit. Teste tested csg to	e @ 915'. fass C w/additive w/1.34 yd. Displa d BOPE to 10000	s. Mixed @ aced w/140 # & Annula	13.5#/g bbls FW.	ind the operator has
				\cap	A) (
14. I hereby certify that the foregoing is Cor Name (Printed/Typed) JACKIE L	Electronic Submission # For MEWBO nmitted to AFMSS for proc	URNE OIL CO	MPANY, sent to the SCILLA PEREZ on	ne Hobbs n 07/17/2017		
Signature (Electronic Submission)			Date 07/12/20ACCEPTED FOR RECORD			ORD
	THIS SPACE FO	OR FEDER	AL OR STATE	OFFICE U	SE 1 2017	ho
Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or eq which would entitle the applicant to condu		Title AUG ZOTT Title BUREAD OF LANDIMANACEMENT Office CARLSBAD NELDOX CE			MUNT E	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Instructions on page 2) ** BLM REVISED **						
						AFT















SF Alal			UP SERVIC		TNG • TANDEM
MAX	WELDING SERVICES			A • 575-3	De
Compan	Y: MEWBUURNE		Date:	6.25-	17 Involce # 884540
ease:	RED NILLS WEST 21 HWIDM	Fed Can 34	Drilling	Contractor	PATTERSON Rig # 231
Plug Size	&Type: //	Drill Pipe/Si	Re CET	39 4	Tester: JAIME DEIECS
	BOP:			lled BOP:_	
pprop-iate	Casing Valve Must Be Open During BOP Test *				* Check Valve Must Be Open/Disabled To Test Kill Line V \mathcal{K}
		#26	L 28		50 Low Dart
		ान्स्टर्भ	Q**		Dart Valve #19
iliz b	000000	#2	30	254	Stand Pipe
low	Annular #15	#4	- CA	R	Kelly/
	5000		#5		7 Drive Dia
[=	Pipe Rams #12		S.	19	H22 H23 TW Valve
	Blind Rams #13	#3 2	1.48	et	#17 #18
Har		#1	#8B Mud Gaug Valve	je 🦗 🇯	Manual 2 IBOP Pump Valve Pump Valve
#11 #1				177	#16 Pump Valve Pump Valve
#11 #1	Pipe Rams #14	#25		3	
		Super Ch	noke		8
	Casing				
TEST .	ITEMS TESTED	TEST LENGTH	LOW PSI		REMARKS
1001	129 28.29.6.27.88	5/5	250	HIGH PSI	DASS
2	1210,630,21,88	5/5	2512		1
		1911		630000	0A 55
3		5/5	25%	10,000	PASS
3.	12, 111, 18, 22, 8	5/3	25%	10:000	PASS
4	12, 11, 18, 22, 8 12, 97	5/5	250	10,000	12455 12451
-	12, 11, 18 22, 8 12, 97 14	5/5	25%	10,000	12455 12451 12451 12451
4.	12, 11, 18 22, 8 12, 97 14 15, 97	5/5 5/5 5/r	250 250 250 250 242	10,000 10,000 10,000 5,000	PASS DAST DAST DAST DAST DAST
4. 5. 6. 7.	12, 11, 18 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11	5/5	250	10,000 10,000 10,1215 5,008 10,050	PASS PASS PASS PAD PASI
4. 5. 6.	12, 11, 18, 22, 8 12, 97 14 15, 97 13, 3, 45, 11 25, 26, 2584 (Bu-pierry	5/5 5/5 5/r 5/r 5/5	250 250 250 250 242 250	10,000 10,000 10,000 5,000	PASS DAST DAST DAST DAST DAST
4. 5. 6. 7. 8. 9	12, 11, 18 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11	5/5 5/5 5/r 5/r 5/s 5/s	250 250 250 250 250 250 -	10,000 10,000 10,000 5,000 10,000	PASS
4. 5. 6. 7. 8. 9. 10.	12, 11, 18, 22, 8 12, 97 14 15, 97 13, 3, 45, 11 25, 21, 25, 21, Bu-pierry 20, 21, 23, 23, 44	5/5 5/5 5/r 5/r 5/5	250 250 250 250 246 250 - 250	10,000 10,000 10,120 5,008 10,000 10,000	PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11.	12, M.B 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11 25, 21, 25, 21, 9, -pierry 20, 22, 23, 23, 44 24 14 14 14 15 16 16 16 16 16 16 16 17 17 18 19 19 19 19 19 19 19 19 19 19	5/5 5/5 5/5 5/5 - 5/5 5/5	250 250 250 250 250 250 250 250 250	10,000 10,000 10,000 10,000 10,000 10,000 6,000	PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10.	12, M.B 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11 25, 21, 25, 21, 9, -pierry 20, 22, 23, 23, 44 24 14 14 14 15 16 16 16 16 16 16 16 17 17 18 19 19 19 19 19 19 19 19 19 19	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250	10,000 10,000 5,000 10,000 10,000 6,000 6,000 6,000 6,000 6,000	PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	12, 11, 18, 22, 8 12, 97 14 15, 97 13, 3, 45, 11 25, 21, 25, 23, 1, 8 m-pierry 20, 21, 23, 23, 44 24 14 14 14 15, 97 15, 97 15, 97 15, 97 13, 3, 45, 11 25, 21, 25, 21 14 25, 21, 25, 23, 44 24 14 15, 97 14 15, 97 15, 97 13, 3, 45, 11 25, 21, 25, 23, 44 24 14 15, 97 12, 97 13, 3, 45, 11 25, 21, 25, 23, 12 14 25, 21, 25, 24 14 15, 97 12, 97 13, 3, 45, 11 25, 21, 25, 24 14 15, 97 15, 97 14 15, 97 17 17 17 17 17 17 17 17 17 1	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250 250	10,000 10,000 5,008 10,000 10,000 6,000 6,000 6,000 6,000 6,000 6,000	PASS PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11. 12	12, M.B. 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11 25, 21, 25, 21, 1 Bu-pierry 20, 21, 23, 23, 44 24 16 18 18 4" 19 4" 18 5"	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250 250	10,000 10,000 10,000 5,008 10,000 6,000 6,000 6,000 6,000 6,000 6,000 10,000 10,000	PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	12, M.B. 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11 25, 21, 25, 21, 1 Bu-pierry 20, 21, 23, 23, 44 24 16 18 18 4" 19 4" 18 5"	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250 250	10,000 10,000 10,000 10,000 10,000 6,000 6,000 6,000 6,000 10,000 10,000 10,000 10,000	PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11. 12. 14.	12, M.B 22, 8 12, 97 14 15, 97 13, 3, 45, 11 25, 26, 25, 21, 1 Bu-pierry 20, 23, 23, 13, 44 24 16 18, 4" 19, 4" 19, 9"	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250 250	10,000 10,000 10,000 5,008 10,000 6,000 6,000 6,000 6,000 6,000 6,000 10,000 10,000	PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS
4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	12, M.B. 22, 8 12, 9 7 14 15, 9 7 13, 3, 45, 11 25, 21, 25, 21, 1 Bu-pierry 20, 21, 23, 23, 44 24 16 18 18 4" 19 4" 18 5"	5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5 5/5	250 250 250 250 250 250 250 250 250 250	10,000 10,000 10,000 10,000 10,000 6,000 6,000 6,000 6,000 10,000 10,000 10,000 10,000	PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS PASS

Į.

MANWE	ELDING SERVICES, INC.	HOBBS OCD AUG 1 4 2017 RECEIVED
Company / MAW Bur di	Date 6 26 17	
Lease	Date 6 26 17 County CEA	
Accumulator Pressure: 3000	Plug & Drill Pipe Size /2 Manifold Pressure: 1500 Annu Annutor Function Test - 00&0	ular Pressure: <u>1150</u>
• Make sure all rams and annular a	NITROGEN BOTTLES (III.A.2.c.i. of are open and if applicable HCR is closed. up to working pressure! (Shut off all pum	
5. For 3 ram stacks, open the an	able) s to simulate closing the blind ram. inular to achieve the 50+ % safety factor. (1970) 1400 psi. Test Fails if pressure is low	

- a. {950 psi for a 1500 psi system} b. {1200 psi for a 2000 & 3000 psi system }
- 7. If annular is closed, open it at this time and close HCR.

To Check - PRECHARGE ON BOTTLES OR SPHERICAL (III.A.2.d.)

- Start with manifold pressure at, or above, maximum acceptable pre-charge pressure:
 a. {800 psi for a 1500 psi system}
 b. {1100 psi for 2000 and 3000 psi system}
 - 1. Open bleed line to the tank, slowly. (gauge needle will drop at the lowest bottle pressure)
 - 2. Close bleed line. Barely bump electric pump and see what pressure the needle jumps up to.
 - 3. Record pressure drop 75 psi. Test fails if pressure drops below minimum.
- Minimum: a. {700 psi for a 1500 psi system } b. {900 psi for a 2000 & 3000 psi system}

To Check - THE CAPACITY OF THE ACCUMULATOR PUMPS (III.A.2.f.)

- Isolate the accumulator bottles or spherical from the pumps & manifold.
- Open the bleed off valve to the tank, {manifold psi should go to 0 psi} close bleed valve.
 - 1. Open the HCR valve, {if applicable}
 - 2. Close annular
 - 3. With pumps only, time how long it takes to regain the required manifold pressure.
 - 4. Record elapsed time 1:15 a. . Test fails if it takes over 2 minutes.
 - a. {950 psi for a 1500 psi system} b. {1200 psi for a 2000 & 3000 psi system)