
Submit 1 Copy To Appropriate District Office State of New Mexico District I – (575) 393-6161 Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs NG32365 OLL CONSERVATION DIVISION District II – (575) 748-1283 OLL CONSERVATION DIVISION District III – (575) 343-6178 OLL CONSERVATION DIVISION District IV – (505) 347-6178 OLL 20 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr. District IV – (505) 476-3460 Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS Interpretion of the proposals to DRILL OR TO DEEPEN OR PLUG BACK TO A	Form C-103 Revised July 18, 2013 WELL API NO. 30-025-40169 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well 🔀 Gas Well 🗌 Other	Big Brave State 8. Well Number 1
2. Name of Operator	9. OGRID Number
RMR Operating, LLC 3. Address of Operator	281085
14282 Gillis Rd. Farmers Branch, Texas 75244-3715	Comanche Stateline Tansil-Yates
4. Well Location	
Unit Letter <u>A</u> : <u>330</u> feet from the <u>North</u> line and <u>330</u> feet from the <u>East</u> line	
Section 33 Township 26S Range 36E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2943'GL	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRI PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT DOWNHOLE COMMINGLE	LLING OPNS BRAND
CLOSED-LOOP SYSTEM	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	d give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
@Circulate hole with 9.5# Brine w/ 12.5# gel/BBI Pressure test csg to 500 psi 7	
(1) Set CIBP at 3198'. (Top Perf @3248')	
Spot 25 sx on top CIBP.	
Spot 25 sxs cmt at 2950. 1478	
Spot 100° cmt plug from 400° to 300° (Fresh Water Plug)	
	- 70
Cut-off wellhead., Install marker. Clean Location	OCD 24 HOURS PRIOR TO
Spud Date: Verify Cement for Surface all stringe Rig Release Date: BEGINN	OCD 24 HOURS PRIOR TO NING PLUGGING OPERATIONS
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE Non Person TITLE V.P. Operations DATE 8/18/17	
SIGNATURE <u>Ros Perron</u> TITLE <u>V.P. Operations</u> DATE <u>8/18/17</u> Type or print name <u>Ross Pearson</u> E-mail address: <u>Ross@redmountain</u> PHONE: <u>469-995-0425</u> <u>For State Use Only</u> APPROVED BY: <u>Mahuhihaha</u> <u>TITLE Petroleum Engr. Specialist</u> DATE <u>08/21/2017</u>	
APPROVED BY: Mah Whiteham TITLE Petroleum Engr. Specialist DATE 08/21/2017 Conditions of Approval (if any):	
Conditions of Approval (it any).	5



PBTD: 3,878' TD: 3,925'