

Submit 1 Copy To Appropriate
District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88201
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OGD CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

AUG 30 2017

WELL API NO. 30-025-33927
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No. N/A
7. Lease Name or Unit Agreement Name Kyte
8. Well Number: 5
9. OGRID Number 4323
10. Pool name or Wildcat DK ABO

SUNDRY RECEIVED REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Chevron USA INC	
3. Address of Operator 6301 DEAUVILLE BLVD., MIDLAND, TX 79706	
4. Well Location Unit Letter <u>G</u> : 1980 feet from the <u>NORTH</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>23</u> Township <u>20S</u> Range <u>38E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3564' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT R

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐

INT TO PA ☒
P&A NR ☐
P&A R ☐

OTHER: ☐

OTHER: TEMPORAR

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8 5/8" 24# @ 1631' TOC surface, 5 1/2" 17# @ 7791' TOC @ 3000', Perfs 6030'-7460'

Chevron USA INC respectfully requests to

**NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS**

1. MIRU, NDWH, NU BOPE.
2. POOH with all rods and tubing if present.
3. RIH and tag CIBP @ 7582'. Dump bail 4 sx cement or spot 25 sx cement. (Perfs, Lower Abo)
4. Set CIBP @ 7185'. Dump bail 4 sx cement or spot 25 sx cement. (Perfs, Upper Abo)
5. Set CIBP @ 6700'. Dump bail 4 sx cement or spot 25 sx cement. (Perfs, Tubb)
6. Set CIBP @ 6000'. Circulate well with 9.5 ppm salt gel and mix and pump cement plug from 6000'-5800' w/ 25 sx Class "C" cement & Tag. Pressure test casing (Perfs, Blinbry) .
7. Mix and pump cement plug from 4250'-4050' w/ 25 sx of Class "C" Cement. WOC/Tag (San Andres)
8. Perforate and squeeze w/ Class "C" cement @ 2850' w/ 60 sx cement. TOC @ 2650'. WOC/Tag (Yates/BSalt)
9. Perforate and squeeze w/ Class "C" cement @ 1680' w/ 60 sx cement. TOC @ 1480'. WOC/Tag (TSalt/Shoe)
10. Perforate and squeeze w/ Class "C" cement @ 400' w/ 120 sx cement. TOC @ Surface'. (FRWR/Surface)
11. Cut all casings & anchors & remove 3' below grade. Verify Cement to Surface Weld on dry hole marker. Clean location.

Note: All cement plugs class "C" with closed loop system used.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Engineer DATE 7/6/17

Type or print name Ricky Spiller E-mail address: rcspiller@chevron.com PHONE: (432) 687-7479

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engr. Specialist DATE 08/30/2017

AMENDED

TMB

Well: **Kyte 5-23**
Field: **Warren East**

Current Wellbore Diagram

Location:
1980' FNL & 1980' FEL
Section: 23
Township: 20S
Range: 38E
County: Lea State: NM

Well ID Info:
Chevno: BP9811
API No: 30-025-33927
L5/L6: UCZ901300
Spud Date: 4/24/97
Compl. Date: 5/21/97

Elevations:
GL: 3570'

Formation	Tops
Yates	2870
7 Rivers	3130
San Andres	4250
Blinberry	5980
Drinkard	6910
Abc	7130

[illegible]

Surface Csg: 8 5/8", 24#, J-55
Set: @ 1631' w/ 750 sks Class C
Hole Size: 12 1/4"
Circ: Yes TOC: Surface
TOC By: Circulated

Prod. Csg: 5 1/2", 17#, N-80 & J-55
Set: @ 7791' w/ 1230 sks Class H
Hole Size: 7 7/8"
Circ: No TOC: 3000'
TOC By: ?

Perfs:	Status:
6030-6056	Blinebry- Open
6096-6116	Blinebry- Open
6150-6164	Blinebry- Open
6226-6250	Blinebry- Open

Perfs:	Status:
6746-6752	Tubb- Open
6788-6794	Tubb- Open
6800-6808	Tubb- Open
6874-6880	Tubb- Open
6988-6996	Tubb- Open
7004-7010	Tubb- Open
7034-7042	Tubb- Open

Perfs:	Status:
7325-7340	Upper Abo- Open
7385-7400	Upper Abo- Open
7456-7460	Upper Abo- Open

Perfs:	Status:
7593-7598	Lower Abo. Isolated below CIBP
7647-7657	Lower Abo. Isolated below CIBP
7667-7675	Lower Abo. Isolated below CIBP

Set CIBP @ 7582

PBTD: 7582'
TD: 7800'

Well **Kyte 5-23**
Field **Warren East**
Reservoir: **Abo**

Proposed Wellbore Diagram

Location:
1980' FNL & 1980' FEL
Section: 23
Township: 20S
Range: 38E
County: Lea State: NM

Well ID Info:
Chevno: BP9811
API No: 30-025-33927
L5/L6: UCZ901300
Spud Date: 4/24/97
Compl. Date: 5/21/97

Elevations:
GL: 3570'

Mix and pump cement plug from 4250-4050' w/ 25 sx of Class "C" cement (San Andres)


Dump bail 4 sx cmt or spot 25 sx cmt
Set CIBP @ 6000'

Dump bail 4 sx cmt or spot 25 sx cmt
Set CIBP @ 6700'

Dump bail 4 sx cmt or spot 25 sx cmt
Set CIBP @ 7185'

Dump bail 4 sx cmt or spot 25 sx cmt
Set CIBP @ 7582'

PBTD: 7582'
TD: 7800'



Surface Csg: 8 5/8", 24#, J-55
Set: @ 1631' w/ 750 sks Class C
Hole Size: 12 1/4"
Circ: Yes TOC: Surface
TOC By: Circulated

Prod. Csg: 5 1/2", 17#, N-80 & J-55
Set: @ 7791' w/ 1230 sks Class H
Hole Size: 7 7/8"
Circ: No TOC: 3000'
TOC By: ?

P&S @ 400' w/ 120 sx. TOC @ Surface'. (FRWI)

P&S @ 1680' w/ 60 sx. TOC @ 1480'. WOC/Tag

P&S @ 2850' w/ 60 sx. TOC @ 2650'. WOC/Tag ()

Formation	Tops
Yates	2870
7 Rivers	3130
San Andres	4250
Blaine	5980
Drinkard	6910
Abo	7130

Perfs:	Status:
6030-6056	Blaine- Open
6096-6116	Blaine- Open
6150-6164	Blaine- Open
6226-6250	Blaine- Open

Perfs:	Status:
6746-6752	Tubb- Open
6788-6794	Tubb- Open
6800-6808	Tubb- Open
6874-6880	Tubb- Open
6988-6996	Tubb- Open
7004-7010	Tubb- Open
7034-7042	Tubb- Open

Perfs:	Status:
7325-7340	Upper Abo- Open
7385-7400	Upper Abo- Open
7456-7460	Upper Abo- Open

Perfs:	Status:
7593-7598	Lower Abo, Isolated below CIBP
7647-7657	Lower Abo, Isolated below CIBP
7667-7675	Lower Abo, Isolated below CIBP

Updated: 7/5/2017

By: EWUP