# District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

### State of New Mexico Energy Minerals and Natural Resources

Form C-101 May 27, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to appropriate District Office

☐ AMENDED REPORT

APPL	ICATI	ON F	)R	PERMIT T	O DI	RILL, I	RE-E	NTER	, DF	EPE	N, PI	LUGBAC	CK, C	OR ADI	D A ZONE	
Operator Name and Address  Platinum Exploration Inc.												227103				
Platinum Exploration Inc. 550 W. Texas, Suite 500								<sup>3</sup> API Number								
	Midland, Texas 79701									30 -025-07184					No	
	rty Code	3				Pro	operty N Slack	ame				:				
يو	558	٫	<u></u> _	pposed Peol 1		<del> </del>		— Т				<sup>10</sup> Prope	sed Po	2 ol 2	,	
		Gladio		oposed 19901 1 Devonian (27	7740)							тор				
<sup>7</sup> Surface L							ocatio	n								
UL or lot no.	Section 18		Fownship Range R-12-S R-38-E		Lot	Lot Idn Feet f					Feet from the 1980'			West line Vest	County Lea	
	<u></u>	<u>L</u>	L_	8 Propose	d Bott	rom Hole	Locati	on If Di	fferen	t From	Surfa	ce		<u> </u>		
UL or lot no.	Section	Townsh	р	Range	Sed Bottom Hole Loc Lot Idn Feet		Feet from			outh line			East/	West line	County	
	L	L			Ac	dditiona	ıl Wel	l Infor	matic	on	J		م	1	<u> </u>	
	Type Code	/	<del></del>	12 Well Type Code			13 Cable/	Rotary	14 Lease Type Code		15 Ground Level Elevation 3872'					
	E Iultiple			O  17 Proposed Depth	Depth		R  18 Formation				19 Contractor		_	<sup>20</sup> Spud Date		
	N			11,990'	<del></del>		Devo		1.0						ASAP	
Depth to Gro	undwater 6	53'			Distanc	e from nea	rest fres	h water we	water well 1800' Distance from nearest surface water 1800'							
<u>Pit:</u> Liner	: Synthetic	x□ _	12	mils thick Clay	y 🔲 F	Pit Volume:	:200_	bbls			lling <u>M</u>	-			_	
Close	ed-Loop Sy	stem 🔲		21 -		10	•	1.0				Bridge C		il-based	Gas/Air 🔲	
		<del></del>				sed Cas			1 44.3				<del>2\</del> -	<del></del>		
Hole S	lize	<del> </del>	Casing Size		Casin	ng weight/fo	oot	Set	tting D	epth	3 00	Sacks of Co	ment		Estimated TOC	
17 3	/2"·		13 3	13 3/8"		48#		· · · · · · · · · · · · · · · · · · ·	351	· <del>N</del>	<del>ele</del>	6/100350 sx5			Surface	
11"			8 5/8"		32#			4600		0.	CD 1720	\$ <del>\$</del>		Surface		
7 7/8"			5 ½"		17 & 20#		1	11,975%			200 sx			√3000,		
								, , ,		75.92.70			(S)			
		<u> </u>														
22 D	escribe the	proposed	progr	ram. If this appli the blowout preve	ication is	s to DEEPI	EN or PI	LUG BAC	K, giv	e the data	a on the	e present proc	luctive	zone and pr	oposed new	
3 33												44 4 1	•	ا کیا۔ کلا امار	92/	
RE-Ente	RE-Enter the Slack #2 and clean out to 11,990'. Tie the 5 1/2" back to the surface. Acidize the Dev. And put the															
well on Production.  Permit Expires 1 Year From Approval  Date Unless Brilling Underway																
							De	ate Un	1065		אלפי	ugerw <i>a</i> i	$I_{C_{\geq,\alpha}}$	19797 <b>9</b>	reo .	
23 I hereby certify that the information given above is true and complete to the OIL CONSERVATION DIVISION									ION							
best of my knowledge and belief. I further certify that the drilling pit will be																
constructed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							Approved by:									
Printed name: Greg Rasmussen Grey Rasmussen Eng							Title: DETROI FING MANAGEMENT									
Title: Eng.							Approval Date: Expiration Date:									
	E-mail Address: Ras@ t3 wireless.com							APR 1 1 2006								
····	Date: 3-28-06 Phone: 432-687-1664						Conditions of Approval Attached									

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87595

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised June 10, 2003 Submit to Appropriate District Office State Lease - 4 Copies

Fee Lease - 3 Copies

☐ AMENDED REPORT

11 TT 1 T	TACHTO	N T A N TEN	CE DEDI	CATIONIDE	AT

1	API Number		<del></del>	<sup>2</sup> Pool Code		EAGE DEDICA	<sup>3</sup> Pool Nar	ne /		
30			27740			iola; Devonian				
	· · · · · · · · · · · · · · · · · · ·	L		<sup>5</sup> Property !	V	6 Well Number				
<sup>4</sup> Property C	ode			2						
OGRID :	1			<sup>'</sup> Elevation 3873						
227103				Platinum Exploration, Inc.						
					<sup>10</sup> Surface	Location				
UL or lat no.	Section			East/West line	Consty					
F	18	T-12-S	R-38-E		1980'	North	1980'	West	Lea	
	<u> </u>	L	1	Bottom H	ole Location I	f Different From	Surface			
UL or lot no.	Section	Township	Range	Let Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	13 Joint or	Infili 14 (	Consolidation C	ode <sup>15</sup> Ore	ler No.	<u>                                     </u>	<u> </u>			
ю				l				•		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD

		UNIT HAS BEEN APPRO	DAFD BA THE DIVISION	
16	1980 FNL			17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.  Signature  Greg Rasmussen
1980 FWL				Printed Name Eng. Ras@t3wireless.com Title and E-mail Address 3-28-06 Date  18 SURVEYOR CERTIFICATION
				I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  Date of Survey Signature and Seal of Professional Surveyor criticate Number

GJR 3-28-(

Hancock

Slack No. 2

### Current

1980' FNL & 1980' FWL Sec 18 (F), T-12S R-38E GL: 3873' KB: 3884' Lea County, NM API# 30-025-07184 Cmt Plug @ surf w/ 10 sx Well Type: Plugged (3/68) Spud Date: 9/10/1957 13 3/8" 48# @ 351' w/ 350 sx TOC: Circulated to Surface 17 1/2" hole Cut & Pulled 5 1/2" Csg @ 4507' Cmt Plug in & out of 5 1/2" csg stub @ 4507' w/ 25 sx; TOC: 4372' estimated 8 5/8" 32# @ 4600' w/ 1750 sx 11" TOC: Circulated to Surface hole Cmt Plug 11,990' w/ 25 sx; TOC: 11,925' estimated

5 1/2" 17# & 20# @ 11,975' w/ 200 sx

Open Hole: 11,975' - 11,990'

TD: 11,990'


7 7/8"

hole

78

## Hancock **Proposed** Slack No. 2 1980' FNL & 1980' FWL Sec 18 (F), T-12S R-38E Lea County, NM API# 30-025-07184 Well Type: Plugged (3/68) Spud Date: 9/10/1957 GL: 3873' KB: 3884' 13 3/8" 48# @ 351' w/ 350 sx TOC: Circulated to Surface 17 1/2" hole Tie back 5 1/2" Csg @ 4507' to surface 8 5/8" 32# @ 4600' w/ 1750 sx 11" hole TOC: Circulated to Surface TOC: 10,000' estimated 5 1/2" 17# & 20# @ 11,975' w/ 200 sx 7 7/8" Open Hole: 11,975' - 11,990' hole

TD: 11,990'



DOD 384.4.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or	below-grade tank 🗵 Closure of a pit or below-gr	ade tank L							
Operator: Platinum Exploratin Telephone: 432-	687-1664 e-mail addres	s Ras@t3wireless.com							
Address: 550 W. Texas Suite 500 Midland Texas 79701		·							
Facility or well name: Slack #2 API# 30-025-07184 U/L or	Qtr/Qtr <u>F</u> Sec <u>18 T-12-S R-3</u>	88-E							
	Longitude								
Surface Owner: Federal  State Private X Indian									
Pit	Below-grade tank								
Type: Drilling x Production Disposal D	Volume:bbl Type of fluid:								
Workover Emergency	Construction material:								
Lined ⊠ Unlined □	Double-walled, with leak detection? Yes If no								
Liner type: Synthetic ⊠ Thickness 12 mil Clay □									
Pit Volume 200 bbl									
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)							
high water elevation of ground water.) 65'	50 feet or more, but less than 100 feet xxx	(10 points) 10							
nigh water elevation of ground water.) 05	100 feet or more	( 0 points)							
	Yes	(20 points)							
Wellhead protection area: (Less than 200 feet from a private domestic	No xxx	( 0 points) 0							
water source, or less than 1000 feet from all other water sources.) 300'	NO AAA	( o polita) o							
	Less than 200 feet	(20 points)							
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more xxx	( 0 points) 0							
		10 points							
	Ranking Score (Total Points)	10 points							
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's									
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility	(3) Attach a general	description of remedial action taken including							
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results.							
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.								
Additional Comments:									
Additional Community.									
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan									
may occur arm or conservation or crosest accounting to transport Senatings 17% a Benefit between 17% and (arrachen) and nature occurably over high 17%									
Date: 3-28-06									
Printed Name/Title Greg Rasmussen /ENG. Signature 6 res Rasmusser ENG.									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval:	<i>1.1.1</i>	_							
Printed Name/Title	Signature	DAPR 1 1 2006							
		- 4 - 4000							

PETROLEUM ENGINEER

Sent: Tue 4/11/2006 9:32 AM

The sender of this message has requested a read receipt. Click here to send a receipt.

#### Mull, Donna, EMNRD

From:

Phillips, Dorothy, EMNRD

To:

Mull, Donna, EMNRD

Cc:

Subject:

RE: Financial Assurance Requirement

Attachments:

All except Three Span have blanket bonds and Three Span has no approved bonding as of yet. They are submitting a one-well bond for the API 30-025-37791 you gave me. None of these appear on Jane's list.

From: Mull, Donna, EMNRD

Sent: Tuesday, April 11, 2006 9:28 AM

To: Phillips, Dorothy, EMNRD

Cc: Macquesten, Gail, EMNRD; Sanchez, Daniel J., EMNRD

Subject: Financial Assurance Requirement

Dorothy,

Is the Financial Assurance Requirement for these Operators OK?

Devon Energy Producing Co LP (6137) Chevron USA Inc (4323) Platinum Exploration Inc (227103) Marathon Oil Co (14021) Three Span Oil & Gas Inc (184905)

Please let me know. Thanks Donna