

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Hobbs OCD  
Santa Fe, NM 87505

OCT 02 2017

WELL API NO. 30- 025- 38193
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Iron Horse State
8. Well Number 1H
9. OGRID Number 16696
10. Pool name or Wildcat Reeves Queen
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3918'

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter <u>D</u> : <u>660</u> feet from the <u>south</u> line and <u>1830</u> feet from the <u>east</u> line Section <u>21</u> Township <u>18S</u> Range <u>35E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3918'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	INT TO PA <u>Am</u> P&A NR _____ P&A R _____
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>		OTHER: _____	
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>			

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NM 'C. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-8220'M 4405'V PBD-8164'M 4409'V Perfs-4777-8077'

13-3/8" 48# csg @ 528' w/ 450sx, 17-1/2" hole, TOC-Surf-Circ  
9-5/8" 36# csg @ 3150' w/ 1150sx, 12-1/4" hole, TOC-Surf-Circ  
5-1/2" 17# csg @ 8200' w/ 1050sx, 7-7/8" hole, TOC-3520'-CBL

1. RIH & set CIBP @ 4727', M&P 25sx cmt to 4560'
2. M&P 25sx cmt @ 4250-4085' WOC-Tag
3. Perf @ 3225', sqz 50sx cmt to 3100' WOC-Tag Pressure test csg - e 3050'
4. Perf @ 1815', sqz 40sx cmt to 1715' WOC-Tag
5. Perf @ 578', sqz 40sx cmt to 478' WOC-Tag
6. Perf @ 225', sqz 90sx cmt to surface.

10# MLF between plugs  
Above ground steel tanks will be utilized

Spud Date: \_\_\_\_\_

NOTIFY OCD 24 HOURS PRIOR TO  
BEGINNING PLUGGING OPERATIONS

to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 9/29/17

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark W. Stutman TITLE Petroleum Engr. Specialist DATE 10/02/2017

Conditions of Approval (if any):

OXY USA Inc. - Proposed  
Iron Horse State #1  
API No. 30-025-38193

90sx @ 225'-Surface


40sx @ 578-478' WOC-Tag

40sx @ 1815-1715' WOC-Tag

50sx @ 3225-3100' WOC-Tag

25sx @ 4250-4085' WOC-Tag

CIBP @ 4727' w/ 25sx to 4560'



17-1/2" hole @ 528'  
13-3/8" csg @ 528'  
w/ 450sx-TOC-Surf-Circ

ROSTLER 1764'  
YATES 3215'

12-1/4" hole @ 3150'  
9-5/8" csg @ 3150'  
w/ 1100sx-TOC-Surf-Circ

7-7/8" hole @ 8220'  
5-1/2" csg @ 8200'  
w/ 1050sx-TOC-3520'-CBL

Perfs @ 4777-8077'M

PBTD - 8164'M 4409'V  
TD - 8220'M 4405'V

OXY USA Inc. - Current  
Iron Horse State #1  
API No. 30-025-38193

17-1/2" hole @ 528'  
13-3/8" csg @ 528'  
w/ 450sx-TOC-Surf-Circ

12-1/4" hole @ 3150'  
9-5/8" csg @ 3150'  
w/ 1100sx-TOC-Surf-Circ

7-7/8" hole @ 8220'  
5-1/2" csg @ 8200'  
w/ 1050sx-TOC-3520'-CBL

Perfs @ 4777-8077'M

PBTD - 8164'M 4409'V  
TD - 8220'M 4405'V