

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBO

OCT 05 2017

RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised August 1, 2011

1. WELL API NO.
30-025-42712

2. Type of Lease
☒ STATE ☐ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No. B-1497

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
EAST VACUUM GB-SA UNIT

6. Well Number:
525

7. Type of Completion:
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator
ConocoPhillips Company

9. OGRID
217817

10. Address of Operator
P. O. Box 51810 Midland, TX 79710

11. Pool name or Wildcat
VACUUM; GB-SA

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	J	27	17S	35E		1690	S	2230	E	LEA
BH:										

13. Date Spudded 11/19/2015	14. Date T.D. Reached 11/24/2017	15. Date Rig Released 11/23/2017	16. Date Completed (Ready to Produce) 09/01/2017	17. Elevations (DF and RKB, RT, GR, etc.) 3933' GL
18. Total Measured Depth of Well 5079'	19. Plug Back Measured Depth 5064'	20. Was Directional Survey Made? NO	21. Type Electric and Other Logs Run CCL/GR/CNL	

22. Producing Interval(s), of this completion - Top, Bottom, Name
GB-SA 4800'-4930'

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	1636'	12 1/4"	760 SX	
5 1/2"	15.5#	5064'	7 7/8"	720 SX	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8"	4752'	4747'

26. Perforation record (interval, size, and number)
4875'-4930', 4850'-4865', 4800'-4840'

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
4875'-4930'	140 BBLS 15% NEFE HCL
4850'-4865'	80 BBLS 15% NEFE HCL
4800'-4840'	140 BBLS 15% NEFE HCL

28. PRODUCTION

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

30. Test Witnessed By

31. List Attachments

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.


33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude

Longitude

NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature  Printed Name Rhonda Rogers Title Staff Regulatory Technician Date 10/05/2017

E-mail Address rogersr@conocophillips.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy		T. Ojo Alamo	T. Penn A"
T. Salt	1719	T. Kirtland	T. Penn. "B"
B. Salt	2733	T. Fruitland	T. Penn. "C"
T. Yates	2876	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	3154	T. Cliff House	T. Leadville
T. Queen	3695	T. Menefee	T. Madison
T. Grayburg	4045	T. Point Lookout	T. Elbert
T. San Andres	4363	T. Mancos	T. McCracken
T. Glorieta		T. Gallup	T. Ignacio Otzte
T. Paddock		Base Greenhorn	T. Granite
T. Blinebry		T. Dakota	
T. Tubb		T. Morrison	
T. Drinkard		T. Todilto	
T. Abo		T. Entrada	
T. Wolfcamp		T. Wingate	
T. Penn		T. Chinle	
T. Cisco (Bough C)		T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
1611	1719		Anhydritic Dolomite				
1719	2733		Halite (salt) and Anhydrite				
2733	2876		Anhydrite/Dolomite				
2876	3154		Anhydrite/Dolomite w/interbedded Sandstone and Sha				
3154	3695		Anhydrite/Dolomite w/Halite (salt)				
3695	4045		Sandstone and Anhydritic Dolomite				
4045	4363		Anhydritic Dolomite				
4363			Anhydritic Dolomite				