

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy Minerals and Natural Resources
 OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

HOBBS OCD
OCT 13 2017
RECEIVED

WELL API NO. 30-025-38789
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Parker Energy SWD
8. Well Number 5
9. OGRID Number 245739
10. Pool name or Wildcat 96121 / SWD; SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3528'

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other SWD

2. Name of Operator
PARKER ENERGY SUPPORT SERVICES INC

3. Address of Operator
PO BOX 1957 EUNICE NEW MEXICO

4. Well Location
 Unit Letter A 1200 feet from the NORTH line and 990 feet from the EAST line
 Section 24 Township 21S Range 36E NMPM County LEA COUNTY, NM

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE
 CLOSED-LOOP SYSTEM
 OTHER:

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB
 OTHER: REPAIR COMMUNICATION BETWEEN TBG AND ANNULUS

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THIS NOTICE IS DOCUMENTATION OF SUBSEQUENT REPAIR PERFORMED, AFTER COMMUNICATION OCCURRED BETWEEN TBG AND ANNULUS. ADMINSTRATIVE ORDER # SWD - 1500

- OCT 10TH 2017. MU RU SWABCO RIG #1. ND WH and NU BOPE. TOOH LAYING DOWN 2.875" IPC TBD AND ARROW/SET PACKER.
- TIH W/2.875" WORK STRING AND CLEAN OUT 60' OF FILL FROM HOLE. LAY DOWN WORK STRING.
- TIH W/ NEW 2.875" J-55 EUE 1505 IPC TBG AND REDRESSED ARROW/SET PACKER TESTING TO 5000#
- CIRC PACKER FLD. SET PACKER AND ND BOPE NU WELLHEAD.
- CALLED MAXEY BROWN (OCD) TO SCHEDULE MIT TEST 10/12/2017.
- 10/13/2017 (8:00) GARY ROBINSON OCD REP. ARRIVED AND WITNESSED PACKER LEAKAGE TEST. ANNULUS TEST 360 # LOST 5# TO 355# IN 32 MN. PLEASE SEE CHART.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Fred M Mortiz TITLE SWD Supv DATE 10-13-2017

Type or print name FRED MORTIZ E-mail address fredmortiz@valornet.com PHONE: 575-390-3243

For State Use Only

APPROVED BY: Maxey Brown TITLE AO/II DATE 10/16/2017
 Conditions of Approval (if any):

PRINTED IN U.S.A.

6 PM

8

9

10

11

MIDNIGHT

1

2

3

4

5

6

7

8

9

10

11

12

1

2

3

4

5

6

Graphic Controls

DATE 10-13-17
BR 2221

Peak

Peak Reference
Burst w/ power
D-50-1000


6000 #
57 m. 555 #
6000 #
57 m. 555 #

10000 #
60 m. 5162
M. # 5162
Cal date 8-17-17

A-24 215-562
30-025-5715-00-00
Peak Energy Studies

Peak Energy
Peak Reference
Peak Reference
Peak Reference

Peak



PARKER Energy SWD#5

FINAL INJ STRING RAN .. 10-12-2017

(MIT) witnessed by OEO (GARY ROBINSON) 10-13-2017

24#
8 5/8"
1304'

2 7/8" J-55 EVE BRN
1505 IPC TBC
2ea. 10' pup JTS
13lea. Reg. LQTH TBC

Sq Perls

3736'

3852'

3877'

4037'

ARROW SET NICKEL COATED
INJ PACKER at 4293'

3 1/2"
15.5#
4329'

4 3/4" OPEN HOLE

4675'

