

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-08587

5. Indicate Type of Lease  
 STATE  FEE  SIM

6. State Oil & Gas Lease No. E-8244

7. Lease Name or Unit Agreement Name Jalmat Field Yates Sand Unit

8. Well Number 108

9. OGRID Number 370080

10. Pool name or Wildcat Jalmat; Tan-Yates-7Rivers (Oil)

11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 3595'

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other Injection

2. Name of Operator Breitburn Operating LP

3. Address of Operator 1111 Bagby Street, Suite 1600 Houston, TX 77002

4. Well Location  
 Unit Letter H: 1980 feet from the North line and 330 feet from the East line  
 Section 11 Township 22S Range 35E NMPM Lea County

HOBBS OCD  
 OCT 16 2017  
 RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON  CHANGE PLANS   
 PULL OR ALTER CASING  MULTIPLE COMPL   
 DOWNHOLE COMMINGLE   
 CLOSED-LOOP SYSTEM   
 OTHER:

SUBSEQUENT RI

REMEDIAL WORK   
 COMMENCE DRILLING OPNS.   
 CASING/CEMENT JOB

INT TO PA   
 P&A NR \_\_\_\_\_  
 P&A R \_\_\_\_\_

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Jalmat #108 is an injector that recently failed a MIT and is not economical to return to injection. Breitburn proposes to P&A this well on or about November 9, 2017 as per the following procedure: (See attached WBD)

- MIRU plugging rig. N/D Wellhead, N/U BOP
- Release 3 1/2" Tension Packer @ 3831'
- TOOH with tubing and packer.
- TIH with CIBP
- Set CIBP @ 3,810' to isolate the productive intervals (Yates).
- Spot 2 sks of cement on top of CIBP, 3,790'-3,810'. WOC and TAG. @ 3500' OR BETTER (B.SALT)
- Load hole with 9.5 ppg plug mud Pressure test csg.
- Spot 6 sks of cement 1900'-2000' to isolate top of salt section. WOC and TAG Perf @ 1750'. Attempt to sqz w/25 sx. WOC. Tag @ 1550' or better
- Perforate 3.5" liner and 5.5" production csg @ 380'
- Sqz 80 sks of cement 280'-380' to isolate casing shoe
- 1 sk of cement to surface. Surface 10'
- Cut off csg, weld on 1/2" steel plate verify cmt. Bradenheads
- Erect dead well marker

Spud Date: 04/03/1957 Rig Release Date: [ ] NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shelly Doescher TITLE: Agent DATE: 10/15/2017

Type or print name Shelly Doescher E-mail address shelly\_doescher@yahoo.com PHONE: 505-320-5682

APPROVED BY: Mark Whitaker TITLE: Petroleum Engr. Specialist DATE: 10/18/2017

Conditions of Approval (if any):

Proposed Wellbore Diagram				
Well Name	API #	State	County	District
JALMAT FIELD YS UNIT #108	3002508587	NM	LEA	01 - HOBBS

VERTICAL - ORIGINAL HOLE, 11/1/2017

