

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd. Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

WELL API NO. <b>30-025-37756</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>South Eunice 7Rvrs Qn Ut</b>
8. Well Number <b>441</b>
9. OGRID Numer <b>873</b>
10. Pool Name or Wildcat <b>Eunice; 7 Rvrs-Qn, South(24130)</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3495' GL</b>

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other

2. Name of Operator  
**Apache Corporation**

3. Address of Operator  
**303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705**

4. Well Location  
Unit Letter **K** : **1650** feet from the **S** line and **2310** feet from t **W** line  
Section **26** Township **22S** Range **36E** NMPM County **LEA**

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

- PERFORM REMEDIAL WORK
- TEMPORARILY ABANDON
- PULL OR ALTER CASING
- DOWNHOLE COMMINGLE
- CLOSED-LOOP SYSTEM
- OTHER:

**SUBSEQUENT REPORT ON:**

- REMEDIAL WORK
  - COMMENCE DRILLING OPNS.
  - CASING/CEMENT JOB
  - OTHER: \_\_\_\_\_
- INT TO P&A** fm  
**P&A NR** \_\_\_\_\_  
**P&A R** \_\_\_\_\_

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

**Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.14 NMAC.**

**NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**  
Rig Release \_\_\_\_\_

Spud Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Sr. Reclamation Foreman DATE 10/20/17

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

APPROVED BY: Marble Whitaker TITLE Petroleum Engr. Specialist DATE 10/26/2017

Conditions of Approval (if any):



WELL BORE INFO.

LEASE NAME	South Eunice 7Rvrs Qn Ut.
WELL #	441
API #	30-025-37756
COUNTY	LEA

0  
429  
857  
1286  
1715  
2144  
2572  
3001  
3430  
3858  
4287

11" Hole  
8 5/8" 24# @ 1245'  
w/ 780 sx Circ to surf

7 7/8" Hole  
5 1/2" 15.5# @ 4287'  
w/ 1644 sx Circ to surf



CIBP @ 3550' w/ 35' cmt

CIBP @ 3840' w/ 35' cmt

CIBP @ 4090' w/ 20' cmt

7 Rvrs/Queen perfs @ 3586'-3696'

Grayburg perfs @ 3870'-3998'

San Andres perfs @ 4120'-4180'

PBSD @ 3550'  
TD @ 4287'



WELL BORE INFO.

LEASE NAME	South Eunice 7Rvrs Qn Ut.
WELL #	441
API #	30-025-37756
COUNTY	LEA

PROPOSED PROCEDURE

Cut off wellhead 3' below ground level. Verify cement to surface. Install P&A marker.

4. PUH & spot 25 sx Class "C" cmt from 250' to surf. (Water Board)

3. PUH & spot 50 sx Class "C" cmt from 1650' - 1150', WOC/TAG (Top of Salt & Shoe plug)

~~2. PUH & spot 25 sx Class "C" cmt from 2450'-2200', WOC/TAG (Base of Salt)~~

1. MIRU P&A rig, RIH w/ tbg & verify CIBP @ 3550', CIRC w/ MLF & spot 50 sx Class "C" cmt from 3515'-2800' (Yates) 75 Base Salt

Pressure test a/g  
7 Rvrs/Queen perms @ 3586'-3696'

Grayburg perms @ 3870'-3998'

San Andres perms @ 4120'-4180'

0  
429  
857  
1286  
1715  
2144  
2572  
3001  
3430  
3858  
4287


11" Hole  
8 5/8" 24# @ 1245'  
w/ 780 sx Circ to surf

7 7/8" Hole  
5 1/2" 15.5# @ 4287'  
w/ 1644 sx Circ to surf

CIBP @ 3550' w/ 35' cmt

CIBP @ 3840' w/ 35' cmt

CIBP @ 4090' w/ 20' cmt



PBTD @ 3550'  
TD @ 4287'