UNITED STATES (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR NMOCD BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS hot use this form for proposals to drill or to re-enter an					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
					5. Lease Serial No. NMNM073240		
SEP 2 abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
ECE SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. FEDERAL 30 123H		
Name of Operator Contact: TAMMY R LINK MATADOR PRODUCTION COMPANYE-Mail: tlink@matadorresources.com					9. API Well No. 30-025-42467		
3a. Address 3b. Phone No. (include a Ph: 575-623-6601 E DALLAS, TX 75240					10. Field and Pool or Exploratory Area GEM; BONE SPRING		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 30 T19S R33E Mer NMP NWNE 330FNL 2030FEL 32.637505 N Lat, 103.699973 W Lon					LEA COUNTY, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
□ Notice of Intent □ Acidize		☐ Deepen		☐ Production (Start/Resume)		☐ Water Shut-Off	
	☐ Alter Casing	□ Нус	☐ Hydraulic Fracturing		ation	☐ Well Integrity	
	☐ Casing Repair	□ Nev	v Construction	☐ Recomp	lete	Other	
Final Abandonment Notice	☐ Change Plans	☐ Plug	☐ Plug and Abandon ☐		Temporarily Abandon Drilling Operati		
	☐ Convert to Injection	☐ Plug Back ☐ Wat		☐ Water D	Disposal		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. BLM Bond No. NMB0001079							
Surety Bond No. RLB0015172							
7/8/2017 Spud Well.							
7/8-12/2017 Hole size:26"; Surface casing size:20" set at 1265' 21 joints 54.5# K-55 BTC surface casing. Fresh water, 1601 sacks of Class C Lead cement. Yield 1.77. 765 sacks of tail Class C cement, Yield 1.38; 305 bbls cement to surface. Test surface casing to 1050 psi.							
7/12-17/2017 1st intermediate hole:17.5"; 1st Intermediate casing 13-3/8" to 3210 89 joints 68# J-55 BTC casing. Fresh water: 1703 sacks Class C lead cement, Yield 1.75. 693 sacks of Tail cement, Yield 1.38 200 bbls cement to surface. Test 1st Intermediate casing to 1365 psi.							
14. I hereby certify that the foregoing is true and correct. Electronic Submission #387172 verified by the BLM Well Information System.							
For MATADOR PRODUCTION COMPANY, sent to the Hobbs Committed to AFMSS for processing by JENNIFER SANCHEZ on 09/18/2017 () Name (Printed/Typed) TAMMY R LINK Title PRODUCTION ANALYST							
ACCEPTED FOR RECORD /							
Signature (Electronic Submission) Date 08/31/2017				UEPTEL 17	FUNTECON	υ <i>//</i>	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved By			Title	3LI	1/1/1/1	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. BUREAU OF LAND MANAGENER CARLSBAD FELO OFFICE Office							
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							
(Instructions on page 2) ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **							

Additional data for EC transaction #387172 that would not fit on the form

32. Additional remarks, continued

7/17-22/2017 2nd Intermediate: 12.25" hole to 5,010'. 2nd Intermediate casing set at 4994'; 118 joints 9-5/8" 40# J-55 Buttress. (1st Stage) Water: 966 sacks Class C lead cement. Yield 1.75. 706 sacks Class C tail cement, Yield 1.38. (2nd stage) Chem. Wash/water: 681 sacks Class C lead cement, Yield 1.75. 7 bbls cement to surface test 2nd intermediate. Casing to 1500 psi for 30 minutes.

7/23-26/2017 Drill 8.75" vertical to 9,322'.

7/27-8/3/2017 Drill/Slide to build curve, drill lateral to casing depth 14,675'.

8/4-6/2017 Production casing: 5.5" 20# P-110 Vallourec VAM casing from 2100-14,554' casing set @ 14,665' fresh water & "Mud push": 621 bbls Class C lead cement, Yield 2.26. 1729 sack Class C tail cement Yield 1.35. No cement returned to surface.

8/7/2017 Test to 5000 psi. Rig Released.