

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05135
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lee Whitman A
8. Well Number 1
9. OGRID Number 370256
10. Pool name or Wildcat Denton Devonian

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Wishbone Texas Operating Company LLC

3. Address of Operator
10613 W. Sam Houston Pkwy N #400, Houston, Texas 77064

4. Well Location

Unit Letter G : 1980' feet from the North line and 1980' feet from the East line

Section 26

Township 14S

Range 37E

NMPM

County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3800' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐

INT TO PA PM
P&A NR
P&A R

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) Tag CIBP w/ 35' cmt @ 12,065'. ISOLATE HOLES IN CASING & REPORT RESULTS
- 2) Circulate mud laden fluid
- 3) Spot 25 sx cmt @ 7975' - 8075' (Abo) Perf & SQZ w/ 50 sx class H @ 9000'. WOC & TAG
- 4) Spot 25 sx cmt @ 6125' - 6225' (Glorietta) Perf & SQZ w/ 50 sx class C @ 6225'. WOC & TAG
- 5) Perf & Sqz 50 sx cmt @ 4787' (9-5/8" shoe). Tag @ 4687' OR BETTER
- 6) Perf & Sqz 50 sx cmt @ 3100' (Yates, B/Salt). Tag
- 7) Perf & Sqz 100 sx cmt 330' to surface Perf & SQZ w/ 50 sx @ 2200' (Top Salt) WOC & TAG
- 8) Cut off wellhead. Confirm cmt @ surf. Well PA'd.

Spud Date:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tim Wall TITLE - Engineering Consultant DATE 11-13-2017

Type or print name Tim Wall E-mail address: twall@wishbonep.com PHONE: 832-807-2215

For State Use Only

APPROVED BY: Mah Whitman TITLE Petroleum Engr. Specialist DATE 11-20-2017


Conditions of Approval (if any):

(Current)

Lee Whitman A #1 1980' FNL & 1980' FEL of Sec. 26, T14S, R37E Unit Letter "G"
API: 30-025-05135

Spud: 9/11/52
Compl: 2/18/53
Elev: 3800' GL
KB: 3812'

10/2/12-MWM



(Proposed) Lee Whitman A #1 1980' FNL & 1980' FEL of Sec. 26, T14S, R37E Unit Letter "G"
API: 30-025-05135

Spud: 9/11/52
Compl: 2/18/53
Elev: 3800' GL
KB: 3812'

10/2/12-MWM

