

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-35013
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name E.C. H:11 B
8. Well Number 7
9. OGRID Number 16696
10. Pool name or Wildcat Teague Devonian
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3275'

DEC 04 2017

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>South</u> line and <u>2290</u> feet from the <u>West</u> line Section <u>27</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3275'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- | | |
|--|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input checked="" type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | MULTIPLE COMPL <input type="checkbox"/> |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | |
| CLOSED-LOOP SYSTEM <input type="checkbox"/> | |
| OTHER: <input type="checkbox"/> | |

SUBSEQUENT I

- | | |
|--|---------------------|
| REMEDIAL WORK <input type="checkbox"/> | INT TO PA <u>Pm</u> |
| COMMENCE DRILLING OPNS. <input type="checkbox"/> | P&A NR |
| CASING/CEMENT JOB <input type="checkbox"/> | P&A R |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- TD-9530' PB-9198' Perfs-7150-8140' CIBP 9222'
- 13-3/8" 48-54.5# csg @ 1075' w/ 1200sx, 17-1/2" hole, TOC-Surf-Circ
9-5/8" 40# csg @ 2500' w/ 1050sx, 12-1/4" hole, TOC-Surf-Circ
5-1/2" 17# csg @ 9530', DVT's @ 7014', 5001' w/ 2950sx, 7-7/8" hole, TOC-140'-CBL
1. RIH & set CIBP @ 7100', M&P 25sx cmt to 6950' TAG
2. M&P 40sx cmt @ 6450-6125' WOC-Tag
3. M&P 25sx cmt @ 5075-4900' WOC-Tag
4. M&P 35sx cmt @ 3900-3600' WOC-Tag
5. M&P 25sx cmt @ 3010-2835' WOC-Tag
6. M&P 35sx cmt @ 2550-2300' WOC-Tag
7. M&P 25sx cmt @ 1175-1000' WOC-Tag
8. Perf @ 140', sqz 55sx cmt to surface

10# MLF between plugs - Above ground steel tanks will be utilized

Spud Date:

Rig:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 11/29/17

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr. Specialist DATE 12/05/2017
Conditions of Approval (if any):

OXY USA Inc. - Current
E.C. Hill B #7
API No. 30-025-35013



OXY USA Inc. - Proposed P&A
E.C. Hill B #7
API No. 30-025-35013

55sx @ 140'-Surface

25sx @ 1175-1000' WOC-Tag

35sx @ 2550-2300' WOC-Tag

25sx @ 3010-2835' WOC-Tag

35sx @ 3900-3600' WOC-Tag


25sx @ 5075-4900' WOC-Tag

40sx @ 6450-6125' WOC-Tag

CIBP @ 7100' w/ 25sx to 6950' WOC-Tag

CIBP @ 9222' w/ 3sx cmt to 9198' Tagged
CIBP @ 9227'

PB-9486'



Perf @ 140'

17-1/2" hole @ 1075'
13-3/8" csg @ 1075'
w/ 1200sx-TOC-Surf-Circ

12-1/4" hole @ 2500'
9-5/8" csg @ 2500'
w/ 1050sx-TOC-Surf-Circ

Perfs @ 7150-8140'

7-7/8" hole @ 9530'
5-1/2" csg @ 9530'
w/ 2950sx-TOC-140'-CBL
DVT @ 7014'-5001'

Perfs @ 9276-9304'

TD-9530'