

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-08659
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No. NM-1071
7. Lease Name or Unit Agreement Name Cone Jalmat Yates Pool Unit
8. Well Number 901
9. OGRID Number 370080
10. Pool name or Wildcat Jalmat (Tansill, Yates, Seven Rivers)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator Breitburn Operating LP
3. Address of Operator 1111 Bagby Street, Suite 1600 Houston, TX 77002

4. Well Location
Unit Letter I: 2310 feet from the South line and 330 feet from the East line
Section 25 Township 22S Range 35E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.) GR 3548'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO
Approved for Plugging of well bore only. Liability under bond is retained pending restoration and completion of the C-103, Specific for Subsequent Report of well plugging, which may be found on the OCD web page under forms. Restoration Due by: 12-10-2018

SUBSEQUENT REPORT OF:
WORK [] ALTERING CASING []
E DRILLING OPNS. [] P AND A [X]
MENT JOB []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
11/22 - 11/23/2017: MIRU plugging unit and equipment. NDWH, NU BOP. POOH with 2 3/8" tubing. RU WL truck, RIH with gauge ring. POOH. RIH and set CIBP at 3565'. RDWL, RIH with tubing. Tag plug at 3565'. Close well in and shut down for Thanksgiving.
11/27 - 11/28/2017: RIH with tubing, tag at 3565'. Spot 25 sx Class C Cement on CIBP, PU and WOC 4 hours. RIH and tag TOC at 3309'. Mix and circulate 9.5# mud to surface, test casing to 500#. Will not hold pressure. Looking for casing leaks; tested good below 1246', tested good above 623'. Notified NMOCD. Will confer in AM. Close well in and SION.
11/28 - 11/29/2017: RU WL and perforate at 1750'. POOH. RIH and set packer at 1500'. Squeeze with 35 sx Class C cement, had circulation around packer. Unset packer and POOH. WOC 4 hours. RIH and tag TOC at 1670', (should have tagged at 1650'). NMOCD approved tag. Extra stage requested by NMOCD. RIH with tubing to 1246', mix and spot 65 sx Class C cement at 1246' to 623'. POOH. Close well in and SION.
11/29 - 11/30/2017: RIH with tubing and tag TOC at 887'. Call NMOCD. Spot another 35 sx Class C cement at 887' to 542'. WOC and tag TOC at 590'. Pressure test casing, will not test. POOH and RIH with packer, found holes from 529' to 428'. Attempt to circulate water out of surface, will not circulate. POOH with packer, RIH to 590' and spot 25 sx Class C cement from 590' to 340'. POOH and pressure up on casing to 500#. Close well in and WOC.
11/30- 12/01/2017: Tag TOC at 356'. Test squeeze to 500#, NMOCD ok'd. Perforate casing at 306', break circulation to surface, squeeze with 80 sx C cement, circulate cement out of surface. Checked casing and had no fall back, NMOCD witnessed. Well is plugged. RDMO. Will install dry hole marker, cut off anchors and clean up location.

Spud Date: 03/29/1956 Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shelly Doescher TITLE: Agent DATE: 12/06/2017
Type or print name Shelly Doescher E-mail address shelly_doescher@yahoo.com PHONE: 505-320-5682
APPROVED BY: Kerry Futner TITLE Compliance Officer DATE 12-27-17
Conditions of Approval (if any):