

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

STATE OF NEW MEXICO
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-21041
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Vacuum Glorieta West Unit
8. Well Number 024
9. OGRID Number 4323
10. Pool name or Wildcat Vacuum Glorieta
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4008' GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Chevron U.S.A. Inc.	
3. Address of Operator 6301 Deauville - Midland, Tx 79706	
4. Well Location Unit Letter <u>G</u> : <u>2310</u> feet from the <u>North</u> line and <u>1980</u> feet from the <u>East</u> line Section <u>25</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4008' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☒	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well is down with a grounded ESP plan to TA.

1. MIRU, NDWH, NU BOPE
2. POOH with all tubing and production equipment
3. Set CIBP ~6,050'-6,090', circulate with packer fluid and spot 25 sxs or dump bail 35' of cement on top
4. Notify NMOCD to witness pressure test of casing and chart
5. File subsequent report with MIT chart to NMOCD

Condition of Approval: notify

OCD Hobbs office 24 hours

Spud Date:

Rig Release Date:

prior of running MIT Test & Chart

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jordan Fleck TITLE Production Engineer DATE 1/3/18

Type or print name Jordan Fleck E-mail address: jfleck@chevron.com PHONE: 432-687-7386

For State Use Only

APPROVED BY: Mary L Brown TITLE AO/II DATE 1/3/2018

Conditions of Approval (if any):

Vacuum Glorieta West Unit 24 (Proposed WBD)

Created: _____ By: _____
 Updated: _____ By: _____
 Lease: Vacuum Glorieta West Unit
 Field: Vacuum Glorieta
 Surf. Loc.: 2310' FNL & 1980 FEL
 Bot. Loc.: _____
 County: Lea St.: NM
 Status: PS - Oil Well

Well #: 24 Fd./St. #: B-1520
 API 30-025-21041
 Surface Tshp/Rng: T17S & R34E
 Unit Ltr.: G Section: 25
 Bottom hole Tshp/Rng: _____
 Unit Ltr.: _____ Section: _____
 Cost Code: _____
 Chevno: _____

Surface Casing

Size: 8 5/8
 Wt., Grd.: 24#
 Depth: 1565'
 Sxs Cmt: 800
 Circulate: yes
 TOC: Surface
 Hole Size: 12 1/4


KB: 11"
 DF: _____
 GL: 4008'
 Ini. Spud: 11/26/64
 Ini. Comp.: 12/17/64

Production Casing

Size: 4 1/2
 Wt., Grd.: 9.5#
 Depth: 6,200
 Sxs Cmt: 2,380
 Circulate: yes
 TOC: Surface
 Hole Size: 7 7/8

Geology - Tops	
Yates	2835'
Queen	3744'
San Andres	4437'
Glorietta	5895'

35' cmt on top
 Proposed CIBP ~6050'-6090'



Sqzd Perfs: 4 JSPF, 204 HOLES
 5930' - 36'
 5941' - 51'
 5956' - 60'
 5970' - 6000'
 6003' - 6020' 6 JSPF, 108 holes
 Orig. Squeezed Perfs: 6031', 34', 39'
 6042', 6044', 6047'
 6049', 6050'
 10/2000 Perfs
 6090' - 6190' - Squeezed
 6150' - 6190' - Active
 40', .41" holes

PBTD: 6171'
 TD: 6200'

Vacuum Glorieta West Unit 24 (Current WBD)

Created: _____ By: _____
 Updated: _____ By: _____
 Lease: Vacuum Glorieta West Unit
 Field: Vacuum Glorieta
 Surf. Loc.: 2310' FNL & 1980 FEL
 Bot. Loc.: _____
 County: Lea St.: NM
 Status: PS - Oil Well

Well #: 24 Fd./St. #: B-1520
 API 30-025-21041
 Surface Tshp/Rng: T17S & R34E
 Unit Ltr.: G Section: 25
 Bottom hole Tshp/Rng: _____
 Unit Ltr.: _____ Section: _____
 Cost Code: _____
 Chevno: _____

Surface Casing


Size: 8 5/8
 Wt., Grd.: 24#
 Depth: 1565'
 Sxs Cmt: 800
 Circulate: yes
 TOC: Surface
 Hole Size: 12 1/4

KB: 11"
 DF: _____
 GL: 4008'
 Ini. Spud: 11/26/64
 Ini. Comp.: 12/17/64

Production Casing

Size: 4 1/2
 Wt., Grd.: 9.5#
 Depth: 6,200
 Sxs Cmt: 2,380
 Circulate: yes
 TOC: Surface
 Hole Size: 7 7/8

Geology - Tops	
Yates	2835'
Queen	3744'
San Andres	4437'
Glorietta	5895'



Sqzd Perfs: 4 JSPF, 204 HOLES
 5930' - 36'
 5941' - 51'
 5956' - 60'
 5970' - 6000'
 6003' - 6020' 6 JSPF, 108 holes
 Orig. Squeezed Perfs: 6031', 34', 39'
 6042', 6044', 6047'
 6049', 6050'
 10/2000 Perfs
 6090' - 6190' - Squeezed
 6150' - 6190' - Active
 40', .41" holes

PBTD: 6171'
 TD: 6200'