

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-33998
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Chevron USA, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 6301 Deauville Blvd., Midland, TX 79706		7. Lease Name or Unit Agreement Name Monument 12
4. Well Location Unit Letter M : 677 feet from the SOUTH line and 791 feet from the WEST line Section 12 Township 19S Range 36E, NMPM, County Lea		8. Well Number: 10
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3735' GL		9. OGRID Number 4323
		10. Pool name or Wildcat Monument North.

12. Check Appropriate Box to Indicate Nature of Notice, Report

NOTICE OF INTENTION TO:		SUBSEQUENT
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING
PULL OR ALTER CASING ☐	MULTIPLE COMPLETIONS ☐	CASING/CEMENT JOB
DOWNHOLE COMMINGLING ☐		
OTHER: ☐	OTHER: ☐	TE: _____

INT TO PA PM
P&A NR _____
P&A R _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 11 3/4" 42# @ 400': TOC @ surface; 8 5/8" 24# @ 2775': TOC @ surface; 5 1/2" 17# @ 7210': TOC @ 5878' and 4398' to surface after squeeze job

Chevron USA INC respectfully requests to abandon this well as follows:

1. MIRU, N/U BOPE, POOH w/ all rods & tubing. TAG CIBP: 6685' TO CONFIRM PLUG
2. Set CIBP @ 4550', circulate well w/ 9.5 ppg gel KCl water, and pressure test casing t/ 500 psi for 10 min.
3. Spot 100 sx CL "C" cement plug f/ 4550' t/ 3550' (Delaware, San Andres, Grayburg, Queen). WOC & tag.
4. Perforate @ 2825'.
5. Spot 60 sx CL "C" cement plug f/ 3074' t/ 2487', then squeeze 95 sx through perfs @ 2825' (7 Rivers, Shoe, Yates, B. Salt). WOC & tag.
6. Spot 25 sx CL "C" cement plug f/ 1530' t/ 1283' (T. Salt, Rustler). If there is pressure on the 5 1/2" annulus, then perf & squeeze w/ 65 sx, WOC, & tag.
7. Spot 45 sx CL "C" cement plug f/ 450' t/ surface (Shoe, Fresh Water). If there has been pressure on the 5 1/2" annulus only, then perf & squeeze w/ 120 sx. If there has been pressure on all annuli, then perf & squeeze w/ 230 sx.
8. Verify top of cement at surface on all casing strings

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE P&A Engineer DATE 1/9/2018

Type or print name Nick Glann E-mail address: nlgann@chevron.com PHONE: 432-687-7786
For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engr. Specialist DATE 1/11/2018

Conditions of Approval (if any):

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

WELL WORK - CURRENT WELLBORE DIAGRAM

DATE: 1/9/18
ENGINEER: Dustin Pate

LEASE/WELL: MONUMENT 12 STATE DELAWARE 10

API #: 3002533998

CHEVNO: BN7570

LOCATION: SEC-12,TWN-19S,RNG-36E

LAT: 32.6693600

LONG: -103.3132400

FIELD: FLD-MONUMENT NORTH

COUNTY: LEA

STATE: NM

DESCRIPTION OF WORK: 0

0

GL (ft): 3,735

KB (ft): 3,748

=

ft AGL

SPUD: 6/15/1997

AGE (yrs): 20.6

ROD DETAIL AS OF 1/23/2009

2' (1) 1" N-90 Rod (Sub)
8' (1) 1" N-90 Rod (Sub)
2450' (98) 1" N-90 Rod
3975' (159) 0.875" N-90 Rod
275' (11) 1.5" K Rod (Sinker Bar)
4' (1) 0.875" N/A Rod Centralizer (Coupling)
12' (1) 1.25" N/A Gas Anchor (Rod)

PUMP DETAIL AS OF 1/23/2009

25-150-RHBC-20-5 PUMP 6753-6773'

TUBING DETAIL AS OF 11/26/08

144 JTS (4393') 2.875 6.4# J-55 8rd EUE

TAC @ 4405.54

71 JTS (2301') 2.875 6.4# J-55 8rd EUE

1 JTS (12') 2.875 6.4# J-55 8rd EUE SUB

1 JTS (32') 2.875 0# Unknown 8rd EUE TK-99

SN @ 6752.74

1 JTS (4') 0 0# N/A 8rd EUE PERF SUB

1 JTS (4') 2.875 0# Unknown 8rd EUE

1 JTS (4') 2.875 0# Unknown 8rd EUE


1 JTS (4') 2.875 0# Unknown 8rd EUE

1 JTS (4') 2.875 0# Unknown 8rd EUE SUB

TAC @ 6757.84

PERF DETAIL

Perforations, Delaware	4608	4615
Perforations, C	4618	4624
Perforations, Delaware	4628	4634
Perforations, Delaware	4962	4972
Perforations, Delaware	5122	5130
Perforations, Delaware	5140	5150
Perforations, Delaware	5236	5246
Perforations - Upper Drinkard Open	6722	6746
Perforations, Upper Drinkard	6748	6756
Perforations, Upper Drinkard	6791	6800
Perforations - Middle Drinkard Sqzd off	6840	6858
Perforations - Lower Drinkard Sqzd off	6976	7015
Open Hole: Abo Isolated	7210	7470



WELL WORK - PROPOSED WELLBORE DIAGRAM

DATE: 1/9/18
ENGINEER: _____

LEASE/WELL: MONUMENT 12 STATE DELAWARE 10

API #: 3002533998

CHEVNO: BN7570

LOCATION: SEC-12,TWN-19S,RNG-36E

LAT: 32.6693600

LONG: -103.3132400

FIELD: FLD-MONUMENT NORTH

COUNTY: LEA

STATE: NM

DESCRIPTION OF WORK: 0

0

GL (ft): 3,735

KB (ft): 3,748

=

ft AGL

SPUD: 6/15/1997

AGE (yrs): 20.6

