

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-09894
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator XTO ENERGY INC.		6. State Oil & Gas Lease No.
3. Address of Operator 500 W. ILLINOIS SUITE 100 MIDLAND, TEXAS 79707		7. Lease Name or Unit Agreement Name COOPER COOPER LOVE
4. Well Location Unit Letter G : 1649 feet from the NORTH line and 1638 feet from the EAST line Section 5 Township 20S Range 37E NMPM County LEA		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 5380
		10. Pool name or Wildcat EUMONT; YATES-7RVRS-QUEEN

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	TA' WELLBORE ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/15-01/17/2018 MIRU POH LD PRODUCTION TDS & TUBING & INSERT PUMP. D J-55 PRODUCTION TBG. RIHW. 5.5 SCAPPER TO 3266'. POH LD 5.5 SCRAPER. RIH W/ 5.5 COMPRESSION PKR TEST CAING TO 600PSI HOLD FOR 30 MIN. POH LD PAKR SWI. 01/17-01/19/2018-RU WIRELINE RIH W/ 5.5 CIBP SET AT 3200' MADE 2 CMT ABILER RUNS (4SX CLASS C CMT) RD WL RIH TAG TOC @3161'. RIG UP PMP TRUCK INSTALL CHART RECORDER RUN OFFICIAL MIT TO 90 PSI HELD FOR 30 MIN NO LEAKS. NMOCD ADVISED BUT NOT PRESENT FOR TEST. WELLBORE IS TA'.

No Chart Attached.

Time Approval of Temporary
Abandonment
DENIED

Rule 19.15.25.14
Requires 500psi
test for 30 min.
Not 90psi as indicated.
MS Brown

Spud Date:

02/03/1954

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Patricia Donald

TITLE REGULATORY ANALYST

DATE 1/22/18

Type or print name

PATRICIA DONALD

E-mail address:

PATRICIA_DONALD@XTOENERGY.COM

PHONE: 432-571-8220

APPROVE
Conditions

LE

DATE


Wellbore Original Hole

Job <no job>

► || ◀ ▶ ▶▶

Vertical schematic (actual)

Proposed



Wellbore Original Hole

Job <no job>

Vertical schematic (actual)

Current

