

PFP

HOBBS OCD
JAN 30 2018

RECEIVED

Form 3160-3
(March 2012)

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. NMNM128366
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator LEGACY RESERVES OPERATING LP (240974)		7. If Unit or CA Agreement, Name and No. NMNM70976X
3a. Address 303 West Wall St., Ste 1800 Midland TX 79701		8. Lease Name and Well No. LEA UNIT 50H (302802)
3b. Phone No. (include area code) (432)689-5287		9. API Well No. 30-025-44411
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface SWSE / 630 FSL / 2560 FEL / LAT 32.5966021 / LONG -103.5130209 At proposed prod. zone SWSE / 330 FSL / 1750 FEL / LAT 32.5812719 / LONG -103.5108442		10. Field and Pool, or Exploratory LEA / BONE SPRING (37970)
14. Distance in miles and direction from nearest town or post office* 26 miles		11. Sec., T. R. M. or Blk. and Survey or Area SEC 1 / T20S / R34E / NMP
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 630 feet	16. No. of acres in lease 602.04	12. County or Parish LEA
17. Spacing Unit dedicated to this well 602.04	13. State NM	
18. Distance from proposed location* to nearest well, drilling, completed, 50 feet applied for, on this lease, ft.	19. Proposed Depth 9800 feet / 15167 feet	20. BLM/BIA Bond No. on file FED: NMB001015
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3677 feet	22. Approximate date work will start* 11/01/2017	23. Estimated duration 45 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature (Electronic Submission)	Name (Printed/Typed) Brian Wood / Ph: (505)466-8120	Date 10/13/2017
--	--	--------------------

Title
President

Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) Cody Layton / Ph: (575)234-5959	Date 01/19/2018
--	---	--------------------

Title
Supervisor Multiple Resources
Office
CARLSBAD

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

APPROVED WITH CONDITIONS
Approval Date: 01/19/2018

Ka
01/31/18
Doble
or lead

INSTRUCTIONS

GENERAL: This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

ITEM 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

ITEM 4: Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

ITEM 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

ITEMS 15 AND 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

ITEM 22: Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

PRINCIPAL PURPOSES: The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

ROUTINE USE: Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

EFFECT OF NOT PROVIDING INFORMATION: Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to allow evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications. Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease. The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

INSTRUCTIONS

GENERAL: This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

ITEM 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

ITEM 4: Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

ITEM 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

ITEMS 15 AND 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

ITEM 22: Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

PRINCIPAL PURPOSES: The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

ROUTINE USE: Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

EFFECT OF NOT PROVIDING INFORMATION: Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to allow evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications.

Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

Additional Operator Remarks

Location of Well

1. SHL: SWSE / 630 FSL / 2560 FEL / TWSP: 20S / RANGE: 34E / SECTION: 1 / LAT: 32.5966021 / LONG: -103.5130209 (TVD: 0 feet, MD: 0 feet)
PPP: NWNE / 0 FNL / 2470 FEL / TWSP: 20S / RANGE: 34E / SECTION: 12 / LAT: 32.594875 / LONG: -103.513174 (TVD: 9800 feet, MD: 10148 feet)
PPP: SWSE / 630 FSL / 2560 FEL / TWSP: 20S / RANGE: 34E / SECTION: 1 / LAT: 32.5966021 / LONG: -103.5130209 (TVD: 0 feet, MD: 0 feet)
BHL: SWSE / 330 FSL / 1750 FEL / TWSP: 20S / RANGE: 34E / SECTION: 12 / LAT: 32.5812719 / LONG: -103.5108442 (TVD: 9800 feet, MD: 15167 feet)

BLM Point of Contact

Name: Tenille Ortiz

Title: Legal Instruments Examiner

Phone: 5752342224

Email: tortiz@blm.gov

Review and Appeal Rights

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the Notice with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Drilling Plan Data Report

01/19/2018

APD ID: 10400023368

Submission Date: 10/13/2017

Highlighted data reflects the most recent changes

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

[Show Final Text](#)

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - Geologic Formations

Formation ID	Formation Name	Elevation	True Vertical Depth	Measured Depth	Lithologies	Mineral Resources	Producing Formation
1	RUSTLER	1997	1680	1680	ANHDRITE	USEABLE WATER	No
2	TOP SALT	1957	1720	1720	SALT	NONE	No
3	BOTTOM SALT	527	3150	3150	SALT	NONE	No
4	CAPITAN REEF	527	3150	3150		NONE	No
5	CAPITAN REEF	-1033	4710	4710		NONE	No
6	SAN ANDRES	-1033	4710	4710	LIMESTONE	NONE	No
7	DELAWARE SAND	-1989	5666	5666	SANDSTONE	NONE	No
8	BONE SPRING LIME	-4528	8205	8205	LIMESTONE	NATURAL GAS, CO2, OIL	No
9	AVALON SAND	-5083	8760	8760		NATURAL GAS, CO2, OIL	No
10	BONE SPRING 1ST	-7480	9477	9501		OIL	Yes

Section 2 - Blowout Prevention

Pressure Rating (PSI): 5M

Rating Depth: 11000

Equipment: Legacy Reserves plans to use a 13-5/8" 5000-psi working pressure BOP system consisting of a double ram BOP with one ram being pipe and one ram being blind, a 5000-psi annular type preventer, a 5000-psi choke manifold and 80 gallon accumulator with floor, five remote operating stations and an auxiliary power system. A rotating head will be utilized as needed. A drill string safety valve in the open position will be available on the rig floor. A mud gas separator will be available for use if needed. A 3M BOP will be used to drill from the surface casing shoe (~1800') to the intermediate casing shoe (~5600'). The BOP will be a 5M system, however the "A" section wellhead will be a 3M wellhead (see attached BOP Diagram). The BOP unit will be hydraulically operated. The BOP will be operated at least once per day while drilling and the blind rams will be operated when out of hole during trips. No abnormal pressure or temperature is expected while drilling.

Requesting Variance? YES

Variance request: Legacy Reserves requests a variance to use a co-flex hose. (See BOP attachment)

Testing Procedure: The BOPs will be tested by an independent service company to 250 psi low and 5000 psi high.

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Choke Diagram Attachment:

lea_50H_choke_20171013143930.pdf

BOP Diagram Attachment:

lea_50h_bop_20171013143955.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	SURFACE	17.5	13.375	NEW	API	N	0	1800	0	1800			1800	J-55	54.5	STC	1.42	3.86	DRY	2.59	DRY	2.59
2	INTERMEDIATE	12.25	9.625	NEW	API	N	0	3901	0	3901			3901	J-55	40	LTC	1.25	2.56	DRY	1.6	DRY	1.6
3	INTERMEDIATE	12.25	9.625	NEW	API	N	3901	5600	3901	5600			1699	HCK-55	40	LTC	1.45	2.54	DRY	4.23	DRY	4.23
4	PRODUCTION	8.75	5.5	NEW	API	N	0	15168	0	9800			15168	P-110	20	OTHER-BTC	2.17	4.2	DRY	1.77	DRY	1.77

Casing Attachments

Casing ID: 1 String Type: SURFACE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

lea_50h_casing_surface_20171013144527.pdf

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Casing Attachments

Casing ID: 2 **String Type:**INTERMEDIATE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

lea_50h_casing_interm_20171013145650.pdf

Casing ID: 3 **String Type:**INTERMEDIATE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

lea_50h_casing_interm_20171013145706.pdf

Casing ID: 4 **String Type:**PRODUCTION

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

lea_50h_casing_prod_20171013145721.pdf

Section 4 - Cement

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
SURFACE	Lead		0	1800	1100	1.93	13.5	2123		Class C	4% bwoc bentonite II + 2% bwoc Calcium Chloride + 0.25 lbs/sack Cello Flake + 0.005% bwoc Static Free + 0.005 gps FP-6L
SURFACE	Tail		0	1800	200	1.34	14.8	268		Class C	1.5% bwoc Calcium Chloride + 0.005 lbs/sack Static Free + 0.005 gps FP-6L
INTERMEDIATE	Lead		0	3901	1100	2.13	12.5	2343		Poz (fly ash) Clas	4% bwoc bentonite II + 5% bwoc MPA-5 + 0.25% bwoc FL- 52 + 5 lbs/sack LCM-1 + 0.125 lbs/sk cello flake + 0.005 lbs/sk defoamer + 0.005 gpsFP-6L + 1.2% bwoc Sodium Metasilicate + 5% bwow Sodium Chloride
INTERMEDIATE	Tail		0	3901	200	1.33	14.8	266		Class C	none
INTERMEDIATE	Lead		3901	5600	400	2.13	12.5	852		Paz (fly ash) Class C	4% bwoc bentonite II + 5% bwoc MPA-5 + 0.25% bwoc FL- 52 + 5 lbs/sack LCM-1 + 0.125 lbs/sk cello flake + 0.005 lbs/sk defoamer + 0.005 gpsFP-6L + 1.2% bwoc Sodium Metasilicate + 5% bwow Sodium Chloride
INTERMEDIATE	Tail		3901	5600	200	1.33	14.8	266		Class C	none
PRODUCTION	Lead		0	1516 8	1600	2.38	11.9	3808		Poz (fly ash) Class H cement	10% bwoc bentonite II + 5% bwow sodium chloride + 5 pps LCM-1 + 0.005 lbs/sk Static Free + 0.005 gps FP-6L
PRODUCTION	Tail		0	1516 8	1200	1.62	13.2	1944		Poz (fly ash) Class H cement	CSE-2 + 4% bwow sodium chloride + 3 pps LCM- 1 + 0.6% bwoc FL-25 + 0.005 gps FP-6L + 0.005% bwoc Static Free

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: Sufficient mud materials will be kept on location at all times in order to combat lost circulation or unexpected kicks.

Describe the mud monitoring system utilized: A Pason PVT system will be rigged up prior to spudding this well. A volume monitoring system that measures, calculates, and displays readings from the mud system on the rig to alert the rig crew of impending gas kicks and lost circulation. In order to effectively run casing, the mud viscosity and fluid loss properties may be adjusted.

Circulating Medium Table

Top Depth	Bottom Depth	Mud Type	Min Weight (lbs/gal)	Max Weight (lbs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	PH	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
5600	9800	OTHER : Fresh water/brine	8.4	8.6							
1800	5600	OTHER : Brine water	9.8	10							
0	1800	SPUD MUD	8.4	8.9							
9800	15168	OTHER : Fresh water/brine	8.9	9.1							

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

Mud logging, H2S plan, BOP and choke plans all in place for testing, equipment, safety

List of open and cased hole logs run in the well:

MUDLOG

Coring operation description for the well:

No open hole logs, DSTs or cores are planned.

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 4312

Anticipated Surface Pressure: 2156

Anticipated Bottom Hole Temperature(F): 162

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geohazards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

lea_50h_h2s_plan_20171013151825.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

lea_50h_horiz_drill_plan_20171013152207.pdf

Other proposed operations facets description:

Legacy may use one or two DV tools in cementing the intermediate casing. See Other Facets attachment for the general drill plan.

Other proposed operations facets attachment:

lea_50h_general_drill_plan_20171013152550.pdf

Other Variance attachment:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Access surfacing type: OTHER

Access topsoil source: ONSITE

Access surfacing type description: Caliche

Access onsite topsoil source depth: 6

Offsite topsoil source description:

Onsite topsoil removal process: Stripped prior to road construction; used on site for contouring and ditch construction.

Access other construction information:

Access miscellaneous information:

Number of access turnouts:

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: No drainage structures required. Road will be crowned and ditched to prevent soil erosion and provide proper drainage.

Road Drainage Control Structures (DCS) description: Road will be crowned and ditched. Ditches will be 1 foot deep with 3:1 slopes.

Road Drainage Control Structures (DCS) attachment:

Access Additional Attachments

Additional Attachment(s):

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

lea_50h_well_map_20171013153857.pdf

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Production Facilities description:

Production Facilities map:

lea_50h_prod_facilities_20171013154702.pdf

lea_50h_prod_diagram_20171013155810.pdf

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Section 5 - Location and Types of Water Supply

Water Source Table

Water source use type: INTERMEDIATE/PRODUCTION CASING,
STIMULATION, SURFACE CASING

Water source type: GW WELL

Describe type:

Source latitude:

Source longitude:

Source datum:

Water source permit type: WATER WELL

Source land ownership: PRIVATE

Water source transport method: TRUCKING

Source transportation land ownership: FEDERAL

Water source volume (barrels): 16000

Source volume (acre-feet): 2.0622895

Source volume (gal): 672000

Water source and transportation map:

lea_50h_water_source_map_20171013154910.pdf

Water source comments: Water will be obtained from commercial water stations in the area and hauled to the location by transport truck using the existing roads. No water well will be drilled on the location.

New water well? NO

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Est thickness of aquifer:

Aquifer comments:

Aquifer documentation:

Well depth (ft):

Well casing type:

Well casing outside diameter (in.):

Well casing inside diameter (in.):

New water well casing?

Used casing source:

Drilling method:

Drill material:

Grout material:

Grout depth:

Casing length (ft.):

Casing top depth (ft.):

Well Production type:

Completion Method:

Water well additional information:

State appropriation permit:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Additional information attachment:

Section 6 - Construction Materials

Construction Materials description: CONSTRUCTION MATERIALS: Caliche will be used to construct this well pad. Any construction material that may be required for surfacing of the drill pad will be from a contractor having a permitted source of materials within the general area. No construction materials will be removed from Federal lands without prior approval from the appropriate surface management agency. See attached for source information.

Construction Materials source location attachment:

Section 7 - Methods for Handling Waste

Waste type: DRILLING

Waste content description: Drilling fluids (flowback, water, cuttings)

Amount of waste: 20000 barrels

Waste disposal frequency : Daily

Safe containment description: Drilling fluids will be contained in steel mud tanks.

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

Disposal type description:

Disposal location description: NMOCD approved disposal site in Halfway, NM.

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.) **Reserve pit width (ft.)**

Reserve pit depth (ft.) **Reserve pit volume (cu. yd.)**

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? YES

Description of cuttings location Drill cuttings will be held in roll-off style mud boxes and taken to an NMOCD approved disposal site in Halfway, NM.

Cuttings area length (ft.)

Cuttings area width (ft.)

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO

Ancillary Facilities attachment:

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

lea_50H_well_site_layout_20171013155007.pdf

Comments:

Section 10 - Plans for Surface Reclamation

Type of disturbance: New Surface Disturbance

Multiple Well Pad Name: LEA UNIT

Multiple Well Pad Number: 49H

Recontouring attachment:

Drainage/Erosion control construction: Access road will be contoured, ditched, with ditches seeded.

Drainage/Erosion control reclamation: • The original landform will be restored for all disturbed areas including well pads, production facilities, roads, pipelines, and utility corridors. • A self-sustaining, vigorous, diverse, native (or otherwise approved) plant community will be established on the site, with a density sufficient to control erosion and invasion by non-native plants and to re-establish wildlife habitat or forage production. At a minimum, the established plant community will consist of species included in the seed mix and/or desirable species occurring in the surrounding natural vegetation. • Erosion features are equal to or less than surrounding area and erosion control is sufficient so that water naturally infiltrates into the soil and gullying, headcutting, slumping, and deep or excessive rills (greater than 3 inches) are not observed. • The site will be free of state- or county-listed noxious weeds, oil field debris and equipment, and contaminated soil. Invasive and non-native weeds are controlled.

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Well pad proposed disturbance (acres):	Well pad interim reclamation (acres): 2	Well pad long term disturbance (acres): 1.86
Road proposed disturbance (acres):	Road interim reclamation (acres): 0.0913	Road long term disturbance (acres): 0.0913
Powerline proposed disturbance (acres):	Powerline interim reclamation (acres):	Powerline long term disturbance (acres):
Pipeline proposed disturbance (acres):	Pipeline interim reclamation (acres): 6.15691	Pipeline long term disturbance (acres): 6.15691
Other proposed disturbance (acres):	Other interim reclamation (acres): 1.066	Other long term disturbance (acres): 1.066
Total proposed disturbance:	Total interim reclamation: 9.31421	Total long term disturbance: 9.17421

Reconstruction method: Final reclamation to achieve restoration of the original landform and a natural vegetative community. The original landform will be restored for all disturbed areas including well pads, production facilities, roads, pipelines, powerlines, and utility corridors.

Topsoil redistribution: Evenly

Soil treatment: Erosion features are equal to or less than surrounding area and erosion control is sufficient so that water naturally infiltrates into the soil and gulying, headcutting, slumping, and deep or excessive rills (greater than 3 inches) are not observed. The site will be free of state- or county-listed noxious weeds, oil field debris and equipment, and contaminated soil. Invasive and non-native weeds are controlled.

Existing Vegetation at the well pad:

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road:

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline:

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances:

Existing Vegetation Community at other disturbances attachment:

Non native seed used?

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project?

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation?

Seed harvest description:

Seed harvest description attachment:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Seed Management

Seed Table

Seed type:

Seed source:

Seed name:

Source name:

Source address:

Source phone:

Seed cultivar:

Seed use location:

PLS pounds per acre:

Proposed seeding season:

Seed Summary

Total pounds/Acre:

Seed Type	Pounds/Acre
-----------	-------------

Seed reclamation attachment:

Operator Contact/Responsible Official Contact Info

First Name:

Last Name:

Phone:

Email:

Seedbed prep:

Seed BMP:

Seed method:

Existing invasive species? NO

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: Noxious weeds will be controlled

Weed treatment plan attachment:

Monitoring plan description: On pumper visits

Monitoring plan attachment:

Success standards: To BLM standards and/or as required by landowner

Pit closure description: N/A (closed loop)

Pit closure attachment:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Section 11 - Surface Ownership

Disturbance type: OTHER

Describe: POWERLINE

Surface Owner: PRIVATE OWNERSHIP

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: Greg L. Klein

Phone: (214)738-2046

Surface use plan certification: NO

Surface use plan certification document:

Surface access agreement or bond: Agreement

Surface Access Agreement Need description: Surface use agreement in place; see attached letter.

Surface Access Bond BLM or Forest Service:

BLM Surface Access Bond number:

USFS Surface access bond number:

Fee Owner Address: PO Box 541382, Grand Prairie, TX
75054

Email:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Disturbance type: EXISTING ACCESS ROAD

Describe:

Surface Owner: PRIVATE OWNERSHIP

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: George L. Klein

Phone: (214)738-2046

Surface use plan certification: NO

Surface use plan certification document:

Surface access agreement or bond: Agreement

Surface Access Agreement Need description: Surface use agreement in place. See attached letter for more information and Legacy Landman contact information.

Surface Access Bond BLM or Forest Service:

BLM Surface Access Bond number:

USFS Surface access bond number:

Fee Owner Address: PO Box 541382, Grand Prairie, TX
75054-1382

Email:

Disturbance type: WELL PAD

Describe:

Surface Owner: PRIVATE OWNERSHIP

Other surface owner description:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: Greg L. Klein

Phone: (214)738-2046

Surface use plan certification: NO

Surface use plan certification document:

Surface access agreement or bond: Agreement

Surface Access Agreement Need description: Surface use agreement in place; see attached letter.

Surface Access Bond BLM or Forest Service:

BLM Surface Access Bond number:

USFS Surface access bond number:

Fee Owner Address: PO Box 541382, Grand Prairie, TX
75054

Email:

Disturbance type: PIPELINE

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT, PRIVATE OWNERSHIP

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: Greg L. Klein

Phone: (214)738-2046

Surface use plan certification: NO

Surface use plan certification document:

Surface access agreement or bond: Agreement

Surface Access Agreement Need description: Surface use agreement, see attached letter.

Surface Access Bond BLM or Forest Service:

BLM Surface Access Bond number:

USFS Surface access bond number:

Fee Owner Address: PO Box 541382, Grand Prairie, TX
75054

Email:

Section 12 - Other Information

Right of Way needed? NO

Use APD as ROW?

ROW Type(s):

ROW Applications

SUPO Additional Information: See attached plat for power line easement; This well is part of the LEA UNIT MASTER DEVELOPMENT PLAN. Attached is letter with Surface Ownership information.

Use a previously conducted onsite? YES

Previous Onsite information: ON-SITE PERFORMED ON 6/16/15 RESULTED IN PROPOSED LOCATION BEING OK WHERE STAKED. IT WAS AGREED TO TURN THE LOCATION TO A V-DOOR EAST. IT WAS ALSO AGREED TO MOVE AND PLACE THE TOP SOIL TO THE NORTH, AND THE INTERIM RECLAMATION WILL BE THE NORTH, EAST, SOUTH, AND WEST PORTION OF THIS PAD. PRESENT AT ON-SITE: CRAIG SPARKMAN-LEGACY RESERVES OPERATING, L.P. TRISH BADBEAR-BLM CASSANDRA BROOKS-BLM MATT MATHIS - CEHMM CHRISTOPHER FREEMAN-CEHMM DOUG BURGER-LEGACY LAND & ENVIRONMENTAL SOLUTIONS KELLY POINDEXTER-WEST COMPANY OF MIDLAND-SURVEYORS

Operator Name: LEGACY RESERVES OPERATING LP


Well Name: LEA UNIT

Well Number: 50H

lea_50h_general_suppo_20171013155652.pdf


lea_50h_surf_owner_20171013160911.pdf

TOPO! map printed on 04/24/17 from "Untitled.tpo"



Map created with TOPO! © 2010 National Geographic

NATIONAL GEOGRAPHIC



MAP 1

TN MN 77

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Injection PWD discharge volume (bbl/day):

Injection well type:

Injection well number:

Assigned injection well API number?

Injection well new surface disturbance (acres):

Minerals protection information:

Mineral protection attachment:

Underground Injection Control (UIC) Permit?

UIC Permit attachment:

Injection well name:

Injection well API number:

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Surface discharge PWD discharge volume (bbl/day):

Surface Discharge NPDES Permit?

Surface Discharge NPDES Permit attachment:

Surface Discharge site facilities information:

Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Other PWD discharge volume (bbl/day):

Other PWD type description:

Other PWD type attachment:

Have other regulatory requirements been met?

Other regulatory requirements attachment:



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Bond Info Data Report

01/19/2018

Bond Information

Federal/Indian APD: FED

BLM Bond number: NMB001015

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:


Reclamation bond number:

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment:


Note: Dimensional information reflected on this drawing are estimated measurements only.



Legacy Reserves
Conventional 3-String

 CAMERON

McVay Rig 4





Midwest Hose & Specialty, Inc.

Internal Hydrostatic Test Graph

February 14, 2017

Customer: Hobbs


Pick Ticket #: 384842

Hose Specification

Hose Type	Length
1"	10'
I.D.	O.D.
0.875"	1.315"
Working Pressure	Burst Pressure
2000 PSI	3000 PSI

Verification

Type of Fitting	Coupling Method
4 1/2" SS	SWAGE
Die Size	Final O.D.
1.00"	1.00"
Hose Serial #	Hose Assembly Serial #
1000	384842



Test Pressure
7850 PSI

Time Held at Test Pressure
10.274 Minutes

Actual Burst Pressure

Peak Pressure
785 PSI

Comments: hose assembly pressure tested with water at ambient temperature

Tested by: Richard Doss

Approved By: Charles Ash



Midwest Hose
& Specialty, Inc.

Internal Hydrostatic Test Certificate

General Information		Hose Specifications	
Customer	HOBBS	Hose Assembly Type	Rotary/Vibrator
MWH Sales Representative	CHARLES ASH	Certification	API 7K/FSL LEVEL2
Date Assembled	2/19/2017	Hose Grade	D
Location Assembled	OKC	Hose Working Pressure	5000
Sales Order #	318810	Hose Lot # and Date Code	10958-08/13
Customer Purchase Order #	356945	Hose I.D. (Inches)	3.5"
Assembly Serial # (Pick Ticket #)	384842	Hose O.D. (Inches)	5.45"
Hose Assembly Length	20FT	Armor (yes/no)	NO
Fittings			
End A		End B	
Stem (Part and Revision #)	R3.5X64WB	Stem (Part and Revision #)	R3.5X64WB
Stem (Heat #)	13105653	Stem (Heat #)	13105653
Ferrule (Part and Revision #)	RF3.5X5330	Ferrule (Part and Revision #)	RF3.5X5330
Ferrule (Heat #)	34038185	Ferrule (Heat #)	3403818
Connection - Flange Hammer Union Part	4-1/16 5K	Connection (Part #)	4-1/16 5K
Connection (Heat #)		Connection (Heat #)	
Nut (Part #)		Nut (Part #)	
Nut (Heat #)		Nut (Heat #)	
Dies Used	5.62"	Dies Used	5.53"
Hydrostatic Test Requirements			
Test Pressure (psi)	7,500	Hose assembly was tested with ambient water temperature.	
Test Pressure Hold Time (minutes)	10 1/2		
Date Tested	Tested By	Approved By	
2/19/2017	<i>Richard Dins</i>	<i>Charles Ash</i>	



Midwest Hose
& Specialty, Inc.

Certificate of Conformity

Customer: HOBBS

Customer P.O.# 356945

Sales Order # 318810

Date Assembled: 2/19/2017

Specifications

Hose Assembly Type: Rotary/Vibrator

Rig #

Assembly Serial # 384842

Hose Lot # and Date Code 10958-08/13

Hose Working Pressure (psi) 5000

Test Pressure (psi) 7500

Hose Assembly Description:

TRH56D-645KH-645KH-20.00' FT

We hereby certify that the above material supplied for the referenced purchase order to be true according to the requirements of the purchase order and current industry standards.

Supplier:
Midwest Hose & Specialty, Inc.
3312 S I-35 Service Rd
Oklahoma City, OK 73129

Comments:

Approved By

Date

2/20/2017

Surface Casing

Size	Grade	#/ft	Collapse	Burst (Internal Yield)	Tensile	Coupling	Length	Dry Weight	Mud Weight
13.375"	J-55	54.5	1130 psi	2730 psi	514 kips	STC	1800'	98,100 lbs	8.5 ppg

Collapse: $DF_C = 1.25$

Base Assumptions

- Complete internal evacuation of the casing, utilizing a collapse force equivalent to the mud gradient (0.44 psi/ft) in which the casing will be ran.
- Cementing operations in which, utilizes a collapse force equivalent to the gradient of the planned cement slurry (0.77 psi/ft) and an internal force equivalent to the fresh water displacement fluid (0.433 psi/ft).

Collapse Calculations: Collapse Rating / Collapse Force

Complete Evacuation:

$$1,130\text{psi} / [(0.44\text{psi/ft})(1,800')] = 1.42$$

Cementing Operations:

$$1,130\text{psi} / [(0.77\text{psi/ft} - 0.433\text{psi/ft})(1800')] = 1.86$$

Burst: $DF_B = 1.25$

Base Assumption

- Casing pressure test as per Onshore Oil and Gas Order No. 2 (0.22 psi/ft or 1500 psi), utilizing an external force equivalent to the mud gradient (0.44 psi/ft) in which the casing will be ran.

Burst Calculations: Internal Yield Rating / Internal Force

Casing Pressure Test:

$$2,730\text{psi} / [(1500\text{psi}) - (0.44\text{psi/ft})(1,800')] = 3.86$$

Tensile: $DF_T = 1.6$

Base Assumption

- A downward force of 100,000 lb. overpull is applied at the base of the casing along with the weight and not considering the effects of buoyancy.

Tensile Calculations: Joint Strength / Axial Load

Overpull:

$$514\text{ kips} / (100,000\text{ lbs.} + 98,100\text{ lbs.}) = 2.59$$

Intermediate Casing

Size	Grade	#/ft	Collapse	Burst (Internal Yield)	Tensile	Coupling	Length	Dry Weight	Mud Weight
9.625"	J-55	40	2570 psi	3950 psi	520 kips	LTC	4000'	160,000 lb	10.0 ppg
9.625"	HCK-55	40	4230 psi	3950 psi	694 kips	LTC	1600'	64,000 lb	10.0 ppg

Collapse: $DF_C = 1.25$

Base Assumptions

- Complete internal evacuation of the casing, utilizing a collapse force equivalent to the mud gradient (0.52 psi/ft) in which the casing will be ran.
- Cementing operations in which, utilizes a collapse force equivalent to the gradient of the planned cement slurry (0.77 psi/ft) and an internal back-up force equivalent to the fresh water displacement fluid (0.433 psi/ft).

Collapse Calculations: Collapse Rating / Collapse Force

Complete Evacuation:

$$J-55: 2570\text{psi} / [(0.52\text{psi/ft})(4,000')] = 1.25$$

$$HCK-55: 4230\text{psi} / [(0.52\text{psi/ft})(5,600')] = 1.45$$

Cementing Operations:

$$J-55: 2570\text{psi} / [(0.77\text{psi/ft} - 0.433\text{psi/ft})(4000')] = 1.91$$

$$HCK-55: 4230\text{psi} / [(0.77\text{psi/ft} - 0.433\text{psi/ft})(5600')] = 2.24$$

Burst: $DF_B = 1.25$

Base Assumption

- Casing pressure test as per Onshore Oil and Gas Order No. 2 (0.22 psi/ft or 1500 psi), utilizing an internal force equivalent to the displacement fluid of 8.6 ppg and external force equivalent to 8.4 ppg.
- Gas kick at the casing shoe, in which a 0.7 psi/ft shoe test is assumed, and 0.2 psi/ft gas gradient is assumed.

Burst Calculations: Internal Yield Rating / Burst Force

Casing Pressure Test:

$$J-55: 3950\text{psi} / [(1500\text{psi} + 1789\text{psi}) - (1747\text{psi})] = 2.56$$

$$HCK-55: 3950\text{psi} / [(1500\text{psi} + 2504\text{psi}) - (2446\text{psi})] = 2.54$$

Gas Kick:

$$J-55: 3950\text{psi} / [(0.7\text{psi/ft})(5600') - (0.2\text{psi/ft})(5600')] = 1.41$$

$$HCK-55: 3950\text{psi} / [(0.7\text{psi/ft})(5600') - (0.2\text{psi/ft})(4000')] = 1.27$$

Tensile: $DF_T = 1.6$

Base Assumption

- A downward force of 100,000 lb. overpull is applied at the base of the casing along with the weight of the string and not considering the effects of buoyancy.

Tensile Calculations: Joint Strength / Axial Load

Overpull:

J-55: 520 kips / (100,000 lbs. + 224,00 lbs.) = **1.6**

HCK-55: 694 kips / (100,000 lbs. + 64,100 lbs.) = **4.23**

Intermediate Casing

Size	Grade	#/ft	Collapse	Burst (Internal Yield)	Tensile	Coupling	Length	Dry Weight	Mud Weight
9.625"	J-55	40	2570 psi	3950 psi	520 kips	LTC	4000'	160,000 lb	10.0 ppg
9.625"	HCK-55	40	4230 psi	3950 psi	694 kips	LTC	1600'	64,000 lb	10.0 ppg

Collapse: $DF_C = 1.25$

Base Assumptions

- Complete internal evacuation of the casing, utilizing a collapse force equivalent to the mud gradient (0.52 psi/ft) in which the casing will be ran.
- Cementing operations in which, utilizes a collapse force equivalent to the gradient of the planned cement slurry (0.77 psi/ft) and an internal back-up force equivalent to the fresh water displacement fluid (0.433 psi/ft).

Collapse Calculations: Collapse Rating / Collapse Force

Complete Evacuation:

$$J-55: 2570\text{psi} / [(0.52\text{psi/ft})(4,000')] = \mathbf{1.25}$$

$$HCK-55: 4230\text{psi} / [(0.52\text{psi/ft})(5,600')] = \mathbf{1.45}$$

Cementing Operations:

$$J-55: 2570\text{psi} / [(0.77\text{psi/ft} - 0.433\text{psi/ft})(4000')] = \mathbf{1.91}$$

$$HCK-55: 4230\text{psi} / [(0.77\text{psi/ft} - 0.433\text{psi/ft})(5600')] = \mathbf{2.24}$$

Burst: $DF_B = 1.25$

Base Assumption

- Casing pressure test as per Onshore Oil and Gas Order No. 2 (0.22 psi/ft or 1500 psi), utilizing an internal force equivalent to the displacement fluid of 8.6 ppg and external force equivalent to 8.4 ppg.
- Gas kick at the casing shoe, in which a 0.7 psi/ft shoe test is assumed, and 0.2 psi/ft gas gradient is assumed.

Burst Calculations: Internal Yield Rating / Burst Force

Casing Pressure Test:

$$J-55: 3950\text{psi} / [(1500\text{psi} + 1789\text{psi}) - (1747\text{psi})] = \mathbf{2.56}$$

$$HCK-55: 3950\text{psi} / [(1500\text{psi} + 2504\text{psi}) - (2446\text{psi})] = \mathbf{2.54}$$

Gas Kick:

$$J-55: 3950\text{psi} / [(0.7\text{psi/ft})(5600') - (0.2\text{psi/ft})(5600')] = \mathbf{1.41}$$

$$HCK-55: 3950\text{psi} / [(0.7\text{psi/ft})(5600') - (0.2\text{psi/ft})(4000')] = \mathbf{1.27}$$

Tensile: $DF_T = 1.6$

Base Assumption

- A downward force of 100,000 lb. overpull is applied at the base of the casing along with the weight of the string and not considering the effects of buoyancy.


Tensile Calculations: Joint Strength / Axial Load

Overpull:

J-55: 520 kips / (100,000 lbs. + 224,00 lbs.) = **1.6**

HCK-55: 694 kips / (100,000 lbs. + 64,100 lbs.) = **4.23**

McVay 4 Choke Manifold



*We use the same choke manifolds for all aspects of our operations & all are rated to 10K;

* All connections downstream from BOP thru chokes Are Flanged, All connections downstream from chokes are Flanged .



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Operator Certification Data Report

01/19/2018

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Brian Wood

Signed on: 10/13/2017

Title: President

Street Address: 37 Verano Loop

City: Santa Fe

State: NM

Zip: 87508

Phone: (505)466-8120

Email address: afmss@permitswest.com

Field Representative

Representative Name: Matt Dickson

Street Address: PO Box 10848

City: Midland

State: TX

Zip: 79702

Phone: (432)689-5204

Email address:



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Application Data Report

01/19/2018

APD ID: 10400023368

Submission Date: 10/13/2017

Highlighted data
reflects the most
recent changes

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

[Show Final Text](#)

Well Type: OIL WELL

Well Work Type: Drill

Section 1 - General

APD ID: 10400023368

Tie to previous NOS?

Submission Date: 10/13/2017

BLM Office: CARLSBAD

User: Brian Wood

Title: President

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM128366

Lease Acres: 602.04

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? YES

Federal or Indian agreement: FEDERAL

Agreement number: NMNM70976X

Agreement name: LEA

Keep application confidential? NO

Permitting Agent? YES

APD Operator: LEGACY RESERVES OPERATING LP

Operator letter of designation:

Operator Info

Operator Organization Name: LEGACY RESERVES OPERATING LP

Operator Address: 303 West Wall St., Ste 1800

Zip: 79701

Operator PO Box:

Operator City: Midland

State: TX

Operator Phone: (432)689-5287

Operator Internet Address:

Section 2 - Well Information

Well in Master Development Plan? EXISTING

Master Development Plan name: Lea Unit Master Dev Plan

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Well Name: LEA UNIT

Well Number: 50H

Well API Number:

Field/Pool or Exploratory? Field and Pool

Field Name: LEA

Pool Name: BONE SPRING

Is the proposed well in an area containing other mineral resources? USEABLE WATER,NATURAL GAS,OIL,POTASH

Operator Name: LEGACY RESERVES OPERATING LP

Well Name: LEA UNIT

Well Number: 50H

Describe other minerals:

Is the proposed well in a Helium production area? N **Use Existing Well Pad?** NO **New surface disturbance?**

Type of Well Pad: MULTIPLE WELL

Multiple Well Pad Name: LEA **Number:** 49H
UNIT

Well Class: HORIZONTAL

Number of Legs: 1

Well Work Type: Drill

Well Type: OIL WELL

Describe Well Type:

Well sub-Type: INFILL

Describe sub-type:

Distance to town: 26 Miles

Distance to nearest well: 50 FT

Distance to lease line: 630 FT

Reservoir well spacing assigned acres Measurement: 602.04 Acres

Well plat: lea_50h_plat_20171013135708.pdf

Well work start Date: 11/01/2017

Duration: 45 DAYS

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NAVD88

Survey number: 23263

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD
SHL Leg #1	630	FSL	256 0	FEL	20S	34E	1	Aliquot SWSE	32.59660 21	- 103.5130 209	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 128366	367 7	0	0
KOP Leg #1	630	FSL	256 0	FEL	20S	34E	1	Aliquot SWSE	32.59660 21	- 103.5130 209	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 128366	- 542 3	910 0	910 0
PPP Leg #1	630	FSL	256 0	FEL	20S	34E	1	Aliquot SWSE	32.59660 21	- 103.5130 209	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 128366	367 7	0	0



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

PWD Data Report

01/19/2018

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount: