

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05565
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Latigo Petroleum, Inc.		6. State Oil & Gas Lease No. E-3289-1
3. Address of Operator 550 W. Texas, Suite 700 Midland, TX 79701		7. Lease Name or Unit Agreement Name NM CE State
4. Well Location Unit Letter E : 1655 feet from the North line and 330 feet from the West line Section 6 Township 19S Range 37E NMPM County Lea		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3730' DF		9. OGRID Number 227001
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		10. Pool name or Wildcat Eumont Yates Seven Rivers Queen
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/16/06 - RIH & tag up @ 3994'. TOH w/128 jts 2 3/8" tbg. PU 2 3/8" x 4 1/2" Arrowset pkr. Hydrotest 128 jts 2 3/8", 4.6#, EUE, 8rd tbg into hole @ 5000 psi below slips. Burst jt #127. No other tbg failures. Load & test csg & pkr to 500 psi. Both test good. Open pkr bypass, spot acid to pkr & close bypass. Acidize Eumont formation w/3000 gals 15% NEFE acid dropping 250 ball sealers. Flush to bottom perf w/17.1 bbls 2% KCL wtr. Avg-R = 4 BPM & Avg-P = 2750#. No ball action. ISIP = 2862#, 5" = 1960#, 10" = 1470# & 15" = 1200#. RD Petroplex. Open well to frac tank. Blew well down. Installed TIW valve. RU & RIH w/swab. IFL @ 450'. Recovered 47 bbls wtr. Last 2 swab runs showed trace of oil. FFL @ 3700'. Wait 1 hr. Made 1 swab run. No fluid recovered. Left well open to frac tank. SDON.

3/17/06 - RU & RIH w/swab. IFL @ 3600'. Approx 200' entry w/100% oil cut. RD swab. Open pkr bypass. Equilize tbg/csg. Release pkr. POOH w/tbg & pkr. PU & RIH w/4' PS, 2 3/8" SN, 128 jts 2 3/8", J-55 tbg, 1 - 8' x 2 3/8", J-55 sub. ND BOP. NU WH. PU & RIH w/20-150-RWBC-12-4 pump, 157 - 3/4" sucker rods, 1 - 8' x 3/4" sub & 1 1/4" x 12' PR. Space out & hung on. Load & test tbg & pump action to 500 psi. Both test good. RDSU. Left well pumping to battery.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Lisa Hunt

TITLE Regulatory Analyst

DATE 4/10/06

Type or print name Lisa Hunt

E-mail address: lhunt@latigopetro.com

Telephone No. (432)684-4293

For State Use Only

APPROVED BY: [Signature]

TITLE PETROLEUM ENGINEER

DATE APR 20 2006

Conditions of Approval (if any):