

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBS OCD
FEB 13 2018
RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30- 025-35365
1. Type of Well: Oil Well ☒ Gas Well ☐ Other		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name E.C. Hill C
4. Well Location Unit Letter <u>L</u> : <u>1950</u> feet from the <u>South</u> line and <u>990</u> feet from the <u>West</u> line Section <u>27</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number <u>3</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3290'</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Teague Simpson

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB

INT TO PA INT.
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-9580' PBTD-9130' Perfs-9404-9426' CIBP-9354'
13-3/8" 48-54.5# csg @ 1110' w/ 1200sx, 17-1/2" hole, TOC-Surf-Circ
7" 26# csg @ 7750' w/ 3875sx, 8-1/2" hole, TOC-7500'-CBL
5" 15# csg @ 7552-9575' w/ 600sx, 6-1/4" hole, TOC-7552'-Circ
10/02-Perf @ 3350, 3800, 6400, 6500, 7200', sqz w/ 10480sx cmt to surf
1. RIH & tag cmt/CIBP @ 9130'
2. M&P 40sx cmt @ 7800-7500' WOC-Tag ✓
3. M&P 25sx cmt @ 7375-7270' WOC-Tag ✓
4. M&P 45sx cmt @ 6550-6350' WOC-Tag ✓
5. M&P 25sx cmt @ 5052-4952' WOC-Tag ✓
6. M&P 25sx cmt @ 3850-3750' WOC-Tag ✓
7. M&P 25sx cmt @ 3400-3300' WOC-Tag ✓
8. M&P 25sx cmt @ 2415-2315' WOC-Tag ✓
9. Perf @ 1200' sqz 120sx cmt to 1060' WOC-Tag ✓
10. Perf @ 250' sqz 205sx cmt to surface ✓
10# MLF between plugs - Above ground steel tanks will be utilized

Sp Cut off wellhead 3' below ground level. Verify cement to surface. Install P&A marker.

Case Date:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the

knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 2/9/18

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Maheshwari TITLE Petroleum Engr Specialist DATE 02/13/2018

Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
02-13-2019

OXY USA Inc. - Proposed
E.C. Hill C #3
API No. 30-025-35365

205sx @ 250'-Surface

120sx @ 1200-1060' WOC-Tag

25sx @ 2415-2315' WOC-Tag

25sx @ 3400-3300' WOC-Tag

25sx @ 3850-3750' WOC-Tag


25sx @ 5052-4952' WOC-Tag

30sx @ 6515-6385' WOC-Tag

25sx @ 7375-7270' WOC-Tag

40sx @ 7800-7500' WOC-Tag

8/10-CIBP @ 9358' w/ 25sx cmt to 9130'



Perf @ 200'

Perf @ 1160'

10/02-Perf @ 3350, 3800, 6400, 6500, 7300'
sqz w/ 10480sx cmt to surf

17-1/2" hole @ 1110'
13-3/8" csg @ 1110'
w/ 1200sx-TOC-Surf-Circ


8-1/2" hole @ 7750'
7" csg @ 7750'
DVT @ 7322' - 5002'
w/ 3875sx - TOC-7500'-CBL

6-1/4" hole @ 9580'
5" liner @ 7552-9575'
w/ 600sx-TOC-7552'-Sqz

Perfs @ 9404-9426'

TD-9580'

OXY USA Inc. - Current
E.C. Hill C #3
API No. 30-025-35365



8/10-CIBP @ 9358' w/ 25sx cmt to 9130'