	the state	N Y Y					1/1
Form 3160 - 3	Hobb	s	I		APPROVE		1/2
(March 2012) UNITED STATES			-	Eurinea	No. 1004-013 October 31, 2	97 2014	
DEPARTMENT OF THE I BUREAU OF LAND MAN		REENTER	000	5. Lease Serial No. NMNM26079			
APPLICATION FOR PERMIT TO		REENTER 28	2018	6. If Indian, Allotee	or Tribe N	Name	
la. Type of work:	R	FEB SC	ENE	D If Unit or CA Agr	eement, Na	me and No.	
lb. Type of Well: 🗹 Oil Well 🔲 Gas Well 💭 Other	Sing	gle Zone	le Zone	8. Lease Name and STREETCAR 15 F	Well No. ED 6011	H (3153	310)
2. Name of Operator EOG RESOURCES INCORPORATED	(737.			9. API Well No.	25-	44531	÷ .
3a. Address 1111 Bagby Sky Lobby2 Houston TX 77002	3b. Phone No. (713)651-70	(include area code)		10. Field and Pool, or RED HILLS / DRA			6392)
4. Location of Well (Report location clearly and in accordance with any				11. Sec., T. R. M. or H			
At surface SESE / 249 FSL / 358 FEL / LAT 32.1239796 At proposed prod. zone NENE / 230 FNL / 440 FEL / LAT 3		A CARE AND A	61	SEC 15 / T25S / R	33E / NN	ΛP	
14. Distance in miles and direction from nearest town or post office* 30 miles	2.10111011			12. County or Parish LEA		13. State NM	-
 15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 	16. No. of ac 640	res in lease	17. Spacin 160	g Unit dedicated to this	well		-
 Distance from proposed location* to nearest well, drilling, completed, 110 feet applied for, on this lease, ft. 	19. Proposed 12252 feet	Depth / 17047 feet	20. BLM/F	BIA Bond No. on file			-
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3350 feet	02/01/2018		t*	23. Estimated duration25 days	n		-
	24. Attach						-
 The following, completed in accordance with the requirements of Onshor Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System is SUPO must be filed with the appropriate Forest Service Office). 		 Bond to cover th Item 20 above). Operator certific 	e operation ation	ns unless covered by ar prmation and/or plans a	c	,	
25. Signature (Electronic Submission)		Printed/Typed) Vagner / Ph: (432)	686-3689		Date 09/27/2	2017	-
Title Regulatory Specialsit							-
Approved by (Signature)		Printed/Typed)			Date		-
(Electronic Submission) Title	Cody L Office	ayton / Ph: (575)2.	34-5959		02/26/2	2018	-
Supervisor Multiple Resources Application approval does not warrant or certify that the applicant hold	CARLS s legal or equita		s in the sub	ject lease which would	entitle the a	applicant to	
conduct operations thereon. Conditions of approval, if any, are attached.	6 1						-
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a cr States any false, fictitious or fraudulent statements or representations as t	ime for any per o any matter wi	rson knowingly and w thin its jurisdiction.	villfully to m	ake to any department	or agency	of the United	
(Continued on page 2) GCP 2/28/18				*(Ins	tructions	s on page 2)	
			ANG	Ka	16	•	
	IN WIT	H CONDITI	UND	14/11	110		
ADDROV	ED WIT			V			- 5%
Approv	al Date:	02/26/2018					en
						0	b'
						A	C
						1 the	E.

£

Additional Operator Remarks

Location of Well

1. SHL: SESE / 249 FSL / 358 FEL / TWSP: 25S / RANGE: 33E / SECTION: 15 / LAT: 32.1239796 / LONG: -103.5528174 (TVD: 0 feet, MD: 0 feet) PPP: SESE / 330 FSL / 440 FEL / TWSP: 25S / RANGE: 33E / SECTION: 15 / LAT: 32.1242012 / LONG: -103.5530834 (TVD: 12208 feet, MD: 12321 feet) BHL: NENE / 230 FNL / 440 FEL / TWSP: 25S / RANGE: 33E / SECTION: 15 / LAT: 32.1371764 / LONG: -103.5530761 (TVD: 12252 feet, MD: 17047 feet)

BLM Point of Contact

Name: Tenille Ortiz Title: Legal Instruments Examiner Phone: 5752342224 Email: tortiz@blm.gov

(Form 3160-3, page 3)



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT



Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Stan Wagner Title: Regulatory Specialsit Street Address: 5509 Champions Drive City: Midland State: TX Phone: (432)686-3689 Email address: Stan_Wagner@eogresources.com

Field Representative

Representative Name: James Barwis Street Address: 5509 Champions Drive City: Midland State: TX Phone: (432)425-1204 Email address: james_barwis@eogresources.com Signed on: 09/27/2017

Zip: 79706

Zip: 79702

Well Number: 601H

Describe other minerals:								
Is the proposed well in a Helium produ	uction area? N	Use Existing Well Pad	New surface disturbance?					
Type of Well Pad: MULTIPLE WELL		Multiple Well Pad Nam	e:	Number: 601H/701H				
Well Class: HORIZONTAL		STREETCAR 15 FED Number of Legs: 1						
Well Work Type: Drill								
Well Type: OIL WELL								
Describe Well Type:								
Well sub-Type: INFILL								
Describe sub-type:								
Distance to town: 30 Miles	Distance to ne	arest well: 110 FT	Distan	ce to lease line: 330 FT				
Reservoir well spacing assigned acres	s Measurement	: 160 Acres						
Well plat: Streetcar_15_Fed_601H_signed_C_102_20170927120847.pdf								
Well work start Date: 02/01/2018		Duration: 25 DAYS						

Section 3 - Well Location Table

Survey Type: RECTANGULAR Describe Survey Type:

Datum: NAD83

Survey number:

Vertical Datum: NAVD88

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	DM	TVD
SHL Leg #1	249	FSL	358	FEL	25S	33E	15	Aliquot SESE	32.12397 96	- 103.5528 174	LEA	NEW MEXI CO		F	NMNM 26079	335 0	0	0
KOP Leg #1	51	FSL	434	FEL	25S	33E	15	Aliquot SESE	32.12334 38	- 103.5530 685	LEA		NEW MEXI CO		NMNM 26079	- 841 2	117 65	117 62
PPP Leg #1	330	FSL	440	FEL	25S	33E	15	Aliquot SESE	32.12420 12	- 103.5530 834	LEA		NEW MEXI CO		NMNM 26079	- 885 8	123 21	122 08

Well Name: STREETCAR 15 FED

Well Number: 601H

bond and zonal isolation. Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Testing Procedure: Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 5000/ 250 psig. The surface casing will be tested to 1500 psi for 30 minutes. Before drilling out of the intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 5000/ 250 psig. The intermediate casing will be tested to 2000 psi for 30 minutes. Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets. A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.

Choke Diagram Attachment:

Streetcar_15_Fed_601H_10_M_Choke_Manifold_20170914102455.pdf

Streetcar_15_Fed_601H_Co_Flex_Hose_Certification_20170914102456.PDF

Streetcar_15_Fed_601H_Co_Flex_Hose_Test_Chart_20170914102456.pdf

BOP Diagram Attachment:

Streetcar_15_Fed_601H_10_M_BOP_Diagram_20170914102509.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	INTERMED IATE	9.87 5	7.625	NEW	API	Y	0	1000	0	1000	3350	2350	1000	HCP -110	29.7	LTC	1.12 5	1.25	BUOY	1.6	BUOY	1.6
2	SURFACE	14.7 5	10.75	NEW	API	N	0	1120	0	1120	3350	2230	1120	J-55	40.5	STC	1.12 5	1.25	BUOY	1.6	BUOY	1.6
3	PRODUCTI ON	6.75	5.5	NEW	API	Y	0	10800	0	10800	3350	-7450	10800	OTH ER		OTHER - DWC/C-IS MS	1.12 5	1.25	BUOY	1.6	BUOY	1.6

Casing Attachments

Well Number: 601H

Section 4 - Cement

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
SURFACE	Lead		0	1120	325	1.73	13.5	562	25	Class C	Class C + 4.0% Bentonite + 0.6% CD- 32 + 0.5% CaCl2 + 0.25 Ib/sk Cello-Flake (TOC @ Surface)
SURFACE	Tail		1120	1120	200	1.34	14.8	268	25	Class C	Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate
INTERMEDIATE	Lead	5000	0	1130 0	1040	3.48	10.8	2398	25	Class C & H	Stage 1 Lead: Class C + 0.3% GXT-C + 0.4% CPT-503P + 0.2% CPT- 45 + 3 pps Kol Seal + 0.6% CPT-30 + 0.1% CPT-20A + 0.1% Citric Acid + 5% Gypsum + 5% Salt Stage 1 Tail: Class H + 3% MagOx + 0.5% CPT-30 + 0.3% CPT-20A
INTERMEDIATE	Tail		1130 0	1130 0	1425	2.37	12.7	3308	25	Class C	Stage 2 Lead: Class C + 10% Salt + 6% Gel + 3% MagOx + 0.25 pps Celloflake + 0.4% CPT- 20A Stage 2 Tail: Class C + 10% Salt + 3% MagOx + 0.25% CPT- 20A
PRODUCTION	Lead		1080 0	1704 7	850	1.26	14.1	1071	25	Class H	Class H + 0.1% C-20 + 0.05% CSA-1000 + 0.20% C-49 + 0.40% C- 17 (TOC @ 10800')

Well Number: 601H

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 7326 Anticipated Surface Pressure: 4630.55

Anticipated Bottom Hole Temperature(F): 181

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geoharzards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

Streetcar_15_Fed_601H_H2S_Plan_Summary_20170914120808.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Streetcar_15_Fed_601H_Planning_Report_20170914120831.pdf

Streetcar_15_Fed_601H_Wall_Plot_20170914120832.pdf

Other proposed operations facets description:

Other proposed operations facets attachment:

Streetcar_15_Fed_601H_Proposed_Wellbore_20170914120853.pdf Streetcar_15_Fed_601H_Rig_Layout_20170914120853.pdf Streetcar_15_Fed_601H_Wellhead_Cap_20170914120853.pdf Streetcar_15_Fed_601H_gas_capture_20170921095020.pdf

Other Variance attachment:

Manufacturer: Midwest Hose & Specialty

Serial Number: SN#90067

Length: 35'

Size: OD = 8" ID = 4"

Ends: Flanges Size: 4-1/16*

WP Rating: 10,000 psi Anchors required by manfacturer: No



Comments: Hose assembly pressure tested with water at ambient temperature.

Tested By: Bobby Fink

Bonly ZC

Approved By: Mendi Jackson

x Mendi Jackson

Issued on: 24 Jan. 2017



OD 7 5/8 in.	Weight 29.70 lb/ft	Wall Th. 0.375 in.	Grade VM 110 HC	API Drift 6.750 in.	Connection VAM® SLIJ-II
	PIPE PROPERTIE	∃S		CONNECTION P	ROPERTIES
Nominal OD		7.625 in.	Connection T	уре	Premium integral semi-flus
Nominal ID		6.875 in.	Connection C	DD (nom)	7.711 in.
Nominal Cross S	ection Area	8.541 sqi	n. Connection II	D (nom)	6.820 in.
Grade Type		High Collapse	Make-up Los	S	4.822 in.
Min. Yield Streng	th	110 ksi	Critical Cross	Section	5.912 sqin.
Max. Yield Streng	gth	140 ksi	Tension Effic	iency	69.2 % of pipe
Min. Ultimate Ter	nsile Strength	125 ksi	Compression	Efficiency	48.5 % of pipe
	Ū			sure Efficiency	100 % of pipe

CONNECTION PERFORM	ANCES	
Tensile Yield Strength	651	klb
Compression Resistance	455	klb
Internal Yield Pressure	9470	psi
Uniaxial Collapse Pressure	7890	psi
Max. Bending Capacity	TDB	
Max Bending with Sealability	20	°/100 ft

FIELD TORQUE VALUES							
Min. Make-up torque	11300 ft.lb						
Opti. Make-up torque	12600 ft.lb						
Max. Make-up torque	13900 ft.lb						

100 % of pipe

External Pressure Efficiency

VAM® SLIJ-II is a semi-flush integral premium connection for all casing applications. It combines a near flush design with high performances in tension, compression and gas sealability.

VAM® SLIJ-II has been validated according to the most stringent tests protocols, and has an excellent performance history in the world's most prolific HPHT wells.



Do you need help on this product? - Remember no one knows VAM® like VAM

- canada@vamfieldservice.com mexico@vamfieldservice.com brazil@vamfieldservice.com
- dubai@vamfieldservice.com nigeria@vamfieldservice.com angola@vamfieldservice.com

china@vamfieldservice.com baku@vamfieldservice.com singapore@vamfieldservice.com australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance

Other Connection Data Sheets are available at www.vamservices.com



Vallourec Group

Operator Name: EOG RESOURCES INCORPORATED Well Name: STREETCAR 15 FED

Well Number: 601H

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Production Facilities description: Streetcar 15 Fed Central Tank Battery is located in the SW/4 of section 15 Production Facilities map: Streetcar_15_Fed_Infrastructure_20170921081255.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Water source use type: OTHER	Water source type: RECYCLED
Describe type:	
Source latitude:	Source longitude:
Source datum:	
Water source permit type: WATER RIGHT	
Source land ownership: FEDERAL	
Water source transport method: PIPELINE, TRUCKING	
Source transportation land ownership: FEDERAL	
Water source volume (barrels): 0	Source volume (acre-feet): 0
Source volume (gal): 0	

Water source and transportation map: Streetcar_15_water_and_caliche_Map_20170921081535.jpg Water source comments: New water well? NO

New Water Well Info

Well latitude:	Well Longitude:	Well datum:
Well target aquifer:		
Est. depth to top of aquifer(ft):	Est thickness of aquifer:	
Aquifer comments:		
Aquifer documentation:		
Well depth (ft):	Well casing type:	

Operator Name: EOG RESOURCES INCORPORATED Well Name: STREETCAR 15 FED

Well Number: 601H

Disposal location description: Trucked to NMOCD approved disposal facility

Reserve Pit

Reserve pit width (ft.)

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.)

Reserve pit depth (ft.)

Reserve pit volume (cu. yd.)

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? YES

Description of cuttings location Closed Loop System. Drill cuttings will be disposed of into steel tanks and taken to an NMOCD approved disposal facility. Cuttings area length (ft.)

Cuttings area width (ft.)

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities ?: NO **Ancillary Facilities attachment:**

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

Streetcar_15_Fed_601H_Rig_Layout_20170914120914.pdf STREETCAR15FED601H padsite 20170921081617.pdf STREETCAR15FED601H_wellsite_20170921081618.pdf

Well Name: STREETCAR 15 FED

Well Number: 601H

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: All disturbed areas, including roads, pipelines, pads, will be recontoured to the contour existing prior to the initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to recontouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation. **Existing Vegetation Community at the pipeline attachment**:

Existing Vegetation Community at other disturbances: All disturbed areas, including roads, pipelines, pads, will be recontoured to the contour existing prior to the initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to recontouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation. **Existing Vegetation Community at other disturbances attachment:**

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Seed harvest description attachment:

Seed Management

Cood Table

Seed Table	
Seed type:	Seed source:
Seed name:	
Source name:	Source address:
Source phone:	
Seed cultivar:	
Seed use location:	
PLS pounds per acre:	Proposed seeding season
Seed Summary	Total pounds/Acre:

Seed Type

Pounds/Acre

Well Number: 601H

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: Oliver KiehneFee Owner Address: P.O. Box 135 Orla, TX 79770Phone: (575)399-9281Email:Surface use plan certification: NOSurface use plan certification document:Surface access agreement or bond: AgreementSurface Access Agreement Need description: surface use agreementSurface Access Bond BLM or Forest Service:BLM Surface Access Bond number:USFS Surface access bond number:USFS Surface access bond number:

Section 12 - Other Information

Right of Way needed? NO ROW Type(s): Use APD as ROW?

ROW Applications

SUPO Additional Information: An onsite meeting was conducted 08/21/17. Poly lines are planned to transport water for operations. Will truck if necessary. See attached SUPO Plan. **Use a previously conducted onsite?** NO

Previous Onsite information:

Other SUPO Attachment

STREETCAR15FED601H_location_20170921081711.pdf SUPO_Streetcar_15_Fed_601H_20170921081712.pdf Streetcar_15_Fed_601H_deficiency_response_20171207144724.pdf



United States Department of the Interior

BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE 620 E. GREENE ST. CARLSBAD, NM 88220 BLM_NM_CFO_APD@BLM.GOV



In Reply To: 3160 (Office Code) [NMNM26079]

11/28/2017

Attn: STAN WAGNER EOG RESOURCES INCORPORATED 1111 BAGBY SKY LOBBY2 HOUSTON, TX 77002

Re: Receipt and Acceptability of Application for Permit to Drill (APD)

FEDERAL - NMNM26079

Well Name / Number: Legal Description: County, State: Date APD Received: STREETCAR 15 FED / 601H T25S, R33E, SEC 15, SESE LEA, NM 09/27/2017

Dear Operator:

The BLM received your Application for Permit to Drill (APD), for the referenced well, on 09/27/2017. The BLM reviewed the APD package pursuant to part III.D of Onshore Oil and Gas Order No.1 and it is:

1. Incomplete/Deficient (*The BLM cannot process the APD until you submit the identified items within 45 calendar days of the date of this notice or the BLM will return your APD.*)

	Well Plat
	Drilling Plan
\checkmark	Surface Use Plan of Operations (SUPO)
	Certification of Private Surface Owner Access Agreement
	Bonding
	Onsite (The BLM has scheduled the onsite to be on)
	This requirement is exempt of the 45-day timeframe to submit deficiencies. This requirement will be satisfied on the date of the onsite.
	Other

[Please See Addendum for further clarification of deficiencies]

NOTE: The BLM will return your APD package to you, unless you correct all deficiencies identified above (item 1) within 45 calendar days.

• The BLM will not refund an APD processing fee or apply it to another APD for any returned APD.

Extension Requests:

- If you know you will not be able to meet the 45-day timeframe for reasons beyond your control, you must submit a written request through email/standard mail for extension prior to the 45th calendar day from this notice. 01/12/2018.
- The BLM will consider the extension request if you can demonstrate your diligence (providing reasons and examples of why the delay is occurring beyond your control) in attempting to correct the deficiencies and can provide a date by which you will correct the deficiencies. If the BLM determines that the request does not warrant an extension, the BLM will return the APD as incomplete after the 45 calendar days have elapsed.
 - The BLM will determine whether to grant an extension beyond the required 45 calendar days and will document this request in the well file. If you fail to submit deficiencies by the date defined in the extension request, the BLM will return the APD.

APDs remaining Incomplete:

- If the APD is still not complete, the BLM will notify you and allow 10 additional business days to submit a written request to the BLM for an extension. The request must describe how you will address all outstanding deficiencies and the timeframe you request to complete the deficiencies.
 - The BLM will consider the extension request if you can prove your diligence (providing reasons and examples of why the delay is occurring) in attempting to correct the deficiencies and you can provide a date by which you will correct the deficiencies. If the BLM determines that the request does not warrant an additional extension, the BLM will return the APD as incomplete.

If you have any questions, please contact Deborah McKinney at (575) 234-5931.

Sincerely.

Cody Layton Assistant Field Manager

cc: Official File



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT



Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO Produced Water Disposal (PWD) Location: PWD surface owner: Lined pit PWD on or off channel: Lined pit PWD discharge volume (bbl/day): Lined pit specifications: Pit liner description: Pit liner manufacturers information: Precipitated solids disposal: Decribe precipitated solids disposal: Precipitated solids disposal permit: Lined pit precipitated solids disposal schedule: Lined pit precipitated solids disposal schedule attachment: Lined pit reclamation description: Lined pit reclamation attachment: Leak detection system description: Leak detection system attachment: Lined pit Monitor description: Lined pit Monitor attachment: Lined pit: do you have a reclamation bond for the pit? Is the reclamation bond a rider under the BLM bond? Lined pit bond number: Lined pit bond amount: Additional bond information attachment:

PWD disturbance (acres):

Injection well type: Injection well number: Assigned injection well API number? Injection well new surface disturbance (acres): Minerals protection information: Mineral protection attachment: **Underground Injection Control (UIC) Permit? UIC Permit attachment:**

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location: PWD surface owner: Surface discharge PWD discharge volume (bbl/day): Surface Discharge NPDES Permit? Surface Discharge NPDES Permit attachment: Surface Discharge site facilities information: Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Produced Water Disposal (PWD) Location: PWD surface owner: Other PWD discharge volume (bbl/day): Other PWD type description: Other PWD type attachment: Have other regulatory requirements been met? Other regulatory requirements attachment:

Injection well name:

Injection well API number:

PWD disturbance (acres):

PWD disturbance (acres):