

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-26920
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Amoco Any State
8. Well Number 3
9. OGRID Number 258350
10. Pool name or Wildcat Buckeye ABO

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Vanguard Operating LLC	
3. Address of Operator 5847 San Felipe St., Ste. 3000, Houston, TX 77057	
4. Well Location Unit Letter C : 550 feet from the North line and 1651 feet from the West line Section 10 Township 18S Range 35E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3918 GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT R	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	INT TO PA <u>Pm</u>
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P&A NR _____
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	P&A R _____
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: _____	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Notify OCD 24 hrs prior to MIRU to P&A.
- Set CIBP @ 8904' RIH w/tbg tag CIBP circ hole w/MLF.
- Test csg spot 20 sx's on top of CIBP @ 8904' (if csg don't test WOC & Tag plug).
- Perf & sqz @ 6600'-6500' w/50 sx's cmt (Glorieta) WOC & Tag.
- Perf & sqz @ 3657'-3557' w/50 sx's cmt (8 5/8" shoe) WOC & Tag perf & sqz 2950'-2850' w/50 sx's cmt (base of salt) WOC & Tag.
- Perf & sqz @ 1850'-1750' w/50 sx's cmt (top salt D/V tool) WOC & Tag perf & sqz @ 468'-368' w/70 sx's cmt (13 3/8" shoe) WOC & Tag perf & sqz @ 200' 4 1/2" & 8 5/8" circ cmt to surf via 4 1/2" & 4 1/2" x 8 5/8" csg ann WOC verify cmt top @ surf.
- RD P&A equipment, cut off wellhead, install dry hole marker, clean location, move off.

Spud Date:

Rig

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent DATE 03/21/18

Type or print name Jimmy Bagley E-mail address: sunsetwellservice@yahoo.com PHONE: 432-561-8600

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engr. Specialist DATE 03/27/2018

Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL

LEASE/WELL: AMOCO ANY STATE #3

LOCATION 550' FNL & 1,651' FWL
C-10-T18S-R35E

CO/ST: LEA COUNTY, NEW MEXICO

FIELD: BUCKEYE ABO

API NO. 30-025-26920

GR 3918

SPUDDED 7/14/1980
COMPLETED 10/13/1980

LAT 32.77
LONG -103.45

FORMATION TOPS PER C-105

GLORIETA 6613
BLINEBRY 8820
ABO 8853
BONE SPRINGS 9200

INCLINATION SURVEY DATA

MD (ft)	Inc (deg)	MD (ft)	Inc (deg)
417	1	6476	2
918	0.25	6539	2.25
1525	0.5	6580	1.5
1917	0.75	6665	2
2412	1	6757	2.25
2942	1.25	6818	1.75
2969	1.5	6912	1.75
3128	1.25	7006	1.75
3270	1.25	7096	1.5
3560	1.25	7192	1.75
3824	1.75	7286	2
3894	1.75	7378	2.5
3970	1.5	7471	2.5
4041	1.5	7534	3.25
4090	1.75	7617	3
4164	2	7627	3
4255	2.5	7690	3.25
4299	2	7720	3
4270	2	7804	2.5
4465	1.75	7843	2.75
4558	2	7896	2.75
4620	2	7960	2.75
4683	2.5	8061	3
4713	2.5	8092	3.25
4774	2.25	8185	2.75
4865	2.75	8210	3
4928	2.25	8310	3.5
4991	1.75	8341	3.25
5052	2	8384	3.25
5113	2	8410	3.5
5175	1.75	8454	3.5
5256	2	8506	3.5
5320	2	8548	3.5
5424	1.75	8588	3.75
5516	2	8675	3.5
5609	1.75	8770	3.25
5700	1.25	8830	3
5826	1.25	8952	3.5
5889	1.25	9043	4
5981	1.75	9095	4
6105	2	9207	4
6166	1.5	9300	3.5
6321	2		
6353	2.25		
6445	2		

17-1/2" HOLE
→ 8-5/8" TOC @ 260' BY TS

13-3/8" 48# H-40
CMT W/ 475 SX. CIRC.

11" HOLE

DV TOOL @ 1,800'


8-5/8" 32# K-55
CMT W/ 1,160 SX.

TOC @ 6,540'

7-7/8" HOLE

4-1/2" 10.5 & 11.6 # K-55
CMT W/ 505 SX.

BEFORE PTA



PBTD: 9,290'
TD: 9,300'

SQZ HOLE IN CSG FROM 4,404-4,436'
--W/ 150 SX THRU RETAINER @ 4,374' (09/1992)

ABO PERFS: 8,954-8,966' (13 HOLES)
8,972-8,978' (20 HOLES)

ABO SQZ'D PERFS: 9,120-9,140'; SQZ'D W/ 100 SX

BONE SPRINGS PERFS: 9,225-9,235' (12 HOLES)

KDZ 03-20-2018

LEASE/WELL: AMOCO ANY STATE #3
 LOCATION: 550' FNL. & 1,651' FWL
 C-10-T18S-R35E
 CO/ST: LEA COUNTY, NEW MEXICO
 FIELD: BUCKEYE ABO
 API NO. 30-025-26920

17-1/2" HOLE
 8-5/8" TOC @ 260' BY TS

13-3/8" 48# H-40
 CMT W/ 475 SX. CIRC.

11" HOLE
 DV TOOL @ 1,800'

8-5/8" 32# K-55
 CMT W/ 1,160 SX.

TOC @ 6,540'

7-7/8" HOLE

4-1/2" 10.5 & 11.6 # K-55
 CMT W/ 505 SX.

