

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-33998                                                                        |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.                                                                        |
| 7. Lease Name or Unit Agreement Name<br>Monument 12                                                 |
| 8. Well Number: 10                                                                                  |
| 9. OGRID Number<br>4323                                                                             |
| 10. Pool name or Wildcat<br>Monument North, Delaware                                                |

|                                                                                                                                                                                                        |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) |  |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                         |  |
| 2. Name of Operator<br>Chevron USA, Inc.                                                                                                                                                               |  |
| 3. Address of Operator<br>6301 Deauville Blvd., Midland, TX 79706                                                                                                                                      |  |
| 4. Well Location<br>Unit Letter M : 677 feet from the SOUTH line and 791 feet from the WEST line<br>Section 12 Township 19S Range 36E, NMPM, County Lea                                                |  |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>3735' GL                                                                                                                                         |  |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                                 |                                           | SUBSEQUENT REPORT OF:                               |                                          |
|---------------------------------------------------------|-------------------------------------------|-----------------------------------------------------|------------------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/>          | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>              | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input checked="" type="checkbox"/> | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>    | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>           | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>          |                                          |
| DOWNHOLE COMMINGLE <input type="checkbox"/>             |                                           |                                                     |                                          |
| OTHER: <input type="checkbox"/>                         |                                           | OTHER: TEMPORARILY ABANDON <input type="checkbox"/> |                                          |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 11 3/4" 42# @ 400': TOC @ surface; 8 5/8" 24# @ 2775': TOC @ surface; 5 1/2" 17# @ 7210': TOC @ 5878' and 4398' to surface after squeeze job

Chevron USA INC respectfully requests to temporarily abandon this well as follows:

1. MIRU, N/U BOPE, POOH w/ all rods & tubing.
2. Set CIBP @ 4550', circulate well w/ 9.5 ppg KCl water, and pressure test casing t/ 500 psi for 10 min.
3. Spot 100 sx CL "C" cement plug f/ 4550' t/ 3550' (Delaware, San Andres, Grayburg, Queen). WOC & tag.
4. Perform pressure test with NMOCD witness to 500 psi for 30 minutes - charted.
5. RDMO

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE P&A Engineer DATE 4/13/2018

Type or print name Nick Glann E-mail address: nglann@chevron.com PHONE: 432-687-7786

For State Use Only

APPROVED BY: Maury Brown TITLE AO/II DATE 4/16/2018  
Conditions of Approval (if any):

NO PROD REPORTED - 15 MONTHS

# WELL WORK - CURRENT WELLBORE DIAGRAM

DATE: 4/13/18  
ENGINEER: Dustin Pale

LEASE/WELL: MONUMENT 12 STATE DELAWARE 10

API #: 3002533998

CHEVNO: BN7570

LOCATION: SEC-12,TWN-19S,RNG-36E

LAT: 32.6693600

LONG: -103.3132400

FIELD: FLD-MONUMENT NORTH

COUNTY: LEA

STATE: NM

DESCRIPTION OF WORK: 0

0

GL (ft): 3,735

KB (ft): 3,748

=

ft AGL

SPUD: 6/15/1997

AGE (yrs): 20.8

## ROD DETAIL AS OF 1/23/2009

2' (1) 1" N-90 Rod (Sub)  
8' (1) 1" N-90 Rod (Sub)  
2450' (98) 1" N-90 Rod  
3975' (159) 0.875" N-90 Rod  
275' (11) 1.5" K Rod (Sinker Bar)  
4' (1) 0.875" N/A Rod Centralizer (Coupling)  
12' (1) 1.25" N/A Gas Anchor (Rod)

## PUMP DETAIL AS OF 1/23/2009

25-150-RHBC-20.5 PUMP 6753-6773

## TUBING DETAIL AS OF 11/26/08


144 JTS (4393) 2.875 6.4# J-55 8rd EUE

TAC @ 4405.54

71 JTS (2301) 2.875 6.4# J-55 8rd EUE  
1 JTS (12) 2.875 6.4# J-55 8rd EUE SUB  
1 JTS (32) 2.875 0# Unknown 8rd EUE TK-99  
SN @ 6752.74  
1 JTS (4) 0.0# N/A 8rd EUE PERF SUB  
1 JTS (4) 2.875 0# Unknown 8rd EUE  
1 JTS (4) 2.875 0# Unknown 8rd EUE  
1 JTS (4) 2.875 0# Unknown 8rd EUE  
1 JTS (4) 2.875 0# Unknown 8rd EUE SUB  
TAC @ 6757.84

## PERF DETAIL

|                                         |      |      |
|-----------------------------------------|------|------|
| Perforations, Delaware                  | 4608 | 4615 |
| Perforations, [                         | 4618 | 4624 |
| Perforations, Delaware                  | 4628 | 4634 |
| Perforations, Delaware                  | 4962 | 4972 |
| Perforations, Delaware                  | 5122 | 5130 |
| Perforations, Delaware                  | 5140 | 5150 |
| Perforations, Delaware                  | 5236 | 5246 |
| Perforations - Upper Drinkard Open      | 6722 | 6746 |
| Perforations, Upper Drinkard            | 6748 | 6756 |
| Perforations, Upper Drinkard            | 6791 | 6800 |
| Perforations - Middle Drinkard Sqzd off | 6840 | 6858 |
| Perforations - Lower Drinkard Sqzd off  | 6976 | 7015 |
| Open Hole: Abo Isolated                 | 7210 | 7470 |



# WELL WORK - PROPOSED WELLBORE DIAGRAM

DATE: 4/13/18  
ENGINEER: \_\_\_\_\_

LEASE/WELL: MONUMENT 12 STATE DELAWARE 10

API #: 3002533998

CHEVNO: BN7570

LOCATION: SEC-12,TWN-19S,RNG-36E

LAT: 32.6693600

LONG: -103.3132400

FIELD: FLD-MONUMENT NORTH

COUNTY: LEA

STATE: NM

DESCRIPTION OF WORK: 0

0

GL (ft): 3,735 KB (ft): 3,748 = \_\_\_\_\_ ft AGL SPUD: 6/15/1997 AGE (yrs): 20.8

300 sxs cmt TOC surface

11.75' 42#H-40 @ 400'

14.75" HOLE

850 sxs cmt TOC @ surface

## Formation Tops

Rustler 1383'  
T. Salt 1480'  
B. Salt 2587'  
Yates 2737'  
7 Rivers 3024'  
Queen 3650'  
Grayburg 3974'  
San Andres 4309'  
Delaware 4510'  
Bone Springs 5425'  
Abo 7108'

8.625' 24#K-55 @ 2775'

11" HOLE

Holes @ 3875-4398. squeezed  
1200 sx C cement w/ 88 sx to  
surface

TOC @ 5878'

## PERF DETAIL

|                                         |      |      |
|-----------------------------------------|------|------|
| Perforations, Delaware                  | 4608 | 4615 |
| Perforations, I                         | 4618 | 4624 |
| Perforations, Delaware                  | 4628 | 4634 |
| Perforations, Delaware                  | 4962 | 4972 |
| Perforations, Delaware                  | 5122 | 5130 |
| Perforations, Delaware                  | 5140 | 5150 |
| Perforations, Delaware                  | 5236 | 5246 |
| Perforations - Upper Drinkard Open      | 6722 | 6746 |
| Perforations, Upper Drinkard            | 6748 | 6756 |
| Perforations, Upper Drinkard            | 6791 | 6800 |
| Perforations - Middle Drinkard Sqzd off | 6840 | 6858 |
| Perforations - Lower Drinkard Sqzd off  | 6976 | 7015 |
| Open Hole: Abo Isolated                 | 7210 | 7470 |

5.5" 0#Unknown @ 7210'

7.875" HOLE

TD @ 7470'

Spot 100 sx 4550'-3550' (Delaware, San  
Andres, Grayburg, Queen)  
CIBP @ 4550'

