

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised August 1, 2011

WELL API NO. 30-025-35815
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Herradura
8. Well Number: 2
9. OGRID Number 4323
10. Pool name or Wildcat Nadine; Drinkard-Abo
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3597' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Chevron USA, Inc.

3. Address of Operator

6301 Deauville Blvd., Midland, TX 79706

4. Well Location

Unit Letter O : 850 feet from the SOUTH line and 1650 feet from the EAST line

Section 15 Township 19S Range 38E, NMPM, County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3597' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPL ☐

DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBS

REMEDIAL WORK

COMMENCE DRILL

CASING/CEMENT

OTHER: ☐

INT TO PA PM ASING ☐
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8 5/8" 24# @ 1636': TOC @ surface; 5 1/2" 17# @ 7780': TOC @ surface; currently TA'ed w/ CIBP @ 6934' & 25 sx CL H cmt on top w/ TOC @ 6708'

Chevron USA INC respectfully requests

**NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS**

1. MIRU, N/U BOPE

2. Tag TOC @ 6708', which is on top of CIBP @ 6934'. Circulate well w/ 9.5 ppg gel KCl water, and pressure test casing t/ 500 psi for 10 min.

3. Spot 35 sx CL "C" cement plug f/ 6708' t/ 6420' (Tubb). If casing pressure test was successful in step 2, then do not WOC & tag. If casing pressure test was unsuccessful in step 2, then WOC & tag.

4. Spot 25 sx CL "C" cement plug f/ 5508' t/ 5280' (Glorieta, San Andres).

5. Spot 30 sx CL "C" cement plug f/ 2935' t/ 2680' (7 Rivers, Yates).

6. Spot 25 sx CL "C" cement plug f/ 1708' t/ 1480' (T. Anhydrite, Shoe). WOC & TAG

7. Spot 35 sx CL "C" cement plug f/ 300' t/ surface (Fresh Water).

8. Verify top of cement at surface on all casing strings

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nick Glann TITLE P&A Engineer DATE 04/30/2018

Type or print name Nick Glann E-mail address: nglann@chevron.com PHONE: 432-687-7786

For State Use Only

APPROVED BY: Mah Whitam TITLE Petroleum Engr. Specialist DATE 05/01/2018
Conditions of Approval (if any):

**C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL**

Herradura #2 Current Wellbore Diagram

Lease----- Herradura
 Well #----- 3
 Field----- Nadine; Drinkard
 County----- Lea
 State----- New Mexico
 Chevno----- HF5137
 API #----- 30-025-35815
 Status----- TA
 Well Type --- Oil

Updated----- 07/31/17 By: Ricky Spiller
 Surf. Loc.---- 850' FSL, 1650' FEL
 Bot. Loc.---- Same
 Lat & Long --- 32.655365, -103.1330872 NAD 83
 Unit Letter --- Q
 Section ----- 15
 Township & Range 19S & 38E
 Survey ----- N.M.P.M
 Ini. Spud----- 02/09/02
 Ini. Comp----- 03/10/02

KB----- 12'
 GR-----
 GL----- 3,595'

Surface Casing


Size----- 8 5/8"
 Wt., Grd.---- 24# J-55
 Depth----- 1636'
 Sxs Cmt----- 700sx
 Circulate---- Yes
 TOC----- Surface
 Hole Size---- 12 1/4"

Production Casing

Size----- 5 1/2"
 Wt., Grd.---- 17# N80
 Depth----- 7,780'
 Sxs Cmt----- 1640sx
 Circulate---- Yes
 TOC----- Surface
 Hole Size---- 7 7/8"

Zone Tops:

T Anhy 1658'
 Yates 2,780'
 7 Rivers 2885'
 San Andres 5458'
 Glorieta 5458'
 BlaineBerry 5980'
 Tubb 6520'
 Drinkard 6890'
 ABO 7150'



CIBP @ 6934' spotted 25 sxs of class H cement TOC @ 6,708'

Perfs: Drinkard
6974'-7056'' Selective

Perfs: ABO
7254'-7660'' Selective 1 JSPF 33 holes

PBD: 6564'
TD: 7,780'

Herradura #2 Proposed Wellbore Diagram

Lease----- Herradura
 Well #----- 3
 Field----- Nadine; Drinkard
 County----- Lea
 State----- New Mexico
 Cheveno----- HF5137
 API #----- 30-025-35815
 Status----- TA
 Well Type Oil

Updated----- 07/31/17 By: Ricky Spiller
 Surf. Loc.----- 850' FSL, 1650' FEL
 Bot. Loc.----- Same
 Lat & Long 32.655365, -103.1330872 NAD 83
 Unit Letter Q
 Section 15
 Township & Range 19S & 38E
 Survey N.M.P.M
 Ini. Spud----- 02/09/02
 Ini. Comp----- 03/10/02

KB----- 12'
 GR-----
 GL----- 3,595'

Surface Casing

Size----- 8 5/8"
 Wt., Grd.----- 24# J-55
 Depth----- 1636'
 Sxs Cmt----- 700sx
 Circulate----- Yes
 TOC----- Surface
 Hole Size----- 12 1/4"

Production Casing

Size----- 5 1/2"
 Wt., Grd.----- 17# N80
 Depth----- 7,780'
 Sxs Cmt----- 1640sx
 Circulate----- Yes
 TOC----- Surface
 Hole Size----- 7 7/8"

Zone Tops:

T Anhy 1658'
 Yates 2,780'
 7 Rivers 2885'
 San Andres 5458'
 Glorieta 5458'
 BlinBerry 5980'
 Tubb 6520'
 Drinkard 6890'
 ABO 7150'

