

HOBBS OCD
MAY 08 2018
RECEIVED



Weatherford

Evaluation, Drilling & Intervention
10000 West County Rd. 116
P.O. Box 61028
Midland, TX USA 79711
Tel. (432) 561-8892 Fax (432) 561-8895

Devon Energy
333 W. Sheridan Ave
Oklahoma City, OK, 73102

Date: August 7, 2017

Attention: Garrett Glaze

Re: Devon Energy
Well: Blue Krait 23 Fed 4H
Lea County, New Mexico

30-025-43238

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc., a Weatherford company. Other information required by your office is as follows:

Name & Title Of Surveyor	Well Number	Surveyed Depths	Dates Performed	Type of Survey
Michael Lord MWD Supervisor	4H	1,443' MD 15,756' MD	07/23/2017 08/06/2017	Measurement While Drilling


A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Jonathan Leger
MWD Ops Coordinator

On this, the 8th day of August 20 17 before me a notary public, the undersigned officer, personally appeared Jon Leger, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

In witness hereof, I hereunto set my hand and official seal.

Notary Public





HOBBS OCB

MAY 08 2018

RECEIVED

5D Survey Report

Devon Energy

Field Name: *Lea Co, NM Nad 83 NMEZ*
Site Name: *Blue Krait 23 Fed 3H, 4H, 6H*
Well Name: *Blue Krait 23 Fed 4H*
Survey: *Definitive survey*

6 August 2017





Blue Krait 23 Fed 4H

Field Name: Lea Co, NM Nad S3 NMEZ	Map Units: US ft	Company Name: Devon Energy	
	Vertical Reference Datum (VRD): Mean Sea Level		
	Projected Coordinate System: NAD83 / New Mexico East (ftUS)		
	Comment:		
Site: Blue Krait 23 Fed 3H, 4H, 6H	Units: US ft	North Reference: Grid	Convergence Angle: 0.42
	Elevation above MSL: 3562.20 US ft		
	Comment:		
Slot: Blue Krait 23 Fed 4H	Slot TVD Reference: Ground Elevation		
	Elevation above MSL: 3562.40 US ft		
	Comment:		
	Well: Blue Krait 23 Fed 4H		
Type: Main well		UWI:	
File Number:		Comment:	
Closure Distance: 4838.22 US ft		Closure Azimuth: 2.66°	
Vertical Section: Position of Origin (Relative to Slot centre)			
+N/-S: -0.00 US ft		+E/-W: -0.00 US ft	Az: 359.56°

Drill floor: Survey Name: Definitive Survey			
Rig Height (Drill Floor): 23.50 US ft	Elevation above MSL: 3585.90 US ft	Inclination: 0.00°	Azimuth: 0.00°

Survey Name: Definitive Survey				
Date: 25/Apr/2017	Survey Tool: See Survey Tool Ranges below.	Comment:	Company:	
Magnetic Model:				
Model Name: bggm2017	Date: 23/Jul/2017	Field Strength: 47963.0 nT	Declination: 6.99°	Dip: 60.02°
Tie Point:				
MD: 0.00 US ft	Inclination: 0.00°	Azimuth: 0.00°	TVD: 0.00 US ft	North Offset: -0.00 US ft
				East Offset: -0.00 US ft

Survey Tool Ranges:			
Name	Start MD(USFt)	End MD(USFt)	Source Survey
EMS	0.00	1357.00	Spudder Surveys
MWD	1357.00	5110.00	MWD 1
MWD	5110.00	10530.00	MWD 2
MWD	10530.00	11554.00	MWD 3

5D Survey Report

Survey Tool Ranges:			
Name	Start MD(USft)	End MD(USft)	Source Survey
MWD	11554.00	14036.00	MWD 4
MWD	14036.00	15818.00	MWD 5

Wellpath created using minimum curvature.

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Incl (°)	Az (°)	TVD (US ft)	VS (US ft)	N. Offset (US ft)	E. Offset (US ft)	DLS (= 100US ft)	Northing (US ft)	Easting (US ft)	Comment
0.00	0.00	0.00	0.00	0.00	-0.00	-0.00	0.00	436097.01	787783.82	
148.00	0.40	212.00	148.00	-0.44	-0.44	-0.27	0.27	436096.57	787783.55	
240.00	0.40	287.00	240.00	-0.61	-0.62	-0.75	0.53	436096.39	787783.07	
334.00	0.40	257.00	333.99	-0.58	-0.59	-1.38	0.22	436096.42	787782.44	
428.00	0.20	347.00	427.99	-0.50	-0.51	-1.74	0.48	436096.50	787782.08	
522.00	0.50	310.00	521.99	-0.07	-0.08	-2.09	0.38	436096.93	787781.73	
617.00	0.10	247.00	616.99	0.17	0.15	-2.49	0.49	436097.16	787781.33	
711.00	0.40	302.00	710.99	0.31	0.29	-2.84	0.37	436097.30	787780.98	
805.00	0.10	155.00	804.99	0.41	0.39	-3.08	0.52	436097.40	787780.74	
900.00	0.40	296.00	899.99	0.49	0.46	-3.35	0.51	436097.47	787780.47	
985.00	0.30	33.00	984.99	0.80	0.78	-3.49	0.62	436097.79	787780.33	
1079.00	0.50	122.00	1078.99	0.79	0.77	-3.01	0.62	436097.78	787780.81	
1173.00	0.30	173.00	1172.98	0.33	0.30	-2.63	0.41	436097.31	787781.19	
1268.00	0.20	173.00	1267.98	-0.09	-0.11	-2.58	0.11	436096.90	787781.24	
1357.00	0.30	70.00	1356.98	-0.16	-0.18	-2.34	0.45	436096.83	787781.48	
1443.00	0.07	358.02	1442.98	-0.04	-0.05	-2.13	0.33	436096.96	787781.69	First WFT MWD Survey
1534.00	0.14	332.12	1533.98	0.12	0.10	-2.19	0.09	436097.11	787781.63	
1626.00	0.36	284.44	1625.98	0.29	0.27	-2.52	0.31	436097.28	787781.30	
1721.00	0.16	104.59	1720.98	0.34	0.31	-2.68	0.55	436097.32	787781.14	
1910.00	0.40	62.17	1909.98	0.57	0.56	-1.84	0.16	436097.57	787781.98	
2099.00	0.51	68.83	2098.97	1.17	1.17	-0.47	0.06	436098.18	787783.35	
2289.00	0.50	20.46	2288.97	2.25	2.25	0.60	0.22	436099.26	787784.42	
2479.00	0.53	26.34	2478.96	3.80	3.81	1.28	0.03	436100.82	787785.10	
2573.00	0.35	33.04	2572.96	4.43	4.44	1.63	0.20	436101.45	787785.45	
2669.00	0.53	51.57	2668.95	4.95	4.97	2.14	0.24	436101.98	787785.96	
2859.00	0.16	103.90	2858.95	5.43	5.45	3.09	0.24	436102.46	787786.91	
2953.00	0.41	126.18	2952.95	5.19	5.22	3.49	0.29	436102.23	787787.31	
3048.00	0.30	144.27	3047.95	4.79	4.82	3.90	0.16	436101.83	787787.72	
3142.00	0.16	95.07	3141.95	4.57	4.60	4.18	0.24	436101.61	787788.00	
3237.00	0.45	86.93	3236.94	4.58	4.61	4.68	0.31	436101.62	787788.50	
3331.00	0.56	69.13	3330.94	4.75	4.80	5.48	0.20	436101.81	787789.30	
3426.00	0.53	45.20	3425.94	5.22	5.27	6.23	0.24	436102.28	787790.05	
3521.00	0.49	91.81	3520.93	5.51	5.57	6.95	0.43	436102.58	787790.77	
3615.00	0.45	86.48	3614.93	5.52	5.58	7.72	0.06	436102.59	787791.54	
3710.00	0.63	105.27	3709.93	5.40	5.46	8.59	0.26	436102.47	787792.41	
3803.00	1.03	117.07	3802.92	4.87	4.95	9.83	0.47	436101.96	787793.65	
3898.00	0.87	110.54	3897.90	4.22	4.31	11.26	0.20	436101.32	787795.08	
3992.00	0.97	129.17	3991.89	3.46	3.55	12.55	0.33	436100.56	787796.37	
4087.00	0.72	118.45	4086.88	2.66	2.76	13.70	0.31	436099.77	787797.52	
4180.00	0.69	134.63	4179.87	1.98	2.09	14.61	0.22	436099.10	787798.43	
4275.00	0.80	129.77	4274.87	1.14	1.26	15.53	0.13	436098.27	787799.35	
4370.00	0.63	132.25	4369.86	0.36	0.49	16.42	0.18	436097.50	787800.24	
4464.00	0.20	164.73	4463.86	-0.15	-0.02	16.85	0.50	436096.99	787800.67	
4559.00	0.36	170.00	4558.85	-0.60	-0.47	16.94	0.17	436096.54	787800.76	
4654.00	0.58	146.46	4653.85	-1.30	-1.17	17.26	0.30	436095.84	787801.08	
4748.00	0.30	243.18	4747.85	-1.81	-1.67	17.31	0.73	436095.34	787801.13	
4843.00	0.20	211.14	4842.85	-2.06	-1.93	17.00	0.18	436095.08	787800.82	
4937.00	0.38	177.13	4936.85	-2.51	-2.38	16.93	0.26	436094.63	787800.75	
5031.00	1.02	125.38	5030.84	-3.31	-3.18	17.63	0.89	436093.83	787801.45	
5110.00	0.88	116.63	5109.83	-4.00	-3.85	18.74	0.25	436093.16	787802.56	

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)												
HD (US-ft)	Inc (°)	Ac (°)	TVD (US-ft)	VS (US-ft)	LI Offed (US-ft)	E Offed (US-ft)	CLS (° 10005 ft)	Twisting (US-ft)	Fasting (US-ft)	Comment		
5247.00	0.88	124.73	5246.81	-5.08	-4.92	20.55	0.09	436092.09	787804.37			
5309.00	1.01	127.39	5308.80	-5.69	-5.53	21.37	0.22	436091.48	787805.19			
5404.00	0.31	108.29	5403.80	-6.29	-6.12	22.28	0.76	436090.89	787806.10			
5499.00	0.43	47.31	5498.80	-6.13	-5.96	22.79	0.41	436091.05	787806.61			
5593.00	0.98	308.76	5592.79	-5.39	-5.21	22.42	1.20	436091.80	787806.24			
5782.00	0.99	297.31	5781.76	-3.60	-3.45	19.71	0.10	436093.56	787803.53			
5971.00	0.85	300.15	5970.74	-2.13	-2.00	17.05	0.08	436095.01	787800.87			
6160.00	0.94	291.20	6159.72	-0.85	-0.73	14.39	0.09	436096.28	787798.21			
6255.00	0.87	299.70	6254.70	-0.20	-0.10	13.04	0.16	436096.91	787796.86			
6351.00	0.94	302.33	6350.69	0.60	0.69	11.74	0.08	436097.70	787795.56			
6445.00	0.91	304.68	6444.68	1.44	1.52	10.47	0.05	436098.53	787794.29			
6540.00	1.00	300.76	6539.67	2.31	2.38	9.14	0.12	436099.39	787792.96			
6634.00	0.91	300.95	6633.65	3.12	3.18	7.79	0.10	436100.19	787791.61			
6729.00	0.89	303.72	6728.64	3.93	3.98	6.53	0.05	436100.99	787790.35			
6824.00	0.78	294.99	6823.63	4.62	4.66	5.33	0.18	436101.67	787789.15			
6918.00	0.84	75.19	6917.63	5.07	5.11	5.42	1.62	436102.12	787789.24			
7013.00	1.78	84.79	7012.60	5.36	5.42	7.56	1.01	436102.43	787791.38			
7107.00	2.77	91.69	7106.53	5.40	5.48	11.29	1.09	436102.49	787795.11			
7202.00	3.52	91.67	7201.38	5.21	5.33	16.50	0.79	436102.34	787800.32			
7297.00	4.26	91.41	7296.16	4.98	5.16	22.94	0.78	436102.17	787806.76			
7391.00	4.53	100.72	7389.89	4.15	4.38	30.08	0.81	436101.39	787813.90			
7486.00	4.69	103.96	7484.58	2.46	2.75	37.53	0.32	436099.76	787821.35			
7582.00	4.99	112.24	7580.24	-0.13	0.22	45.21	0.79	436097.23	787829.03			
7676.00	5.16	116.40	7673.87	-3.61	-3.20	52.78	0.43	436093.81	787836.60			
7771.00	4.55	116.45	7768.53	-7.24	-6.78	59.98	0.64	436090.22	787843.80			
7866.00	4.18	118.09	7863.25	-10.60	-10.09	66.40	0.41	436086.92	787850.22			
7960.00	3.69	119.56	7957.03	-13.75	-13.20	72.06	0.53	436083.81	787855.88			
8055.00	3.41	120.28	8051.85	-16.72	-16.13	77.16	0.30	436080.88	787860.98			
8149.00	3.15	111.39	8145.70	-19.11	-18.48	81.98	0.61	436078.53	787865.80			
8244.00	3.20	110.78	8240.55	-21.04	-20.37	86.88	0.06	436076.64	787870.70			
8337.00	3.85	106.90	8333.37	-22.91	-22.20	92.30	0.74	436074.81	787876.12			
8432.00	4.06	106.29	8428.15	-24.83	-24.07	98.58	0.23	436072.94	787882.40			
8527.00	4.28	105.92	8522.90	-26.80	-25.99	105.22	0.23	436071.02	787889.04			
8622.00	4.61	105.20	8617.61	-28.82	-27.96	112.31	0.35	436069.05	787896.13			
8717.00	4.70	111.20	8712.30	-31.29	-30.37	119.62	0.52	436066.64	787903.44			
8812.00	4.67	113.36	8806.98	-34.28	-33.31	126.80	0.19	436063.70	787910.62			
8906.00	4.26	112.36	8900.70	-37.18	-36.16	133.54	0.44	436060.85	787917.36			
9000.00	3.81	112.83	8994.46	-39.77	-38.70	139.65	0.48	436058.31	787923.47			
9095.00	3.35	110.38	9089.28	-42.00	-40.89	145.16	0.51	436056.12	787928.98			
9189.00	3.67	108.69	9183.10	-43.96	-42.81	150.59	0.36	436054.20	787934.41			
9284.00	3.98	111.04	9277.89	-46.17	-44.97	156.54	0.37	436052.04	787940.36			
9379.00	3.72	112.55	9372.67	-48.58	-47.33	162.47	0.29	436049.68	787946.29			
9473.00	4.01	108.35	9466.46	-50.83	-49.54	168.40	0.43	436047.47	787952.22			
9568.00	4.90	101.54	9561.17	-52.74	-51.39	175.53	1.09	436045.62	787959.35			
9663.00	4.98	107.18	9655.82	-54.83	-53.42	183.44	0.52	436043.59	787967.26			
9757.00	4.75	114.00	9749.48	-57.68	-56.21	190.90	0.66	436040.80	787974.72			
9852.00	3.66	123.70	9844.23	-61.00	-59.49	197.01	1.37	436037.52	787980.83			
9946.00	2.88	128.10	9938.07	-64.16	-62.62	201.37	0.87	436034.39	787985.19			
10041.00	2.67	123.70	10032.96	-66.89	-65.32	205.09	0.31	436031.69	787988.91			
10135.00	2.31	112.47	10126.87	-68.85	-67.25	208.66	0.64	436029.76	787992.48			
10230.00	2.87	112.44	10221.78	-70.52	-68.89	212.63	0.59	436028.12	787996.45			
10324.00	2.68	115.90	10315.67	-72.41	-70.75	216.78	0.27	436026.26	788000.60			
10419.00	2.52	125.16	10410.57	-74.62	-72.93	220.48	0.47	436024.08	788004.30			
10513.00	2.04	137.95	10504.49	-77.07	-75.36	223.29	0.74	436021.65	788007.11			
10530.00	1.78	138.92	10521.49	-77.50	-75.78	223.67	1.54	436021.23	788007.49			
10583.00	1.20	149.13	10574.47	-78.60	-76.88	224.50	1.20	436020.13	788008.32			
10631.00	4.37	8.82	10622.43	-77.23	-75.50	225.04	11.14	436021.51	788008.86			
10677.00	10.49	355.47	10668.02	-71.31	-69.59	224.97	13.74	436027.42	788008.79			
10725.00	16.70	357.30	10714.65	-60.05	-58.33	224.30	12.97	436038.68	788008.12			

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)

TD (US ft)	Inc (°)	Az (°)	TVD (US ft)	Vs (US ft)	Fl Offset (US ft)	F. Offset (US ft)	OLS (° 100US ft)	Birthday (US ft)	Fasting (US ft)	Comment
10772.00	22.67	357.84	10758.89	-44.24	-42.52	223.64	12.71	436054.49	788007.46	
10820.00	27.40	354.34	10802.37	-23.98	-22.28	222.20	10.32	436074.73	788006.02	
10867.00	30.73	351.87	10843.44	-1.30	0.38	219.44	7.53	436097.39	788003.26	
10915.00	34.73	352.06	10883.82	24.42	26.07	215.81	8.34	436123.08	787999.63	
10962.00	39.26	358.13	10921.36	52.58	54.22	213.48	12.37	436151.23	787997.30	
11009.00	44.98	0.06	10956.21	84.09	85.72	213.01	12.48	436182.73	787996.83	
11056.00	49.42	0.14	10988.13	118.56	120.20	213.07	9.45	436217.21	787996.89	
11104.00	52.78	0.38	11018.27	155.91	157.55	213.24	7.01	436254.56	787997.06	
11151.00	56.30	0.06	11045.53	194.18	195.83	213.39	7.51	436292.84	787997.21	
11199.00	59.25	0.25	11071.12	234.78	236.43	213.50	6.15	436333.44	787997.32	
11246.00	61.86	1.53	11094.23	275.70	277.35	214.14	6.04	436374.36	787997.96	
11293.00	64.92	1.22	11115.28	317.69	319.35	215.14	6.54	436416.36	787998.96	
11340.00	68.68	1.06	11133.79	360.87	362.54	216.00	8.01	436459.55	787999.82	
11388.00	73.09	0.91	11149.50	406.19	407.87	216.78	9.19	436504.88	788000.60	
11435.00	76.52	1.05	11161.82	451.33	453.21	217.56	7.30	436550.22	788001.38	
11483.00	78.88	2.17	11172.05	498.39	500.09	218.88	5.42	436597.10	788002.70	
11530.00	82.07	2.32	11179.82	544.69	546.40	220.69	6.79	436643.41	788004.51	
11554.00	83.76	2.24	11182.78	568.48	570.20	221.64	7.05	436667.21	788005.46	
11576.00	85.45	1.87	11184.85	590.36	592.08	222.43	7.86	436689.09	788006.25	
11623.00	88.18	1.47	11187.46	637.25	638.99	223.79	5.87	436736.00	788007.61	
11671.00	88.39	2.02	11188.90	685.19	686.94	225.25	1.23	436783.95	788009.07	
11765.00	90.49	1.20	11189.82	779.12	780.90	227.89	2.40	436877.91	788011.71	
11860.00	90.77	1.24	11188.77	874.08	875.87	229.92	0.30	436972.88	788013.74	
11955.00	90.77	1.37	11187.50	969.02	970.84	232.08	0.14	437067.85	788015.90	
12050.00	90.91	0.66	11186.10	1063.98	1065.81	233.76	0.76	437162.82	788017.58	
12145.00	90.77	0.29	11184.71	1158.96	1160.80	234.55	0.42	437257.81	788018.37	
12239.00	90.56	0.58	11183.62	1252.94	1254.79	235.26	0.38	437351.80	788019.08	
12334.00	91.05	0.39	11182.28	1347.92	1349.77	236.07	0.55	437446.78	788019.89	
12429.00	91.61	0.22	11180.08	1442.89	1444.75	236.57	0.62	437541.76	788020.39	
12523.00	90.98	359.74	11177.96	1536.86	1538.72	236.54	0.84	437635.73	788020.36	
12617.00	90.98	359.81	11176.35	1630.85	1632.71	236.17	0.07	437729.72	788019.99	
12712.00	91.05	359.87	11174.66	1725.83	1727.69	235.91	0.10	437824.70	788019.73	
12807.00	91.12	359.92	11172.87	1820.81	1822.67	235.73	0.09	437919.68	788019.55	
12901.00	91.19	359.81	11170.97	1914.79	1916.66	235.51	0.14	438013.67	788019.33	
12996.00	91.26	359.62	11168.94	2009.77	2011.63	235.04	0.21	438108.64	788018.86	
13091.00	91.40	359.70	11166.74	2104.74	2106.61	234.48	0.17	438203.62	788018.30	
13186.00	91.26	359.73	11164.53	2199.72	2201.58	234.00	0.15	438298.59	788017.82	
13280.00	91.26	359.63	11162.46	2293.69	2295.55	233.48	0.11	438392.56	788017.30	
13375.00	91.12	359.38	11160.49	2388.67	2390.53	232.66	0.30	438487.54	788016.48	
13469.00	91.26	359.68	11158.54	2482.65	2484.51	231.89	0.35	438581.52	788015.71	
13563.00	92.17	359.85	11155.72	2576.61	2578.46	231.50	0.98	438675.47	788015.32	
13658.00	90.84	0.36	11153.23	2671.57	2673.43	231.68	1.50	438770.44	788015.50	
13752.00	90.63	0.31	11152.02	2765.55	2767.42	232.23	0.23	438864.43	788016.05	
13847.00	90.63	0.29	11150.98	2860.54	2862.41	232.72	0.02	438959.42	788016.54	
13941.00	90.42	0.57	11150.12	2954.52	2956.40	233.43	0.37	439053.41	788017.25	
14036.00	90.77	0.33	11149.13	3049.51	3051.40	234.17	0.45	439148.41	788017.99	
14130.00	90.70	0.42	11147.93	3143.49	3145.39	234.79	0.12	439242.40	788018.61	
14225.00	92.25	1.03	11145.48	3238.44	3240.34	235.99	1.75	439337.35	788019.81	
14319.00	91.40	1.07	11142.49	3332.36	3334.28	237.71	0.91	439431.29	788021.53	
14413.00	89.93	0.22	11141.40	3426.33	3428.26	238.77	1.81	439525.27	788022.59	
14508.00	90.14	0.17	11141.34	3521.32	3523.26	239.09	0.23	439620.27	788022.91	
14603.00	89.86	0.05	11141.34	3616.32	3618.26	239.28	0.32	439715.27	788023.10	
14698.00	89.93	359.38	11141.51	3711.32	3713.26	238.80	0.71	439810.27	788022.62	
14793.00	90.35	358.93	11141.28	3806.31	3808.25	237.40	0.65	439905.26	788021.22	
14888.00	89.93	358.46	11141.05	3901.30	3903.22	235.24	0.66	440000.23	788019.06	
14982.00	91.82	359.18	11139.61	3995.28	3997.19	233.30	2.15	440094.20	788017.12	
15077.00	92.38	359.27	11136.13	4090.21	4092.12	232.02	0.60	440189.13	788015.84	
15171.00	91.47	359.41	11132.97	4184.16	4186.06	230.94	0.98	440283.07	788014.76	
15265.00	90.84	0.08	11131.08	4278.14	4280.03	230.52	0.98	440377.04	788014.34	

Weatherford International Limited

5D 8.1.26 (64 bit) : 6 August 2017, 09:39:21 UTC-5

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N. Offset (US ft)	E. Offset (US ft)	DLS (° 100US ft)	Northing (US ft)	Easting (US ft)	Comment
15361.00	90.07	359.62	11130.32	4374.13	4376.03	230.27	0.93	440473.04	788014.09	
15456.00	90.07	359.86	11130.20	4469.13	4471.03	229.84	0.25	440568.04	788013.66	
15551.00	89.72	359.12	11130.37	4564.13	4566.02	228.99	0.86	440663.03	788012.81	
15645.00	90.00	359.32	11130.60	4658.13	4660.02	227.71	0.37	440757.03	788011.53	
15740.00	90.14	359.13	11130.49	4753.13	4755.01	226.43	0.25	440852.02	788010.25	
15756.00	90.14	358.89	11130.45	4769.13	4771.00	226.15	1.50	440868.01	788009.97	Last WFT MWD Survey
15818.00	90.14	358.89	11130.30	4831.12	4832.99	224.95	0.00	440930.00	788008.77	Proj to TD