

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location: 1-22S-34E

30-025-

Surface Latitude: 32.414385

Pool: Grama Ridge; Wolfcamp, West [97393]-44802

Surface Longitude: -103.42035

GL Elev: 3574

Bottom Hole Latitude: 32.427313

Method: Minimum Curvature

Bottom Hole Longitude: -103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
0	0.0	359.7	0.0	0.0	0.0	0.0	0.0	0.0
100	0.0	359.7	100.0	0.0	0.0	0.0	0.0	0.0
200	0.0	359.7	200.0	0.0	0.0	0.0	0.0	0.0
300	0.0	359.7	300.0	0.0	0.0	0.0	0.0	0.0
400	0.0	359.7	400.0	0.0	0.0	0.0	0.0	0.0
500	0.0	359.7	500.0	0.0	0.0	0.0	0.0	0.0
600	0.0	359.7	600.0	0.0	0.0	0.0	0.0	0.0
700	0.0	359.7	700.0	0.0	0.0	0.0	0.0	0.0
800	0.0	359.7	800.0	0.0	0.0	0.0	0.0	0.0
900	0.0	359.7	900.0	0.0	0.0	0.0	0.0	0.0
1000	0.0	359.7	1000.0	0.0	0.0	0.0	0.0	0.0
1100	0.0	359.7	1100.0	0.0	0.0	0.0	0.0	0.0
1200	0.0	359.7	1200.0	0.0	0.0	0.0	0.0	0.0
1300	0.0	359.7	1300.0	0.0	0.0	0.0	0.0	0.0
1400	0.0	359.7	1400.0	0.0	0.0	0.0	0.0	0.0
1500	0.0	359.7	1500.0	0.0	0.0	0.0	0.0	0.0
1600	0.0	359.7	1600.0	0.0	0.0	0.0	0.0	0.0
1700	0.0	359.7	1700.0	0.0	0.0	0.0	0.0	0.0
1800	0.0	359.7	1800.0	0.0	0.0	0.0	0.0	0.0
1900	0.0	359.7	1900.0	0.0	0.0	0.0	0.0	0.0
2000	0.0	359.7	2000.0	0.0	0.0	0.0	0.0	0.0
2100	0.0	359.7	2100.0	0.0	0.0	0.0	0.0	0.0
2200	0.0	359.7	2200.0	0.0	0.0	0.0	0.0	0.0
2300	0.0	359.7	2300.0	0.0	0.0	0.0	0.0	0.0
2400	0.0	359.7	2400.0	0.0	0.0	0.0	0.0	0.0
2500	0.0	359.7	2500.0	0.0	0.0	0.0	0.0	0.0
2600	0.0	359.7	2600.0	0.0	0.0	0.0	0.0	0.0
2700	0.0	359.7	2700.0	0.0	0.0	0.0	0.0	0.0
2800	0.0	359.7	2800.0	0.0	0.0	0.0	0.0	0.0
2900	0.0	359.7	2900.0	0.0	0.0	0.0	0.0	0.0
3000	0.0	359.7	3000.0	0.0	0.0	0.0	0.0	0.0
3100	0.0	359.7	3100.0	0.0	0.0	0.0	0.0	0.0
3200	0.0	359.7	3200.0	0.0	0.0	0.0	0.0	0.0
3300	0.0	359.7	3300.0	0.0	0.0	0.0	0.0	0.0
3400	0.0	359.7	3400.0	0.0	0.0	0.0	0.0	0.0
3500	0.0	359.7	3500.0	0.0	0.0	0.0	0.0	0.0
3600	0.0	359.7	3600.0	0.0	0.0	0.0	0.0	0.0
3700	0.0	359.7	3700.0	0.0	0.0	0.0	0.0	0.0
3800	0.0	359.7	3800.0	0.0	0.0	0.0	0.0	0.0
3900	0.0	359.7	3900.0	0.0	0.0	0.0	0.0	0.0
4000	0.0	359.7	4000.0	0.0	0.0	0.0	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location: 1-22S-34E
 Pool: Grama Ridge; Wolfcamp, West [97393]
 GL Elev: 3574
 Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414385
 Surface Longitude: -103.42035
 Bottom Hole Latitude: 32.427313
 Bottom Hole Longitude: -103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
4100	0.0	359.7	4100.0	0.0	0.0	0.0	0.0	0.0
4200	0.0	359.7	4200.0	0.0	0.0	0.0	0.0	0.0
4300	0.0	359.7	4300.0	0.0	0.0	0.0	0.0	0.0
4400	0.0	359.7	4400.0	0.0	0.0	0.0	0.0	0.0
4500	0.0	359.7	4500.0	0.0	0.0	0.0	0.0	0.0
4600	0.0	359.7	4600.0	0.0	0.0	0.0	0.0	0.0
4700	0.0	359.7	4700.0	0.0	0.0	0.0	0.0	0.0
4800	0.0	359.7	4800.0	0.0	0.0	0.0	0.0	0.0
4900	0.0	359.7	4900.0	0.0	0.0	0.0	0.0	0.0
5000	0.0	359.7	5000.0	0.0	0.0	0.0	0.0	0.0
5100	0.0	359.7	5100.0	0.0	0.0	0.0	0.0	0.0
5200	0.0	359.7	5200.0	0.0	0.0	0.0	0.0	0.0
5300	0.0	359.7	5300.0	0.0	0.0	0.0	0.0	0.0
5400	0.0	359.7	5400.0	0.0	0.0	0.0	0.0	0.0
5500	0.0	359.7	5500.0	0.0	0.0	0.0	0.0	0.0
5600	0.0	359.7	5600.0	0.0	0.0	0.0	0.0	0.0
5700	0.0	359.7	5700.0	0.0	0.0	0.0	0.0	0.0
5800	0.0	359.7	5800.0	0.0	0.0	0.0	0.0	0.0
5900	0.0	359.7	5900.0	0.0	0.0	0.0	0.0	0.0
6000	0.0	359.7	6000.0	0.0	0.0	0.0	0.0	0.0
6100	0.0	359.7	6100.0	0.0	0.0	0.0	0.0	0.0
6200	0.0	359.7	6200.0	0.0	0.0	0.0	0.0	0.0
6300	0.0	359.7	6300.0	0.0	0.0	0.0	0.0	0.0
6400	0.0	359.7	6400.0	0.0	0.0	0.0	0.0	0.0
6500	0.0	359.7	6500.0	0.0	0.0	0.0	0.0	0.0
6600	0.0	359.7	6600.0	0.0	0.0	0.0	0.0	0.0
6700	0.0	359.7	6700.0	0.0	0.0	0.0	0.0	0.0
6800	0.0	359.7	6800.0	0.0	0.0	0.0	0.0	0.0
6900	0.0	359.7	6900.0	0.0	0.0	0.0	0.0	0.0
7000	0.0	359.7	7000.0	0.0	0.0	0.0	0.0	0.0
7100	0.0	359.7	7100.0	0.0	0.0	0.0	0.0	0.0
7200	0.0	359.7	7200.0	0.0	0.0	0.0	0.0	0.0
7300	0.0	359.7	7300.0	0.0	0.0	0.0	0.0	0.0
7400	0.0	359.7	7400.0	0.0	0.0	0.0	0.0	0.0
7500	0.0	359.7	7500.0	0.0	0.0	0.0	0.0	0.0
7600	0.0	359.7	7600.0	0.0	0.0	0.0	0.0	0.0
7700	0.0	359.7	7700.0	0.0	0.0	0.0	0.0	0.0
7800	0.0	359.7	7800.0	0.0	0.0	0.0	0.0	0.0
7900	0.0	359.7	7900.0	0.0	0.0	0.0	0.0	0.0
8000	0.0	359.7	8000.0	0.0	0.0	0.0	0.0	0.0
8100	0.0	359.7	8100.0	0.0	0.0	0.0	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location: 1-22S-34E
 Pool: Grama Ridge; Wolfcamp, West [97393]
 GL Elev: 3574
 Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414385
 Surface Longitude: -103.42035
 Bottom Hole Latitude: 32.427313
 Bottom Hole Longitude: -103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
8200	0.0	359.7	8200.0	0.0	0.0	0.0	0.0	0.0
8300	0.0	359.7	8300.0	0.0	0.0	0.0	0.0	0.0
8400	0.0	359.7	8400.0	0.0	0.0	0.0	0.0	0.0
8500	0.0	359.7	8500.0	0.0	0.0	0.0	0.0	0.0
8600	0.0	359.7	8600.0	0.0	0.0	0.0	0.0	0.0
8700	0.0	359.7	8700.0	0.0	0.0	0.0	0.0	0.0
8800	0.0	359.7	8800.0	0.0	0.0	0.0	0.0	0.0
8900	0.0	359.7	8900.0	0.0	0.0	0.0	0.0	0.0
9000	0.0	359.7	9000.0	0.0	0.0	0.0	0.0	0.0
9100	0.0	359.7	9100.0	0.0	0.0	0.0	0.0	0.0
9200	0.0	359.7	9200.0	0.0	0.0	0.0	0.0	0.0
9300	0.0	359.7	9300.0	0.0	0.0	0.0	0.0	0.0
9400	0.0	359.7	9400.0	0.0	0.0	0.0	0.0	0.0
9500	0.0	359.7	9500.0	0.0	0.0	0.0	0.0	0.0
9600	0.0	359.7	9600.0	0.0	0.0	0.0	0.0	0.0
9700	0.0	359.7	9700.0	0.0	0.0	0.0	0.0	0.0
9800	0.0	359.7	9800.0	0.0	0.0	0.0	0.0	0.0
9900	0.0	359.7	9900.0	0.0	0.0	0.0	0.0	0.0
10000	0.0	359.7	10000.0	0.0	0.0	0.0	0.0	0.0
10100	0.0	359.7	10100.0	0.0	0.0	0.0	0.0	0.0
10200	0.0	359.7	10200.0	0.0	0.0	0.0	0.0	0.0
10300	0.0	359.7	10300.0	0.0	0.0	0.0	0.0	0.0
10400	0.0	359.7	10400.0	0.0	0.0	0.0	0.0	0.0
10500	0.0	359.7	10500.0	0.0	0.0	0.0	0.0	0.0
10600	0.0	359.7	10600.0	0.0	0.0	0.0	0.0	0.0
10700	0.0	359.7	10700.0	0.0	0.0	0.0	0.0	0.0
10800	0.0	359.7	10800.0	0.0	0.0	0.0	0.0	0.0
10819	0.0	359.7	10818.5	0.0	0.0	0.0	0.0	0.0
10829	1.2	359.7	10828.5	0.1	0.0	0.1	12.0	12.0
10839	2.4	359.7	10838.5	0.4	0.0	0.4	12.0	12.0
10849	3.6	359.7	10848.5	1.0	0.0	1.0	12.0	12.0
10859	4.8	359.7	10858.5	1.7	0.0	1.7	12.0	12.0
10869	6.0	359.7	10868.5	2.6	0.0	2.6	12.0	12.0
10879	7.2	359.7	10878.4	3.8	0.0	3.8	12.0	12.0
10889	8.4	359.7	10888.3	5.1	0.0	5.1	12.0	12.0
10899	9.6	359.7	10898.2	6.7	0.0	6.7	12.0	12.0
10909	10.8	359.7	10908.0	8.5	-0.1	8.5	12.0	12.0
10919	12.0	359.7	10917.8	10.4	-0.1	10.4	12.0	12.0
10929	13.2	359.7	10927.6	12.6	-0.1	12.6	12.0	12.0
10939	14.4	359.7	10937.3	15.0	-0.1	15.0	12.0	12.0
10949	15.6	359.7	10947.0	17.6	-0.1	17.6	12.0	12.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location: 1-22S-34E
 Pool: Grama Ridge; Wolfcamp, West [97393]
 GL Elev: 3574
 Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414385
 Surface Longitude: -103.42035
 Bottom Hole Latitude: 32.427313
 Bottom Hole Longitude: -103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
10959	16.8	359.7	10956.6	20.4	-0.1	20.4	12.0	12.0
10969	18.0	359.7	10966.1	23.4	-0.1	23.4	12.0	12.0
10979	19.2	359.7	10975.6	26.6	-0.2	26.6	12.0	12.0
10989	20.4	359.7	10985.0	30.0	-0.2	30.0	12.0	12.0
10999	21.6	359.7	10994.3	33.5	-0.2	33.5	12.0	12.0
11009	22.8	359.7	11003.6	37.3	-0.2	37.3	12.0	12.0
11019	24.0	359.7	11012.8	41.3	-0.3	41.3	12.0	12.0
11029	25.2	359.7	11021.9	45.5	-0.3	45.5	12.0	12.0
11039	26.4	359.7	11030.9	49.8	-0.3	49.8	12.0	12.0
11049	27.6	359.7	11039.8	54.3	-0.3	54.3	12.0	12.0
11059	28.8	359.7	11048.6	59.1	-0.4	59.1	12.0	12.0
11069	30.0	359.7	11057.3	64.0	-0.4	64.0	12.0	12.0
11079	31.2	359.7	11065.9	69.1	-0.4	69.1	12.0	12.0
11089	32.4	359.7	11074.4	74.3	-0.5	74.3	12.0	12.0
11099	33.6	359.7	11082.8	79.8	-0.5	79.8	12.0	12.0
11109	34.8	359.7	11091.1	85.4	-0.5	85.4	12.0	12.0
11119	36.0	359.7	11099.3	91.2	-0.6	91.2	12.0	12.0
11129	37.2	359.7	11107.3	97.2	-0.6	97.2	12.0	12.0
11139	38.4	359.7	11115.2	103.3	-0.6	103.3	12.0	12.0
11149	39.6	359.7	11123.0	109.6	-0.7	109.6	12.0	12.0
11159	40.8	359.7	11130.6	116.0	-0.7	116.0	12.0	12.0
11169	42.0	359.7	11138.1	122.6	-0.7	122.7	12.0	12.0
11179	43.2	359.7	11145.5	129.4	-0.8	129.4	12.0	12.0
11189	44.4	359.7	11152.7	136.3	-0.8	136.3	12.0	12.0
11199	45.6	359.7	11159.8	143.4	-0.9	143.4	12.0	12.0
11209	46.8	359.7	11166.7	150.6	-0.9	150.6	12.0	12.0
11219	48.0	359.7	11173.5	158.0	-1.0	158.0	12.0	12.0
11229	49.2	359.7	11180.1	165.5	-1.0	165.5	12.0	12.0
11239	50.4	359.7	11186.6	173.1	-1.0	173.1	12.0	12.0
11249	51.6	359.7	11192.9	180.9	-1.1	180.9	12.0	12.0
11259	52.8	359.7	11199.0	188.8	-1.1	188.8	12.0	12.0
11269	54.0	359.7	11205.0	196.8	-1.2	196.8	12.0	12.0
11279	55.2	359.7	11210.8	205.0	-1.2	205.0	12.0	12.0
11289	56.4	359.7	11216.4	213.2	-1.3	213.3	12.0	12.0
11299	57.6	359.7	11221.8	221.6	-1.3	221.6	12.0	12.0
11309	58.8	359.7	11227.1	230.1	-1.4	230.1	12.0	12.0
11319	60.0	359.7	11232.2	238.7	-1.4	238.7	12.0	12.0
11329	61.2	359.7	11237.1	247.5	-1.5	247.5	12.0	12.0
11339	62.4	359.7	11241.8	256.3	-1.6	256.3	12.0	12.0
11349	63.6	359.7	11246.3	265.2	-1.6	265.2	12.0	12.0
11359	64.8	359.7	11250.7	274.2	-1.7	274.2	12.0	12.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location: 1-22S-34E
 Pool: Grama Ridge; Wolfcamp, West [97393]
 GL Elev: 3574
 Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414385
 Surface Longitude: -103.42035
 Bottom Hole Latitude: 32.427313
 Bottom Hole Longitude: -103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
11369	66.0	359.7	11254.9	283.3	-1.7	283.3	12.0	12.0
11379	67.2	359.7	11258.9	292.4	-1.8	292.5	12.0	12.0
11389	68.4	359.7	11262.7	301.7	-1.8	301.7	12.0	12.0
11399	69.6	359.7	11266.3	311.0	-1.9	311.0	12.0	12.0
11409	70.8	359.7	11269.7	320.4	-1.9	320.5	12.0	12.0
11419	72.0	359.7	11272.9	329.9	-2.0	329.9	12.0	12.0
11429	73.2	359.7	11275.9	339.5	-2.1	339.5	12.0	12.0
11439	74.4	359.7	11278.7	349.1	-2.1	349.1	12.0	12.0
11449	75.6	359.7	11281.3	358.7	-2.2	358.7	12.0	12.0
11459	76.8	359.7	11283.7	368.4	-2.2	368.4	12.0	12.0
11469	78.0	359.7	11285.9	378.2	-2.3	378.2	12.0	12.0
11479	79.2	359.7	11287.9	388.0	-2.4	388.0	12.0	12.0
11489	80.4	359.7	11289.7	397.8	-2.4	397.8	12.0	12.0
11499	81.6	359.7	11291.3	407.7	-2.5	407.7	12.0	12.0
11509	82.8	359.7	11292.7	417.6	-2.5	417.6	12.0	12.0
11519	84.0	359.7	11293.8	427.6	-2.6	427.6	12.0	12.0
11529	85.2	359.7	11294.7	437.5	-2.7	437.5	12.0	12.0
11539	86.4	359.7	11295.4	447.5	-2.7	447.5	12.0	12.0
11549	87.6	359.7	11295.9	457.5	-2.8	457.5	12.0	12.0
11559	88.8	359.7	11296.2	467.5	-2.8	467.5	12.0	12.0
11569	90.0	359.7	11296.3	477.5	-2.9	477.5	12.0	12.0
11669	90.4	359.7	11295.9	577.5	-3.5	577.5	0.4	0.4
11769	90.4	359.7	11295.2	677.5	-4.1	677.5	0.0	0.0
11869	90.4	359.7	11294.5	777.5	-4.7	777.5	0.0	0.0
11969	90.4	359.7	11293.8	877.5	-5.3	877.5	0.0	0.0
12069	90.4	359.7	11293.1	977.4	-5.9	977.5	0.0	0.0
12169	90.4	359.7	11292.4	1077.4	-6.5	1077.5	0.0	0.0
12269	90.4	359.7	11291.7	1177.4	-7.1	1177.5	0.0	0.0
12369	90.4	359.7	11291.0	1277.4	-7.7	1277.5	0.0	0.0
12469	90.4	359.7	11290.3	1377.4	-8.3	1377.5	0.0	0.0
12569	90.4	359.7	11289.6	1477.4	-9.0	1477.5	0.0	0.0
12669	90.4	359.7	11288.9	1577.4	-9.6	1577.4	0.0	0.0
12769	90.4	359.7	11288.2	1677.4	-10.2	1677.4	0.0	0.0
12869	90.4	359.7	11287.5	1777.4	-10.8	1777.4	0.0	0.0
12969	90.4	359.7	11286.8	1877.4	-11.4	1877.4	0.0	0.0
13069	90.4	359.7	11286.1	1977.4	-12.0	1977.4	0.0	0.0
13169	90.4	359.7	11285.4	2077.4	-12.6	2077.4	0.0	0.0
13269	90.4	359.7	11284.7	2177.4	-13.2	2177.4	0.0	0.0
13369	90.4	359.7	11284.0	2277.4	-13.8	2277.4	0.0	0.0
13469	90.4	359.7	11283.3	2377.4	-14.4	2377.4	0.0	0.0
13569	90.4	359.7	11282.6	2477.4	-15.0	2477.4	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State Com #323H

Location:	1-22S-34E	30-025- _____	Surface Latitude:	32.414385
Pool:	Grama Ridge; Wolfcamp, West [97393]		Surface Longitude:	-103.42035
GL Elev:	3574		Bottom Hole Latitude:	32.427313
Method:	Minimum Curvature		Bottom Hole Longitude:	-103.42032

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State Com #323H\#323H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
13669	90.4	359.7	11281.9	2577.4	-15.6	2577.4	0.0	0.0
13769	90.4	359.7	11281.2	2677.4	-16.2	2677.4	0.0	0.0
13869	90.4	359.7	11280.5	2777.4	-16.8	2777.4	0.0	0.0
13969	90.4	359.7	11279.8	2877.4	-17.4	2877.4	0.0	0.0
14069	90.4	359.7	11279.1	2977.4	-18.0	2977.4	0.0	0.0
14169	90.4	359.7	11278.4	3077.4	-18.6	3077.4	0.0	0.0
14269	90.4	359.7	11277.7	3177.3	-19.3	3177.4	0.0	0.0
14369	90.4	359.7	11277.0	3277.3	-19.9	3277.4	0.0	0.0
14469	90.4	359.7	11276.3	3377.3	-20.5	3377.4	0.0	0.0
14569	90.4	359.7	11275.6	3477.3	-21.1	3477.4	0.0	0.0
14669	90.4	359.7	11274.9	3577.3	-21.7	3577.4	0.0	0.0
14769	90.4	359.7	11274.2	3677.3	-22.3	3677.4	0.0	0.0
14869	90.4	359.7	11273.5	3777.3	-22.9	3777.4	0.0	0.0
14969	90.4	359.7	11272.8	3877.3	-23.5	3877.4	0.0	0.0
15069	90.4	359.7	11272.1	3977.3	-24.1	3977.4	0.0	0.0
15169	90.4	359.7	11271.4	4077.3	-24.7	4077.4	0.0	0.0
15269	90.4	359.7	11270.7	4177.3	-25.3	4177.4	0.0	0.0
15369	90.4	359.7	11270.0	4277.3	-25.9	4277.4	0.0	0.0
15469	90.4	359.7	11269.3	4377.3	-26.5	4377.4	0.0	0.0
15569	90.4	359.7	11268.6	4477.3	-27.1	4477.4	0.0	0.0
15669	90.4	359.7	11267.9	4577.3	-27.7	4577.4	0.0	0.0
15769	90.4	359.7	11267.2	4677.3	-28.3	4677.4	0.0	0.0
15795	90.4	359.7	11267.0	4704.1	-28.5	4704.2	0.0	0.0