

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location: 1-22S-34E
 Pool: Grama Ridge; Wolfcamp, West [97393]
 GL Elev: 3572
 Method: Minimum Curvature

30-025-

-44504

Surface Latitude: 32.414380
 Surface Longitude: -103.43086
 Bottom Hole Latitude: 32.427298
 Bottom Hole Longitude: -103.43082

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
0	0.0	359.7	0.0	0.0	0.0	0.0	0.0	0.0
100	0.0	359.7	100.0	0.0	0.0	0.0	0.0	0.0
200	0.0	359.7	200.0	0.0	0.0	0.0	0.0	0.0
300	0.0	359.7	300.0	0.0	0.0	0.0	0.0	0.0
400	0.0	359.7	400.0	0.0	0.0	0.0	0.0	0.0
500	0.0	359.7	500.0	0.0	0.0	0.0	0.0	0.0
600	0.0	359.7	600.0	0.0	0.0	0.0	0.0	0.0
700	0.0	359.7	700.0	0.0	0.0	0.0	0.0	0.0
800	0.0	359.7	800.0	0.0	0.0	0.0	0.0	0.0
900	0.0	359.7	900.0	0.0	0.0	0.0	0.0	0.0
1000	0.0	359.7	1000.0	0.0	0.0	0.0	0.0	0.0
1100	0.0	359.7	1100.0	0.0	0.0	0.0	0.0	0.0
1200	0.0	359.7	1200.0	0.0	0.0	0.0	0.0	0.0
1300	0.0	359.7	1300.0	0.0	0.0	0.0	0.0	0.0
1400	0.0	359.7	1400.0	0.0	0.0	0.0	0.0	0.0
1500	0.0	359.7	1500.0	0.0	0.0	0.0	0.0	0.0
1600	0.0	359.7	1600.0	0.0	0.0	0.0	0.0	0.0
1700	0.0	359.7	1700.0	0.0	0.0	0.0	0.0	0.0
1800	0.0	359.7	1800.0	0.0	0.0	0.0	0.0	0.0
1900	0.0	359.7	1900.0	0.0	0.0	0.0	0.0	0.0
2000	0.0	359.7	2000.0	0.0	0.0	0.0	0.0	0.0
2100	0.0	359.7	2100.0	0.0	0.0	0.0	0.0	0.0
2200	0.0	359.7	2200.0	0.0	0.0	0.0	0.0	0.0
2300	0.0	359.7	2300.0	0.0	0.0	0.0	0.0	0.0
2400	0.0	359.7	2400.0	0.0	0.0	0.0	0.0	0.0
2500	0.0	359.7	2500.0	0.0	0.0	0.0	0.0	0.0
2600	0.0	359.7	2600.0	0.0	0.0	0.0	0.0	0.0
2700	0.0	359.7	2700.0	0.0	0.0	0.0	0.0	0.0
2800	0.0	359.7	2800.0	0.0	0.0	0.0	0.0	0.0
2900	0.0	359.7	2900.0	0.0	0.0	0.0	0.0	0.0
3000	0.0	359.7	3000.0	0.0	0.0	0.0	0.0	0.0
3100	0.0	359.7	3100.0	0.0	0.0	0.0	0.0	0.0
3200	0.0	359.7	3200.0	0.0	0.0	0.0	0.0	0.0
3300	0.0	359.7	3300.0	0.0	0.0	0.0	0.0	0.0
3400	0.0	359.7	3400.0	0.0	0.0	0.0	0.0	0.0
3500	0.0	359.7	3500.0	0.0	0.0	0.0	0.0	0.0
3600	0.0	359.7	3600.0	0.0	0.0	0.0	0.0	0.0
3700	0.0	359.7	3700.0	0.0	0.0	0.0	0.0	0.0
3800	0.0	359.7	3800.0	0.0	0.0	0.0	0.0	0.0
3900	0.0	359.7	3900.0	0.0	0.0	0.0	0.0	0.0
4000	0.0	359.7	4000.0	0.0	0.0	0.0	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location: 1-22S-34E **30-025-**_____

Pool: Grama Ridge; Wolfcamp, West [97393]

GL Elev: 3572

Method: Minimum Curvature

Surface Latitude: 32.414380

Surface Longitude: -103.43086

Bottom Hole Latitude: 32.427298

Bottom Hole Longitude: -103.43082

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
4100	0.0	359.7	4100.0	0.0	0.0	0.0	0.0	0.0
4200	0.0	359.7	4200.0	0.0	0.0	0.0	0.0	0.0
4300	0.0	359.7	4300.0	0.0	0.0	0.0	0.0	0.0
4400	0.0	359.7	4400.0	0.0	0.0	0.0	0.0	0.0
4500	0.0	359.7	4500.0	0.0	0.0	0.0	0.0	0.0
4600	0.0	359.7	4600.0	0.0	0.0	0.0	0.0	0.0
4700	0.0	359.7	4700.0	0.0	0.0	0.0	0.0	0.0
4800	0.0	359.7	4800.0	0.0	0.0	0.0	0.0	0.0
4900	0.0	359.7	4900.0	0.0	0.0	0.0	0.0	0.0
5000	0.0	359.7	5000.0	0.0	0.0	0.0	0.0	0.0
5100	0.0	359.7	5100.0	0.0	0.0	0.0	0.0	0.0
5200	0.0	359.7	5200.0	0.0	0.0	0.0	0.0	0.0
5300	0.0	359.7	5300.0	0.0	0.0	0.0	0.0	0.0
5400	0.0	359.7	5400.0	0.0	0.0	0.0	0.0	0.0
5500	0.0	359.7	5500.0	0.0	0.0	0.0	0.0	0.0
5600	0.0	359.7	5600.0	0.0	0.0	0.0	0.0	0.0
5700	0.0	359.7	5700.0	0.0	0.0	0.0	0.0	0.0
5800	0.0	359.7	5800.0	0.0	0.0	0.0	0.0	0.0
5900	0.0	359.7	5900.0	0.0	0.0	0.0	0.0	0.0
6000	0.0	359.7	6000.0	0.0	0.0	0.0	0.0	0.0
6100	0.0	359.7	6100.0	0.0	0.0	0.0	0.0	0.0
6200	0.0	359.7	6200.0	0.0	0.0	0.0	0.0	0.0
6300	0.0	359.7	6300.0	0.0	0.0	0.0	0.0	0.0
6400	0.0	359.7	6400.0	0.0	0.0	0.0	0.0	0.0
6500	0.0	359.7	6500.0	0.0	0.0	0.0	0.0	0.0
6600	0.0	359.7	6600.0	0.0	0.0	0.0	0.0	0.0
6700	0.0	359.7	6700.0	0.0	0.0	0.0	0.0	0.0
6800	0.0	359.7	6800.0	0.0	0.0	0.0	0.0	0.0
6900	0.0	359.7	6900.0	0.0	0.0	0.0	0.0	0.0
7000	0.0	359.7	7000.0	0.0	0.0	0.0	0.0	0.0
7100	0.0	359.7	7100.0	0.0	0.0	0.0	0.0	0.0
7200	0.0	359.7	7200.0	0.0	0.0	0.0	0.0	0.0
7300	0.0	359.7	7300.0	0.0	0.0	0.0	0.0	0.0
7400	0.0	359.7	7400.0	0.0	0.0	0.0	0.0	0.0
7500	0.0	359.7	7500.0	0.0	0.0	0.0	0.0	0.0
7600	0.0	359.7	7600.0	0.0	0.0	0.0	0.0	0.0
7700	0.0	359.7	7700.0	0.0	0.0	0.0	0.0	0.0
7800	0.0	359.7	7800.0	0.0	0.0	0.0	0.0	0.0
7900	0.0	359.7	7900.0	0.0	0.0	0.0	0.0	0.0
8000	0.0	359.7	8000.0	0.0	0.0	0.0	0.0	0.0
8100	0.0	359.7	8100.0	0.0	0.0	0.0	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location: 1-22S-34E
Pool: Grama Ridge; Wolfcamp, West [97393]
GL Elev: 3572
Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414380
Surface Longitude: -103.43086
Bottom Hole Latitude: 32.427298
Bottom Hole Longitude: -103.43082

md\regulatory\ nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
8200	0.0	359.7	8200.0	0.0	0.0	0.0	0.0	0.0
8300	0.0	359.7	8300.0	0.0	0.0	0.0	0.0	0.0
8400	0.0	359.7	8400.0	0.0	0.0	0.0	0.0	0.0
8500	0.0	359.7	8500.0	0.0	0.0	0.0	0.0	0.0
8600	0.0	359.7	8600.0	0.0	0.0	0.0	0.0	0.0
8700	0.0	359.7	8700.0	0.0	0.0	0.0	0.0	0.0
8800	0.0	359.7	8800.0	0.0	0.0	0.0	0.0	0.0
8900	0.0	359.7	8900.0	0.0	0.0	0.0	0.0	0.0
9000	0.0	359.7	9000.0	0.0	0.0	0.0	0.0	0.0
9100	0.0	359.7	9100.0	0.0	0.0	0.0	0.0	0.0
9200	0.0	359.7	9200.0	0.0	0.0	0.0	0.0	0.0
9300	0.0	359.7	9300.0	0.0	0.0	0.0	0.0	0.0
9400	0.0	359.7	9400.0	0.0	0.0	0.0	0.0	0.0
9500	0.0	359.7	9500.0	0.0	0.0	0.0	0.0	0.0
9600	0.0	359.7	9600.0	0.0	0.0	0.0	0.0	0.0
9700	0.0	359.7	9700.0	0.0	0.0	0.0	0.0	0.0
9800	0.0	359.7	9800.0	0.0	0.0	0.0	0.0	0.0
9900	0.0	359.7	9900.0	0.0	0.0	0.0	0.0	0.0
10000	0.0	359.7	10000.0	0.0	0.0	0.0	0.0	0.0
10100	0.0	359.7	10100.0	0.0	0.0	0.0	0.0	0.0
10200	0.0	359.7	10200.0	0.0	0.0	0.0	0.0	0.0
10300	0.0	359.7	10300.0	0.0	0.0	0.0	0.0	0.0
10400	0.0	359.7	10400.0	0.0	0.0	0.0	0.0	0.0
10500	0.0	359.7	10500.0	0.0	0.0	0.0	0.0	0.0
10600	0.0	359.7	10600.0	0.0	0.0	0.0	0.0	0.0
10700	0.0	359.7	10700.0	0.0	0.0	0.0	0.0	0.0
10800	0.0	359.7	10800.0	0.0	0.0	0.0	0.0	0.0
10900	0.0	359.7	10900.0	0.0	0.0	0.0	0.0	0.0
11000	0.0	359.7	11000.0	0.0	0.0	0.0	0.0	0.0
11069	0.0	359.7	11068.5	0.0	0.0	0.0	0.0	0.0
11079	1.2	359.7	11078.5	0.1	0.0	0.1	12.0	12.0
11089	2.4	359.7	11088.5	0.4	0.0	0.4	12.0	12.0
11099	3.6	359.7	11098.5	1.0	0.0	1.0	12.0	12.0
11109	4.8	359.7	11108.5	1.7	0.0	1.7	12.0	12.0
11119	6.0	359.7	11118.5	2.6	0.0	2.6	12.0	12.0
11129	7.2	359.7	11128.4	3.8	0.0	3.8	12.0	12.0
11139	8.4	359.7	11138.3	5.1	0.0	5.1	12.0	12.0
11149	9.6	359.7	11148.2	6.7	0.0	6.7	12.0	12.0
11159	10.8	359.7	11158.0	8.5	0.0	8.5	12.0	12.0
11169	12.0	359.7	11167.8	10.4	-0.1	10.4	12.0	12.0
11179	13.2	359.7	11177.6	12.6	-0.1	12.6	12.0	12.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location:	1-22S-34E	30-025-		Surface Latitude:	32.414380
Pool:	Grama Ridge; Wolfcamp, West [97393]			Surface Longitude:	-103.43086
GL Elev:	3572			Bottom Hole Latitude:	32.427298
Method:	Minimum Curvature			Bottom Hole Longitude:	-103.43082

md\regulatory\, nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
11189	14.4	359.7	11187.3	15.0	-0.1	15.0	12.0	12.0
11199	15.6	359.7	11197.0	17.6	-0.1	17.6	12.0	12.0
11209	16.8	359.7	11206.6	20.4	-0.1	20.4	12.0	12.0
11219	18.0	359.7	11216.1	23.4	-0.1	23.4	12.0	12.0
11229	19.2	359.7	11225.6	26.6	-0.2	26.6	12.0	12.0
11239	20.4	359.7	11235.0	30.0	-0.2	30.0	12.0	12.0
11249	21.6	359.7	11244.3	33.5	-0.2	33.5	12.0	12.0
11259	22.8	359.7	11253.6	37.3	-0.2	37.3	12.0	12.0
11269	24.0	359.7	11262.8	41.3	-0.2	41.3	12.0	12.0
11279	25.2	359.7	11271.9	45.5	-0.3	45.5	12.0	12.0
11289	26.4	359.7	11280.9	49.8	-0.3	49.8	12.0	12.0
11299	27.6	359.7	11289.8	54.3	-0.3	54.3	12.0	12.0
11309	28.8	359.7	11298.6	59.1	-0.3	59.1	12.0	12.0
11319	30.0	359.7	11307.3	64.0	-0.4	64.0	12.0	12.0
11329	31.2	359.7	11315.9	69.1	-0.4	69.1	12.0	12.0
11339	32.4	359.7	11324.4	74.3	-0.4	74.3	12.0	12.0
11349	33.6	359.7	11332.8	79.8	-0.5	79.8	12.0	12.0
11359	34.8	359.7	11341.1	85.4	-0.5	85.4	12.0	12.0
11369	36.0	359.7	11349.3	91.2	-0.5	91.2	12.0	12.0
11379	37.2	359.7	11357.3	97.2	-0.6	97.2	12.0	12.0
11389	38.4	359.7	11365.2	103.3	-0.6	103.3	12.0	12.0
11399	39.6	359.7	11373.0	109.6	-0.6	109.6	12.0	12.0
11409	40.8	359.7	11380.6	116.0	-0.7	116.0	12.0	12.0
11419	42.0	359.7	11388.1	122.6	-0.7	122.7	12.0	12.0
11429	43.2	359.7	11395.5	129.4	-0.8	129.4	12.0	12.0
11439	44.4	359.7	11402.7	136.3	-0.8	136.3	12.0	12.0
11449	45.6	359.7	11409.8	143.4	-0.8	143.4	12.0	12.0
11459	46.8	359.7	11416.7	150.6	-0.9	150.6	12.0	12.0
11469	48.0	359.7	11423.5	158.0	-0.9	158.0	12.0	12.0
11479	49.2	359.7	11430.1	165.5	-1.0	165.5	12.0	12.0
11489	50.4	359.7	11436.6	173.1	-1.0	173.1	12.0	12.0
11499	51.6	359.7	11442.9	180.9	-1.1	180.9	12.0	12.0
11509	52.8	359.7	11449.0	188.8	-1.1	188.8	12.0	12.0
11519	54.0	359.7	11455.0	196.8	-1.1	196.8	12.0	12.0
11529	55.2	359.7	11460.8	205.0	-1.2	205.0	12.0	12.0
11539	56.4	359.7	11466.4	213.2	-1.2	213.3	12.0	12.0
11549	57.6	359.7	11471.8	221.6	-1.3	221.6	12.0	12.0
11559	58.8	359.7	11477.1	230.1	-1.3	230.1	12.0	12.0
11569	60.0	359.7	11482.2	238.7	-1.4	238.7	12.0	12.0
11579	61.2	359.7	11487.1	247.5	-1.4	247.5	12.0	12.0
11589	62.4	359.7	11491.8	256.3	-1.5	256.3	12.0	12.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location: 1-22S-34E	30-025-_____	Surface Latitude: 32.414380
Pool: Grama Ridge; Wolfcamp, West [97393]		Surface Longitude: -103.43086
GL Elev: 3572		Bottom Hole Latitude: 32.427298
Method: Minimum Curvature		Bottom Hole Longitude: -103.43082

md\regulatory\, nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
11599	63.6	359.7	11496.3	265.2	-1.5	265.2	12.0	12.0
11609	64.8	359.7	11500.7	274.2	-1.6	274.2	12.0	12.0
11619	66.0	359.7	11504.9	283.3	-1.6	283.3	12.0	12.0
11629	67.2	359.7	11508.9	292.4	-1.7	292.5	12.0	12.0
11639	68.4	359.7	11512.7	301.7	-1.8	301.7	12.0	12.0
11649	69.6	359.7	11516.3	311.0	-1.8	311.0	12.0	12.0
11659	70.8	359.7	11519.7	320.4	-1.9	320.5	12.0	12.0
11669	72.0	359.7	11522.9	329.9	-1.9	329.9	12.0	12.0
11679	73.2	359.7	11525.9	339.5	-2.0	339.5	12.0	12.0
11689	74.4	359.7	11528.7	349.1	-2.0	349.1	12.0	12.0
11699	75.6	359.7	11531.3	358.7	-2.1	358.7	12.0	12.0
11709	76.8	359.7	11533.7	368.4	-2.1	368.4	12.0	12.0
11719	78.0	359.7	11535.9	378.2	-2.2	378.2	12.0	12.0
11729	79.2	359.7	11537.9	388.0	-2.3	388.0	12.0	12.0
11739	80.4	359.7	11539.7	397.8	-2.3	397.9	12.0	12.0
11749	81.6	359.7	11541.3	407.7	-2.4	407.7	12.0	12.0
11759	82.8	359.7	11542.7	417.6	-2.4	417.6	12.0	12.0
11769	84.0	359.7	11543.8	427.6	-2.5	427.6	12.0	12.0
11779	85.2	359.7	11544.7	437.5	-2.5	437.5	12.0	12.0
11789	86.4	359.7	11545.4	447.5	-2.6	447.5	12.0	12.0
11799	87.6	359.7	11545.9	457.5	-2.7	457.5	12.0	12.0
11809	88.8	359.7	11546.2	467.5	-2.7	467.5	12.0	12.0
11819	90.0	359.7	11546.3	477.5	-2.8	477.5	12.0	12.0
11919	90.7	359.7	11545.7	577.5	-3.4	577.5	0.7	0.7
12019	90.7	359.7	11544.5	677.5	-3.9	677.5	0.0	0.0
12119	90.7	359.7	11543.3	777.4	-4.5	777.5	0.0	0.0
12219	90.7	359.7	11542.1	877.4	-5.1	877.5	0.0	0.0
12319	90.7	359.7	11540.9	977.4	-5.7	977.4	0.0	0.0
12419	90.7	359.7	11539.7	1077.4	-6.3	1077.4	0.0	0.0
12519	90.7	359.7	11538.5	1177.4	-6.8	1177.4	0.0	0.0
12619	90.7	359.7	11537.3	1277.4	-7.4	1277.4	0.0	0.0
12719	90.7	359.7	11536.1	1377.4	-8.0	1377.4	0.0	0.0
12819	90.7	359.7	11534.9	1477.4	-8.6	1477.4	0.0	0.0
12919	90.7	359.7	11533.7	1577.4	-9.2	1577.4	0.0	0.0
13019	90.7	359.7	11532.5	1677.4	-9.7	1677.4	0.0	0.0
13119	90.7	359.7	11531.3	1777.4	-10.3	1777.4	0.0	0.0
13219	90.7	359.7	11530.1	1877.3	-10.9	1877.4	0.0	0.0
13319	90.7	359.7	11528.9	1977.3	-11.5	1977.4	0.0	0.0
13419	90.7	359.7	11527.7	2077.3	-12.1	2077.4	0.0	0.0
13519	90.7	359.7	11526.5	2177.3	-12.6	2177.4	0.0	0.0
13619	90.7	359.7	11525.3	2277.3	-13.2	2277.3	0.0	0.0

V-F Petroleum Inc.
Standard Planning Report
Getty 1 State #331H

Location: 1-22S-34E
Pool: Grama Ridge; Wolfcamp, West [97393]
GL Elev: 3572
Method: Minimum Curvature

30-025-_____

Surface Latitude: 32.414380
Surface Longitude: -103.43086
Bottom Hole Latitude: 32.427298
Bottom Hole Longitude: -103.43082

md\regulatory\, nm ocd blm\Getty 1 State Horiz\Getty 1 State #331H\#331H Planned Survey 180501

Measured			Vertical			Vertical	Dogleg	Build
Depth	Inclination	Azimuth	Depth	+N/-S	+E/-W	Section	Rate	Rate
(ft)	(deg)	(deg)	(ft)	(ft)	(ft)	(ft)	(deg/100ft)	(deg/100ft)
13719	90.7	359.7	11524.1	2377.3	-13.8	2377.3	0.0	0.0
13819	90.7	359.7	11522.9	2477.3	-14.4	2477.3	0.0	0.0
13919	90.7	359.7	11521.7	2577.3	-15.0	2577.3	0.0	0.0
14019	90.7	359.7	11520.5	2677.3	-15.5	2677.3	0.0	0.0
14119	90.7	359.7	11519.3	2777.3	-16.1	2777.3	0.0	0.0
14219	90.7	359.7	11518.1	2877.3	-16.7	2877.3	0.0	0.0
14319	90.7	359.7	11516.9	2977.2	-17.3	2977.3	0.0	0.0
14419	90.7	359.7	11515.7	3077.2	-17.9	3077.3	0.0	0.0
14519	90.7	359.7	11514.5	3177.2	-18.5	3177.3	0.0	0.0
14619	90.7	359.7	11513.3	3277.2	-19.0	3277.3	0.0	0.0
14719	90.7	359.7	11512.1	3377.2	-19.6	3377.3	0.0	0.0
14819	90.7	359.7	11510.9	3477.2	-20.2	3477.3	0.0	0.0
14919	90.7	359.7	11509.7	3577.2	-20.8	3577.2	0.0	0.0
15019	90.7	359.7	11508.5	3677.2	-21.4	3677.2	0.0	0.0
15119	90.7	359.7	11507.3	3777.2	-21.9	3777.2	0.0	0.0
15219	90.7	359.7	11506.1	3877.2	-22.5	3877.2	0.0	0.0
15319	90.7	359.7	11504.9	3977.1	-23.1	3977.2	0.0	0.0
15419	90.7	359.7	11503.7	4077.1	-23.7	4077.2	0.0	0.0
15519	90.7	359.7	11502.5	4177.1	-24.3	4177.2	0.0	0.0
15619	90.7	359.7	11501.3	4277.1	-24.8	4277.2	0.0	0.0
15719	90.7	359.7	11500.1	4377.1	-25.4	4377.2	0.0	0.0
15819	90.7	359.7	11498.9	4477.1	-26.0	4477.2	0.0	0.0
15919	90.7	359.7	11497.7	4577.1	-26.6	4577.2	0.0	0.0
16019	90.7	359.7	11496.5	4677.1	-27.2	4677.2	0.0	0.0
16042	90.7	359.7	11496.2	4700.8	-27.3	4700.9	0.0	0.0