

Submit 1 Copy To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
**HOBBS OGD**

Form C-103  
Revised July 18, 2013

**JUN 20 2018**  
CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505  
**RECEIVED**

| SUNDRY NOTICES AND REPORTS ON WELLS                                                                                                                                                                                   |                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                                                       |                                                                              |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                        | 7. Lease Name or Unit Agreement Name:<br><b>Eunice Monument South Unit B</b> |
| 2. Name of Operator<br><b>XTO Energy, Inc.</b>                                                                                                                                                                        | 8. Well Number<br><b>850</b>                                                 |
| 3. Address of Operator<br><b>6401 Holiday Hill Road, Bldg 5 Midland, Texas 79707</b>                                                                                                                                  | 9. OGRID Number<br><b>005380</b>                                             |
| 4. Well Location<br>Unit Letter <b>B</b> : <b>330</b> feet from the <b>North</b> line and <b>1650</b> feet from the <b>East</b> line<br>Section <b>11</b> Township <b>20S</b> Range <b>36E</b> NMPM County <b>Lea</b> | 10. Pool name or Wildcat<br><b>Eunice Monument; Grayburg-SA</b>              |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)                                                                                                                                                                    |                                                                              |

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT F

REMEDIAL WORK ☐ INT TO PA ☒ **PM**  
COMMENCE DRILLING OPNS. ☐ P&A NR \_\_\_\_\_  
CASING/CEMENT JOB ☐ P&A R \_\_\_\_\_  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy, Inc. respectfully requests to PA the referenced well using the following procedure:

1. Set CIBP @ 3583'.
2. Cap w/25sx cmt thru tbg or 35' via wireline. WOC 4 hours. Tag. **CIRC M.L.F. PRESSURE TEST CSG.**
3. 2800-2700'. Set balanced plug w/30sx cmt. WOC 4 hours. Tag TOC @ + 2700'.
4. 1600-1500'. P&S 70sx cmt, circ inside & out of csg. WOC 4 hours. Tag. **SPDT 30SX 2382' - 2282' WOC TAG (SHOE PLUG)**
5. 745-0'. P&S 200sx cmt, circ inside & out of csg to surf. WOC. Verify top.
6. Cut off WH, install dry hole marker.

A closed-loop system will be used to perform this operation.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Stephanie Rabadue TITLE Regulatory Analyst DATE 06/20/2018

Type or print name Stephanie Rabadue E-mail address: stephanie\_rabadue@xtoenergy.com PHONE 432-620-6714


For State Use Only  
APPROVED BY Maley Brown TITLE AO/I DATE 6/21/2018  
Conditions of Approval (if any):

MB

Eunice Monument South Unit B 850  
30-025-04218

current

ELEV: GL: 3585'



Eunice Monument South Unit B 850  
30-025-04218

proposed

ELEV: GL: 3585'

745-0'. P.S. 205X CMT.  
circ in & out of CSG.  
WOC. Verify TOP

TOC @ 937' BY CALC

WATSON SCAB LINER T/PKR @ 1550'  
(6 JTS 5-1/2" CSG). BTM PKR @ 1814'.

TOC @ 1935'


1500'-1500'. P.S. 705X CMT.  
circ in & out of CSG.  
tag.

CI BP @ 3583' w/ 255X thru  
hbg or 35' via w/c  
tag.

7" OD, 24#, 10RD CSG SET @ 3779'. CMT'D  
W/300SX. TOC @ 1935' BY CALC.

6-1/2" OH FR/3779'-3894'.

PBTD: 3889'  
TD: 3894' (LOGGER'S TD @ 3875')



SQZD CSG LEAK FR/107'-486'.

15-1/2" OD, 70# SURF PIPE SET @ 250'.  
CMT'D W/350SX. CIRC.

PERF @ 695'

BAD CSG FR/1600'-1700'. SQZD 225SX CMT CIRC TO  
SURF TO COVER LEAK FR/107'-486' & PERFS @ 695'.  
(9/4/91)

10-3/4" OD 45# INTMD. 8RD CSG SET @ 2332'.  
CMT'D W/750SX. TOC @ 937' BY CALC.

305X 2382-2282' WOC & TAG

305X CMT @ 2800'. Tag + TOC @ 2450'

PERFS

3633'-44' 4 SPF (1/97)  
3644'-64' 4 SPF (1/97)  
3664'-84' 4 SPF (1/97)  
3694'-3708' 3 SPF (12/99)  
3722'-30' 3 SPF (12/99)

3738'-46' 4 SPF (1/97)

3756'-66' 1 SPF (1/97)  
3766'-3768' 4 SPF (1/97)

3774'-78' 2 SPF (9/91)  
3780'-82' 2 SPF (9/91) & (1/97)  
3792'-3802' 3 SPF (12/99)  
3808'-20' 3 SPF (12/99)  
3826'-36' 3 SPF (12/99)  
3840'-3848' 2 SPF (6/84) & (1/97)  
3848'-3860' 4 SPF (6/59) & (1/97)  
3856'-66' 2 SPF (9/91)

5', 15#, J-55 LINER FR/3732'-3894'. MILLED  
OUT 1/23/97. FULL RECOVERY.