

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-00566 ✓
1. Type of Well: Oil Well ☒ <u>Gas Well</u> ☐ Other		5. Indicate Type of Lease STATE ☒ FEE ☐ ✓
2. Name of Operator COG Operating, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 600 W. Illinois Ave, Midland, TX 79701		7. Lease Name or Unit Agreement Name Leaker CC State ✓
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>N</u> line and <u>1650</u> feet from the <u>E</u> line Section <u>16</u> Township <u>17S</u> Range <u>32E</u> NMPM County <u>Lea</u> ✓		8. Well Number <u>2</u> ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4062'GR		9. OGRID Number 229137 ✓
		10. Pool name or Wildcat Maljamar, Queen (Gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT:
REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB
OTHER:

INT TO PA PM
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Set 5 1/2" CIBP @ 3110'. Circulate hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 3110-2910'.
2. Spot 25 sx cmt @ 2100-1900'. WOC & Tag (B/Salt)
3. Spot 25 sx cmt @ 1000-800'. WOC & Tag (T/Salt)
4. Perf & Sqz 50 sx cmt @ 176'-Surface.
5. Cut off well head, verify cmt to surface, weld on Dry Hold Marker.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Montgomery TITLE Agent DATE 6/21/18
Type or print name Abigail Montgomery E-mail address: abbym@bcmmandassociates.com PHONE: 432-580-7161
For State Use Only
APPROVED BY: Mark W. Smith TITLE Petroleum Engr. Specialist DATE 06/26/2018
Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS


MW

COG Operating LLC

Lease & Well #: Leaker CC State #2
API: 30-025-00566

Lea County, NM
Sec. 16 T17S R32E, 1650 FNL & 1650 FEL

Spud Date 7/8/1956



0-126' 8.625" 24#
Cmt w/ 100 sx, circulated

Grayburg
3160'-3188'

San Andres
3700'-3984'

0-4018' 5.5" 14#
Cmt w/ 700 sx.

PBD 4018'

6/13/2018

Leaker CC State #2 WBD


32.8373146
- 103.7682877_{SH}

COG Operating LLC

Lease & Well #: Leaker CC State #2
API: 30-025-00566

Lea County, NM
Sec. 16 T17S R32E, 1650 FNL & 1650 FEL

Spud Date 7/8/1956



0-126' 8.625" 24#

Cmt w/ 100 sx, circulated

4. Perf & Sqz 50 sx cmt @ 176'-Surface.

3. Spot 25 sx cmt @ 1000-800'. WOC & Tag (T/Salt)

2. Spot 25 sx cmt @ 2100-1900'. WOC & Tag (B/Salt)

1. Set 5 1/2" CIBP @ 3110'. Cic hole w/ MLF. Pressure test csg.
Spot 25 sx cmt @ 3110-2910'.

Grayburg
3160'-3188'

San Andres
3700'-3984'

0-4018' 5.5" 14#
Cmt w/ 700 sx.

PBD 4018'

6/21/2018

Leaker CC State #2 WBD

SH