

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM
District III - (505) 334-
1000 Rio Brazos Rd., Aztec, NM 87419
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBS OCD
JUN 25 2018
RECEIVED

WELL API NO. 30-025-20105
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name State BN
8. Well Number 2
9. OGRID Number 16696
10. Pool name or Wildcat Mesculero San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710
4. Well Location Unit Letter M : 660 feet from the south line and 660 feet from the west line
Section 14 Township 10S Range 32E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4330

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON [X]
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT:
REMEDIATION WORK []
COMMENCE DRILLING OPNS. []
CASING/CEMENT JOB []
OTHER:
INT TO P&A [X]
P&A NR
P&A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-4500' PBD-4371' Perfs-4070-4368'

8-5/8" 24# csg @ 384' w/ 300sx, 12-1/4" hole, TOC-Surf-Circ
4-1/2" 9.5# csg @ 4498' w/ 350sx, 7-7/8" hole, TOC-2907'-Calc

- 1. RIH & set CIBP @ 4025', M&P 25sx cmt to 3775' Pressure test csg
2. M&P 25sx cmt @ 3465-3215' WOC-Tag
3. Perf @ 2265' sqz 35sx cmt to 2160' WOC-Tag
4. Perf @ 1630' sqz 35sx cmt to 1525' WOC-Tag
5. Perf @ 434', sqz 140sx cmt to Surface

10# MLF between plugs - Above ground steel tanks will be utilized

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Sr. Regulatory Advisor DATE 6/21/19

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE P.E.S. DATE 06/26/2018


Conditions of Approval (if any):

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

C103 INTENT TO P&A EXPIRES 1 YEAR FROM DATE OF APPROVAL

OXY USA Inc. - Current
State BN #2
API No. 30-025-20105

12-1/4" hole @ 385'
8-5/8" csg @ 384'
w/ 300sx-TOC-Surf-Circ



Perfs @ 4074-4368'

7-7/8" hole @ 4500'
4-1/2" csg @ 4498'
w/ 350sx-TOC-2907'-Calc


PB-4371'

TD-4500'

OXY USA Inc. - Proposed
State BN #2
API No. 30-025-20105


140sx @ 434'-Surface

12-1/4" hole @ 385'
8-5/8" csg @ 384'
w/ 300sx-TOC-Surf-Circ




Perf @ 434'

35sx @ 1630-1525' WOC-Tag



Perf @ 1630'

35sx @ 2265-2160' WOC-Tag




Perf @ 2265'


25sx @ 3465-3215' WOC-Tag



CIBP @ 4025' w/ 25sx to 3775'



Perfs @ 4074-4368'



7-7/8" hole @ 4500'
4-1/2" csg @ 4498'
w/ 350sx-TOC-2907'-Calc

PB-4371'

TD-4500'