

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd. Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals and Natural Resources

HOBBS OCD

OIL CONSERVATION DIVISION

JUL 05 2018

1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

WELL API NO.

30-025-40145

5. Indicate Type of Lease

STATE ☐FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

T. Anderson (302373)

8. Well Number

6

9. OGRID Numer

873

10. Pool Name or Wildcat

Monument; Abo, SE (96764)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Apache Corporation

3. Address of Operator

303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705

4. Well Location

Unit Letter **K** : **1680** feet from the **S** line and **2310** feet from t **W** line
 Section **8** Township **20S** Range **37E** NMPM County **LEA**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3547' GL

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐**SUBSEQUENT REPORT OF:**REMEDIAL WORK ☐COMMENCE DRILLING OPNS. ☐CASING/CEMENT JOB ☐OTHER: ☐**INT TO P&A****P&A NR****P&A R**

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.14 NMAC.

Spud Date: ☐**NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**Rig Release Date: ☐

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Guinn Burks

TITLE

Sr. Reclamation Foreman

DATE

6/27/18

Type or print name

Guinn Burks

E-mail add.

guinn.burks@apachecorp.com

PHONE:

432-556-9143

For State Use Only

APPROVED BY:

Mark Whitaker

TITLE

Petroleum Engr. Specialist

DATE

07/05/2018

Conditions of Approval (if any):

**C103 INTENT TO P&A EXPIRES
 1 YEAR FROM DATE OF APPROVAL**



WELL BORE INFO.

LEASE NAME

T. Anderson

WELL #

6

API #

30-025-40145

COUNTY

LEA

0

770

17 1/2" Hole
13 3/8" 48# @ 1100'
w/ 1000 sx CIRC to surf

1540

2310

3080

3850

4620

11" Hole
8 5/8" 32# @ 4892
w/ 1260 sx CIRC to surf

CIBP @ 4980' w/35' cmt

DVT @ 4789'
TOC @ 4880'

5390

6160

CIBP @ 6898' w/35' cmt


6930

Perfs @ 6958'-7364'

7700

7 7/8" Hole
5 1/2" 17# @ 7700'
w/ 970 sx cmt, TOC @ 4880'

PBTD @ 4945'
TD @ 7700'





WELL BORE INFO.

0

770

17 1/2" Hole
13 3/8" 48# @ 1100'
w/ 1000 sx CIRC to surf

1540

2310

3080

3850

4620

11" Hole
8 5/8" 32# @ 4892
w/ 1260 sx CIRC to surf

CIBP @ 4980' w/35' cmt

5390

6160

CIBP @ 6898' w/35' cmt

6930

7700

7 7/8" Hole
5 1/2" 17# @ 7700'
w/ 970 sx cmt, TOC @ 4880'

LEASE NAME

T. Anderson

WELL #

6

API #

30-025-40145

COUNTY

LEA

PROPOSED PROCEDURE

5. PUH & perf @ 250' & sqz 70 sx Class "C" cmt from 250' to surf. Attempt to CIRC 5 1/2" to surf. (Water Board)

4. PUH & perf @ 1150' & sqz 40 sx Class "C" cmt from 1150'-1000' WOC/TAG (Surface Shoe & Rustler)

3. PUH & perf @ 2713' & sqz 90 sx Class "C" cmt from 2713'-2399' WOC/TAG (Yates & 7 Rvrs)

2. PUH & perf @ 3877' & sqz 135 sx Class "C" cmt from 3877'-3362' WOC/TAG (Grayburg & San Andres)

1. MIRU P&A rig, RIH w/ tbq & verify CIBP @ 4980', CIRC w/ MLF & spot 25 sx Class "C" cmt from 4980'-4730' (Inter Shoe)

Perfs @ 6958'-7364'

PBTD @ 4945'
TD @ 7700'