

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88210
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

HOBBS OCD

OIL CONSERVATION DIVISION

AUG 02 2018

1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

WELL API NO. 30-025-39734
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Denton 6 St
8. Well Number 2
9. OGRID Number 160825 372098
10. Pool name or Wildcat San Andres

11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3781 GR

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD

2. Name of Operator
Marathon Oil Permian, LLC

3. Address of Operator
5555 San Felipe Houston, TX 77056

4. Well Location

Unit Letter D : 330 feet from the North line and 330 feet from the West line

Section 6 Township 16S Range 38E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3781 GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB

INT TO PA ☒
P&A NR _____
P&A R _____

OTHER: _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. 25sx @ 5100'-5000'. WOC & TAG - Bottom of liner
2. 25sx @ 4020'-3920'. WOC & TAG - Top of liner
3. 25sx @ 3356'-3256'.
4. 40sx P.S. @ 2069'-1969'. WOC & tag. 2200'
5. 20sx P.S. @ 100'-Surf.

Cut wellhead off 3' below ground level
Verify cement to surface.
Install upright P&A marker

P&A mud between all plugs.
Closed loop.
All fluids to licensed facility.

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Brody Pinkerton TITLE Agent DATE 8-2-18

Type or print name Brody Pinkerton E-mail address: Brody@maverickwellpluggers.com Telephone No. 432-458-3780
For State Use Only


APPROVED BY: Mark W. Pinkerton TITLE P.E.S. DATE 08/20/18
Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL



Wellbore Schematic
Well Name: SOUTH DENTON 6 STATE 2

State/Province NEW MEXICO	Prospect Area	Field Name SWD	Well Subtype WATER DISPOSAL WELL	Lat/Long Datum NAD27	Latitude (°) 32.965522	Longitude (°) -103.193142
Well Configuration Type	Well Objective	Well Status INJECTING	Ground Elevation (ft) 3,751.00	KB-Ground Distance (ft) 12.00		



Directions to Well:

MAVERICK WELL PLUGGERS

COMPANY: *Marathon Oil Permian LLC*
 WELL NAME: *South Denton 6 St*
 WELL #: *2*
 COUNTY: *Lea*
 LEASE ID:

SURFACE CASING				
OD	WT/FT	GRADE	SET AT	TOC
<i>8 5/8"</i>	<i>32</i>		<i>2025'</i>	<i>Surf</i>
INTERMEDIATE CASING				
OD	WT/FT	GRADE	SET AT	TOC
<i>5 1/2"</i>	<i>15.5</i>		<i>6500'</i>	<i>Surf</i>
PRODUCTION CASING				
OD	WT/FT	GRADE	SET AT	TOC
TUBING				
OD	WT/FT	GRADE	SET AT	TAC

