

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address LEGACY RESERVES OPERATING LP PO BOX 10848 MIDLAND, TX 79702		² OGRID Number 240974
		³ Reason for Filing Code/ Effective Date NW/05-02-2018
⁴ API Number 30 - 025-44023	⁵ Pool Name LEA; BONE SPRING	⁶ Pool Code 37570
⁷ Property Code 302802	⁸ Property Name LEA UNIT	⁹ Well Number 55H

HOBBS OGD
AUG 13 2018
RECEIVED

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	11	20S	34E		170	N	1690	E	LEA

¹¹ Bottom Hole Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	14	20S	34E		2632	N	1910	E	LEA

¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
F	P				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING, L.P. 500 DALLAS, STE. 700, HOUSTON, TX	OIL
24650	TARGA MIDSTREAM SERVICES LLC 1000 LOUISIANA, STE. 4700, HOUSTON, TX 77002	GAS

IV. Well Completion Data

²¹ Spud Date 09/22/2017	²² Ready Date 05/02/2018	²³ TD 17,597'	²⁴ PBDT 17,547	²⁵ Perforations 10,289'-17,602'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8"	1,728'	1500 sx		
12 1/4"	9 5/8"	5,400'	3433 sx		
8 3/4"	5 1/2"	17,597'	3000 sx		
	2 7/8"	9,719'			

V. Well Test Data

³¹ Date New Oil 05/04/2018	³² Gas Delivery Date 05/15/2018	³³ Test Date 05/06/2018	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 296	³⁶ Csg. Pressure 300
³⁷ Choke Size	³⁸ Oil 845	³⁹ Water 1,028	⁴⁰ Gas 445		⁴¹ Test Method Pumping

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Laura Pina*

Printed name: LAURA PINA

Title: COMPLIANCE COORDINATOR

E-mail Address: lpina@legacylp.com

Date: 08/10/2018

Phone: 432-689-5200

OIL CONSERVATION DIVISION

Approved by: *Karen Sharp*

Title: *Staff Mgr*

Approval Date: *8-16-18*

Documents pending BLM approvals will subsequently be reviewed and scanned

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018



SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

HOBBS OCD

AUG 18 2018

RECEIVED

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM080262	
2. Name of Operator LEGACY RESERVES OPERATING LP - Mail: lpina@legacylp.com		6. If Indian, Allottee or Tribe Name	
3a. Address 303 W WALL ST STE 1800 MIDLAND, TX 79701		7. If Unit or CA/Agreement, Name and/or No.	
3b. Phone No. (include area code) Ph: 432-689-5200		8. Well Name and No. LEA UNIT 65H	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 11 T20S R34E NWNE 170FNL 1690FEL		9. API Well No. 30-025-44023	
		10. Field and Pool or Exploratory Area LEA; BONE SPRING	
		11. County or Parish, State LEA CO COUNTY, NM	

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

02/21/2018 Ran Gamma Ray/CCL log

03/02/2018 to 03/12/2018 Perf Bone Spring fr/10,289'-17,602' MD w/1,050 shots. Treated well w/2,503 bbls 10% acid, 10,363,209# sand and 239,289 BW

03/24/2018 to 03/25/2018 Drilled out plugs

05/04/2018 Began flowback operations

05/04/2018 Date of first production

14. I hereby certify that the foregoing is true and correct. Electronic Submission #430332 verified by the BLM Well Information System For LEGACY RESERVES OPERATING LP, sent to the Hobbs	
Name (Printed/Typed) LAURA PINA	Title COMPLIANCE COORDINATOR
Signature (Electronic Submission)	Date 08/08/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____

Documents pending BLM approvals will subsequently be reviewed and scanned

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowing, States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010



WELL COMPLETION OR RECOMPLETION REPORT AND LOG

HOBBS OCD
AUG 13 2018
RECEIVED

5. Lease Serial No. NMNM080262
If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No. ~~LEGACY UNIT 26815~~

9. API Well No. 30-025-44023

10. Field and Pool, or Exploratory LEA; BONE SPRING

11. Sec., T., R., M., or Block and Survey or Area Sec 11 T20S R34E Mer

12. County or Parish LEA SWNE 2632FNL 1910FEL

13. State NM

14. Date Spudded 09/22/2017

15. Date T.D. Reached 10/12/2017

16. Date Completed D & A Ready to Prod. 03/03/2018

17. Elevations (DF, KB, RT, GL)* 3662 GL

18. Total Depth: MD 17597 TVD 10409

19. Plug Back T.D.: MD 17547 TVD 10409

20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each) GR/CCL

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit analysis)
Directional Survey? No Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J-55	54.5	0	1728		1500		0	
12.250	9.625 J-55	40.0	0	5400		3433		0	
8.750	5.500 HCP110	20.0	0	17597		3000		0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	9719							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) BONE SPRING	10289	17602	10289 TO 17602		1050	PRODUCING
B)						
C)						
D)						

26. Perforation Record

Depth Interval	Amount and Type of Material
10289 TO 17602	TREAT WELL W/2,503 BBLs ACID, 10,363,209# SAND & 239,289 BBLs WTR

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
05/04/2018	05/06/2018	24	▶	845.0	445.0	1028.0	42.6	0.81	ELECTRIC PUMP SUB-SURFACE
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI	510	250.0	▶	845	445	1028	527	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			▶						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well	
SI			▶						

Documents pending BLM approvals will subsequently be reviewed and scanned

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
BELL CANYON	7507	8473		BELL CANYON	7507
BRUSHY CANYON	8473	8778		U. AVALON SHALE	8778
AVALON SHALE	8778	9498		1ST BONE SPRING	9498
1ST BONE SPRING	9498	10035		2ND BONE SPRING	10035
2ND BONE SPRING	10035	10693		3RD BONE SPRING	10693
3RD BONE SPRING	10693	10990			

32. Additional remarks (include plugging procedure):
Directional survey attached. Log will be mailed to BLM Carlsbad Office.

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7. Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #430741 Verified by the BLM Well Information System.
For LEGACY RESERVES OPERATING LP, sent to the Hobbs**

Name (please print) JOHN SAENZ Title OPERATIONS ENGINEER

Signature (Electronic Submission) Date 08/10/2018

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****