

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised August 1, 2011

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-005-01129</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator <b>REMNANT OIL OPERATING. LLC</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>PO BOX 5375, Midland, TX 79704</b>		7. Lease Name or Unit Agreement Name <b>DRICKEY QUEEN SAND UNIT</b>
4. Well Location Unit Letter B : 660 feet from the N line and 1980 feet from the E line Section 22 Township 14S Range 31E NMPM County CHAVES		8. Well Number <b>049</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number <b>370922</b>
10. Pool name or Wildcat CAPROCK; QUEEN		10. Pool name or Wildcat CAPROCK; QUEEN

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>		<b>SUBSEQUENT</b> REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

INT TO PA Pm   
 P&A NR \_\_\_\_\_   
 P&A R \_\_\_\_\_

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Remnant Oil Operating is planning on plugging the Drickey Queen Sand Unit #49 pending NMOCD approval. Please find attached a "Current Wellbore Diagram" as well as a "Proposed" post P&A wellbore diagram. This well will be plugged in accordance with NMOCD's "Conditions of Approval for Plugging & Abandonment".

**NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**

**C103 INTENT TO P&A EXPIRES 1 YEAR FROM DATE OF APPROVAL**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Carie Stoker TITLE Regulatory Affairs Coordinator DATE: 08/30/2018

Type or print name Carie Stoker E-mail address: carie@stokeroilfield.com PHONE: 432.664.7659

APPROVED BY: Mark Whitaker TITLE P.E.S. DATE 09/05/2018


Conditions of Approval (if any):

# Remnant Oil Operating

## Proposed P&A Wellbore Diagram

FIELD: Caprock	DATE: 22-Aug-18
LEASE/UNIT: Drickey Queen Sand Unit	WELL: 49
COUNTY: Chaves	STATE: New Mexico

Location: 660' FNL & 1980' FEL, Sec 22B, T14S, R31ECM	KB = 4424'
SPUD: 9/54 COMP: 9/54	GL =
CURRENT STATUS: TA'd producer	API = 30-005-01129
Original Well Name: J. H. Medlin #1	



12-1/4"

9-5/8" 24#/ft @ 263' w/170 sx -circ'd  
8-3/4"

Cmt Plug from 200'-0'

Cmt Plug from 1200'-1100'

Calc'd TOC @ 2532'  
Cmt Plug from 2575'-2475'

CIBP at 3000' w/35' cmt

7" 23# @ 3085' w/125 sx

Top of Queen @ 3085'

Queen Open Hole: 3085' - 3087' (9-54)

PERFORATE AT 360'  
CIRCULATE CMT TO SURFACE  
INSIDE/OUTSIDE 7" CSG

PERFORATE AT 1500', SQZ  
with 50 SX. WOL & Tag  
at 1400' or better (T. SALT)

PERFORATE AT 2250', SQZ  
with 50 SX. WOL & TAG  
at 2150' or better (B. SALT)

TAG CIBP, CIRC Mud lab  
Fluid, Pressure Test,  
Spot 25 SX Cement

Cut off wellhead 3' below ground level. Verify cement to surface. Install P&A marker.

PBTD - 3087'  
TD - 3087'


T.SALT 1575      B.SALT 2140'

# Remnant Oil Operating

## Current Wellbore Status

FIELD: Caprock	DATE: 22-Aug-18
LEASE/UNIT: Drickey Queen Sand Unit	WELL: 49
COUNTY: Chaves	STATE: New Mexico

Location: 660' FNL & 1980' FEL, Sec 22B, T14S, R31ECM	KB = 4424'
SPUD: 9/54 COMP: 9/54	GL =
CURRENT STATUS: TA'd producer	API = 30-005-01129
Original Well Name: J. H. Medlin #1	



Calc'd TOC @ 2532'

CIBP at 3000' w/35' cmt

7" 23# @ 3085' w/125 sx

Top of Queen @ 3085':

Queen Open Hole: 3085' - 3087' (9-54)

PBTD - 3087'  
TD - 3087'