



**PHOENIX
TECHNOLOGY SERVICES**

September 6, 2018

Oil Conservation Division
State of New Mexico
1625 N. French Drive
Hobbs, New Mexico 88240

Dear District 1 - Hobbs

Re: Kaiser Francis
Bell Lake Unit South 330H
Lea County, NM
API #30-025-44618
Job No. 62801

**HOBBS OCD
SEP 13 2018
RECEIVED**

Enclosed please find the Survey Data Certification, and the original Plat and one copy of the Survey Report performed on the above referenced well by Phoenix Technology Services, Inc. Other information required by your office is as follows:

Name & Title of Surveyor	Drain Hole Number	Surveyed Depths		Dates Performed		Type of Survey
		From	To	Start	End	
Derek Tylka	330H	11,019	19,307	6/7/18	6/28/18	MWD

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Best Regards,

Brittany Carley

Brittany Carley
MWD Operations Administrator- EOW

SURVEY DATA CERTIFICATION



PHOENIX
TECHNOLOGY SERVICES

Job #: 62801
 Client: Kaiser Francis
 County & State: Lea County, NM
 Well: Bell Lake Unit South 330H
 API No: 30-025-44618
 Proposed Direction: 358.63

TIE-IN DATA

MD	TVD	INC	AZM	N/-S	E/-W	DATA SOURCE
10794.00 ft	10793.35 ft	0.18°	202.72°	5.99 N	38.02 W	Phoenix Surveys
Data Source Company:						Phoenix Tech

SURVEY DATA

First Survey Date	First Survey Depth	INC	AZM
7-Jun-18	11,019 ft	7.21°	27.00°

Last Survey Date	Last Survey Depth	INC	AZM
28-Jun-18	19,307 ft	90.12°	359.01°

Survey Instrument Type

Phoenix MWD Velocity

Projected TD Survey Date	Projected TD Survey Depth	INC	AZM
28-Jun-18	19,372 ft	90.12°	359.01°

CORRECTION INFORMATION

Magnetic Declination Used	6.71	degrees
Grid Convergence Used	0.43	degrees

Corrected to True/Grid North

Grid North

Total Correction	6.28	degrees
------------------	------	---------

TO THE BEST OF MY KNOWLEDGE, I
CERTIFY THIS SURVEY DATA TO BE TRUE
AND CORRECT.

Derek Tylka 6/28/2018
 Field Engineer Signature Date

Well Planner/Supervisor Date



PHOENIX
TECHNOLOGY SERVICES

Kaiser-Francis Oil Company

Lea County, NM (NAD 83)

Bell Lake Unit South

330H

ST01 / Job 62801

Survey: Phoenix MWD Surveys

Standard Survey Report

13 July, 2018



Survey Report

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well 330H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3624.80usft (Cactus 171)
Site:	Bell Lake Unit South	MD Reference:	RKB @ 3624.80usft (Cactus 171)
Well:	330H	North Reference:	Grid
Wellbore:	ST01 / Job 62801	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Cactus 171)	Database:	USA Compass

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Bell Lake Unit South				
Site Position:		Northing:	453,977.40 usft	Latitude:	32° 14' 43.88291 N
From:	Map	Easting:	788,854.22 usft	Longitude:	103° 31' 57.83548 W
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.43 °

Well	330H					
Well Position	+N-S	0.00 usft	Northing:	453,929.63 usft	Latitude:	32° 14' 42.70868 N
	+E-W	0.00 usft	Easting:	798,187.50 usft	Longitude:	103° 30' 9.16969 W
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,601.80 usft

Wellbore	ST01 / Job 62801				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	MVHD	5/31/2018	6.71	59.93	47,980.07708548

Design	Surveys (Cactus 171)				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	10,794.00
Vertical Section:	Depth From (TVD) (usft)	+N-S (usft)	+E-W (usft)	Direction (°)	
	0.00	0.00	0.00	358.63	

Survey Program	Date	7/13/2018		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
100.00	1,220.00	VES Gyro Surveys (OH / Job 62801)	NS-GYRO-MS	North sensing gyrocompassing m/s
1,220.00	10,794.00	Phoenix MWD Surveys (OH / Job 62801)	MWD+HDGM	OWSG Rev.2 MWD + HDGM
11,019.00	19,372.00	Phoenix MWD Surveys (ST01 / Job 62801)	MWD+HDGM	OWSG Rev.2 MWD + HDGM

Survey	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Bulld Rate (°/100usft)	Turn Rate (°/100usft)
	10,794.00	0.18	202.72	10,793.35	5.99	-38.02	6.90	0.00	0.00	0.00
Tie In - ST01	11,019.00	7.21	27.00	11,017.77	18.26	-31.74	19.02	3.28	3.12	-78.10
First Phoenix MWD Survey - ST01	11,066.00	12.50	4.86	11,064.07	25.97	-29.97	26.67	13.65	11.26	-47.11
	11,113.00	17.01	359.50	11,109.51	37.91	-29.60	38.61	10.02	9.60	-11.40
	11,160.00	18.75	8.26	11,154.25	52.27	-28.57	52.94	6.81	3.70	18.64
	11,207.00	22.39	12.91	11,198.25	68.48	-25.49	69.07	8.48	7.74	9.89

Survey Report

Company: Kaiser-Francis Oil Company
Project: Lea County, NM (NAD 83)
Site: Bell Lake Unit South
Well: 330H
Wellbore: ST01 / Job 62801
Design: Surveys (Cactus 171)

Local Co-ordinate Reference: Well 330H
TVD Reference: RKB @ 3624.80usft (Cactus 171)
MD Reference: RKB @ 3624.80usft (Cactus 171)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
11,254.00	28.76	15.25	11,240.62	88.13	-20.51	88.60	13.72	13.55	4.98
11,301.00	35.36	15.28	11,280.43	112.18	-13.94	112.49	14.04	14.04	0.06
11,348.00	43.48	13.10	11,316.71	141.10	-6.68	141.22	17.52	17.28	-4.64
11,379.00	47.22	11.55	11,338.49	162.65	-1.98	162.65	12.58	12.06	-5.00
11,426.00	51.31	9.82	11,369.16	197.63	4.60	197.47	9.14	8.70	-3.68
11,474.00	55.36	11.39	11,397.82	235.47	11.70	235.12	8.84	8.44	3.27
11,521.00	61.36	13.96	11,422.46	274.48	20.50	273.91	13.59	12.77	5.47
11,569.00	67.35	14.77	11,443.23	316.37	31.24	315.54	12.57	12.48	1.69
11,616.00	72.01	11.49	11,459.55	359.28	41.23	358.19	11.88	9.91	-6.98
11,663.00	75.93	9.84	11,472.53	403.66	49.58	402.36	9.00	8.34	-3.51
11,710.00	81.98	10.09	11,481.53	449.08	57.56	447.57	12.88	12.87	0.53
11,758.00	88.43	11.01	11,485.54	496.07	66.32	494.35	13.57	13.44	1.92
11,808.00	90.82	10.66	11,485.86	545.18	75.71	543.21	4.84	4.79	-0.69
FTP									
11,853.00	92.98	10.35	11,484.37	589.40	83.92	587.22	4.84	4.79	-0.70
11,948.00	95.50	9.90	11,477.35	682.65	100.57	680.05	2.69	2.65	-0.47
12,043.00	93.70	8.00	11,469.73	776.19	115.30	773.21	2.75	-1.89	-2.00
12,138.00	93.00	7.90	11,464.18	870.11	128.42	866.79	0.74	-0.74	-0.11
12,232.00	90.02	6.18	11,461.70	963.36	139.93	959.74	3.66	-3.17	-1.83
12,327.00	90.90	6.97	11,460.94	1,057.73	150.81	1,053.82	1.24	0.93	0.83
12,422.00	92.86	9.16	11,457.82	1,151.73	164.12	1,147.47	3.09	2.06	2.31
12,515.00	90.64	6.26	11,454.98	1,243.83	176.59	1,239.25	3.93	-2.39	-3.12
12,609.00	88.41	3.40	11,455.76	1,337.48	184.51	1,332.68	3.86	-2.37	-3.04
12,704.00	87.82	0.47	11,458.88	1,432.36	187.71	1,427.46	3.14	-0.62	-3.08
12,799.00	86.61	358.37	11,463.50	1,527.24	186.75	1,522.33	2.55	-1.27	-2.21
12,893.00	87.42	358.39	11,468.39	1,621.07	184.10	1,616.20	0.86	0.86	0.02
12,988.00	87.20	358.33	11,472.85	1,715.93	181.38	1,711.10	0.24	-0.23	-0.06
13,083.00	87.98	358.52	11,476.85	1,810.81	178.77	1,806.01	0.85	0.82	0.20
13,178.00	88.77	358.75	11,479.54	1,905.74	176.51	1,900.97	0.87	0.83	0.24
13,273.00	89.64	358.42	11,480.86	2,000.70	174.17	1,995.96	0.98	0.92	-0.35
13,368.00	90.79	358.69	11,480.50	2,095.67	171.77	2,090.96	1.24	1.21	0.28
13,462.00	90.92	357.86	11,479.10	2,189.61	168.94	2,184.95	0.89	0.14	-0.88
13,557.00	88.44	357.10	11,479.63	2,284.51	164.76	2,279.92	2.73	-2.61	-0.80
13,652.00	88.38	356.49	11,482.27	2,379.33	159.46	2,374.83	0.64	-0.06	-0.64
13,746.00	87.59	355.67	11,485.57	2,473.05	153.03	2,468.68	1.21	-0.84	-0.87
13,842.00	88.26	357.25	11,489.05	2,568.80	147.11	2,564.55	1.79	0.70	1.65
13,936.00	88.74	357.33	11,491.51	2,662.66	142.67	2,658.49	0.52	0.51	0.09
14,031.00	89.33	356.87	11,493.11	2,757.52	137.86	2,753.44	0.79	0.62	-0.48
14,125.00	88.49	357.12	11,494.90	2,851.38	132.94	2,847.38	0.93	-0.89	0.27
14,220.00	88.13	359.75	11,497.70	2,946.29	130.34	2,942.33	2.79	-0.38	2.77
14,314.00	89.27	0.76	11,499.83	3,040.26	130.76	3,036.27	1.62	1.21	1.07
14,338.00	89.39	0.37	11,500.11	3,064.26	131.00	3,060.25	1.70	0.50	-1.63
14,433.00	88.26	359.64	11,502.06	3,159.24	131.01	3,155.20	1.42	-1.19	-0.77
14,527.00	89.08	359.43	11,504.24	3,253.21	130.24	3,249.17	0.90	0.87	-0.22

Survey Report

Company: Kaiser-Francis Oil Company
Project: Lea County, NM (NAD 83)
Site: Bell Lake Unit South
Well: 330H
Wellbore: ST01 / Job 62801
Design: Surveys (Cactus 171)

Local Co-ordinate Reference: Well 330H
TVD Reference: RKB @ 3624.80usft (Cactus 171)
MD Reference: RKB @ 3624.80usft (Cactus 171)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
14,622.00	89.91	359.90	11,505.08	3,348.20	129.69	3,344.15	1.00	0.87	0.49
14,716.00	89.36	359.42	11,505.68	3,442.20	129.13	3,438.13	0.78	-0.59	-0.51
14,811.00	88.35	359.27	11,507.58	3,537.17	128.04	3,533.10	1.07	-1.06	-0.16
14,905.00	90.50	359.89	11,508.52	3,631.16	127.35	3,627.08	2.38	2.29	0.66
14,999.00	90.17	359.74	11,507.97	3,725.16	127.05	3,721.05	0.39	-0.35	-0.16
15,094.00	88.52	358.76	11,509.06	3,820.14	125.81	3,816.04	2.02	-1.74	-1.03
15,188.00	91.90	359.90	11,508.71	3,914.12	124.71	3,910.02	3.79	3.60	1.21
15,283.00	91.90	359.60	11,505.56	4,009.06	124.29	4,004.95	0.32	0.00	-0.32
15,377.00	86.40	356.60	11,506.96	4,102.95	121.18	4,098.88	6.66	-5.85	-3.19
15,471.00	86.70	356.00	11,512.61	4,196.59	115.13	4,192.64	0.71	0.32	-0.64
15,565.00	87.70	355.80	11,517.21	4,290.23	108.41	4,286.42	1.08	1.06	-0.21
15,659.00	88.30	357.40	11,520.49	4,384.01	102.84	4,380.30	1.82	0.64	1.70
15,754.00	89.60	357.90	11,522.23	4,478.91	98.95	4,475.26	1.47	1.37	0.53
15,848.00	84.80	356.90	11,526.82	4,572.67	94.69	4,569.10	5.22	-5.11	-1.06
15,942.00	86.20	357.50	11,534.19	4,666.27	90.12	4,662.78	1.62	1.49	0.64
16,037.00	86.70	357.60	11,540.07	4,761.00	86.06	4,757.58	0.54	0.53	0.11
16,131.00	90.20	358.20	11,542.62	4,854.89	82.62	4,851.52	3.78	3.72	0.64
16,226.00	91.10	358.10	11,541.54	4,949.83	79.55	4,946.51	0.95	0.95	-0.11
16,320.00	91.50	358.50	11,539.41	5,043.76	76.77	5,040.49	0.60	0.43	0.43
16,414.00	91.60	359.10	11,536.86	5,137.71	74.80	5,134.45	0.65	0.11	0.64
16,509.00	91.60	0.00	11,534.21	5,232.67	74.05	5,229.40	0.95	0.00	0.95
16,603.00	90.50	0.30	11,532.49	5,326.65	74.30	5,323.35	1.21	-1.17	0.32
16,697.00	88.80	0.20	11,533.06	5,420.64	74.71	5,417.31	1.81	-1.81	-0.11
16,792.00	92.40	1.20	11,532.07	5,515.61	75.87	5,512.22	3.93	3.79	1.05
16,856.00	93.13	1.39	11,528.98	5,579.52	77.31	5,576.08	1.18	1.14	0.30
16,950.00	90.58	358.72	11,525.94	5,673.46	77.40	5,669.98	3.93	-2.71	-2.84
17,045.00	88.81	358.43	11,526.44	5,768.42	75.04	5,764.98	1.89	-1.86	-0.31
17,139.00	89.08	358.54	11,528.17	5,862.37	72.55	5,858.96	0.31	0.29	0.12
17,234.00	87.51	356.48	11,531.00	5,957.23	68.43	5,953.90	2.73	-1.65	-2.17
17,328.00	88.16	355.95	11,534.55	6,050.96	62.23	6,047.74	0.89	0.69	-0.56
17,422.00	90.47	356.34	11,535.68	6,144.74	55.91	6,141.64	2.49	2.46	0.41
17,517.00	90.24	357.05	11,535.09	6,239.57	50.43	6,236.59	0.79	-0.24	0.75
17,611.00	87.64	358.34	11,536.83	6,333.47	46.65	6,330.55	3.09	-2.77	1.37
17,706.00	85.98	358.75	11,542.11	6,428.29	44.24	6,425.40	1.80	-1.75	0.43
17,800.00	87.09	358.37	11,547.79	6,522.09	41.89	6,519.22	1.25	1.18	-0.40
17,895.00	87.17	358.85	11,552.55	6,616.94	39.59	6,614.10	0.51	0.08	0.51
17,989.00	85.18	357.89	11,558.82	6,710.69	36.92	6,707.89	2.35	-2.12	-1.02
18,083.00	87.01	356.84	11,565.22	6,804.36	32.61	6,801.64	2.24	1.95	-1.12
18,177.00	90.30	358.12	11,567.43	6,898.23	28.48	6,895.58	3.76	3.50	1.36
18,272.00	89.75	357.15	11,567.39	6,993.15	24.56	6,990.56	1.17	-0.58	-1.02
18,366.00	90.61	358.10	11,567.09	7,087.07	20.66	7,084.55	1.36	0.91	1.01
18,460.00	86.08	357.65	11,569.81	7,180.94	17.18	7,178.48	4.84	-4.82	-0.48
18,555.00	88.79	359.50	11,574.06	7,275.80	14.82	7,273.37	3.45	2.85	1.95

Survey Report

Company:	Kaiser-Francis Oil Company	Local Co-ordinate Reference:	Well 330H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3624.80usft (Cactus 171)
Site:	Bell Lake Unit South	MD Reference:	RKB @ 3624.80usft (Cactus 171)
Well:	330H	North Reference:	Grid
Wellbore:	ST01 / Job 62801	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Cactus 171)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
18,649.00	90.38	0.04	11,574.74	7,369.80	14.44	7,367.34	1.79	1.69	0.57
18,743.00	89.15	359.82	11,575.12	7,463.79	14.33	7,461.32	1.33	-1.31	-0.23
18,838.00	89.92	359.44	11,575.89	7,558.79	13.71	7,556.30	0.90	0.81	-0.40
18,932.00	91.83	359.43	11,574.46	7,652.77	12.79	7,650.27	2.03	2.03	-0.01
19,026.00	92.32	359.50	11,571.06	7,746.70	11.91	7,744.20	0.53	0.52	0.07
19,121.00	90.22	358.47	11,568.95	7,841.66	10.23	7,839.17	2.46	-2.21	-1.08
19,215.00	91.15	358.15	11,567.83	7,935.61	7.46	7,933.16	1.05	0.99	-0.34
19,307.00	90.12	359.01	11,566.81	8,027.57	5.18	8,025.15	1.46	-1.12	0.93
Final Phoenix MWD Survey									
19,372.00	90.12	359.01	11,566.67	8,092.56	4.05	8,090.15	0.00	0.00	0.00
Projection to TD									

Survey Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
10,794.00	10,793.35	5.99	-38.02	Tie In - ST01
11,019.00	11,017.77	18.26	-31.74	First Phoenix MWD Survey - ST01
11,808.00	11,485.86	545.18	75.71	FTP
19,307.00	11,566.81	8,027.57	5.18	Final Phoenix MWD Survey
19,372.00	11,566.67	8,092.56	4.05	Projection to TD

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name
⁴ Property Code	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 330H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3601.8

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	6	24 S	34 E		2130	SOUTH	620	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	31	23 S	34 E		330	NORTH	530	EAST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Printed Name _____ E-mail Address _____	
18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 7, 2018 Date of Survey _____ Signature and Seal of Professional Surveyor:  Certificate Number: FILIMON E. JARAMILLO, PLS 12797 SURVEY NO. 6072	

**SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
SITE MAP**



010 50 100 200

SCALE 1" = 100'
DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF ST. HWY. 128 AND CO. RD. E21 (DELAWARE BASIN RD.), GO NORTH ON CO. RD. E21 APPROX. 2.6 MILES TO CO. RD. J1 (BELL LAKE RD.) TURN RIGHT ON LEASE ROAD AND GO EAST-SOUTHEAST APPROX. 0.55 MILE TO KAISER-FRANCES BELL LAKE UNIT SOUTH 26 WELLPAD, FROM THE NORTHEAST PAD CORNER GO NORTHEAST APPROX. 149' TO THE SOUTHWEST CORNER OF EXISTING PAD FOR THIS LOCATION.


**KAISER-FRANCIS OIL COMPANY
BELL LAKE UNIT SOUTH 330H
LOCATED 2130 FT. FROM THE SOUTH LINE
AND 620 FT. FROM THE EAST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO**

MARCH 7, 2018

SURVEY NO. 6072

MADRON SURVEYING, INC. 301 SOUTH CANAL (575) 234-3341 **CARLSBAD, NEW MEXICO**

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
LOCATION VERIFICATION MAP



USGS QUAD MAP:
BELL LAKE
SAN SIMON SINK

NOT TO SCALE


KAISER-FRANCIS OIL COMPANY
BELL LAKE UNIT SOUTH 330H
LOCATED 2130 FT. FROM THE SOUTH LINE
AND 620 FT. FROM THE EAST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

MARCH 7, 2018

SURVEY NO. 6072

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO
(575) 234-3341

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF ST. HWY. 128 AND CO. RD. E21 (DELAWARE BASIN RD.), GO NORTH ON CO. RD. E21 APPROX. 2.6 MILES TO CO. RD. J1 (BELL LAKE RD.) TURN RIGHT ON LEASE ROAD AND GO EAST-SOUTHEAST APPROX. 0.55 MILE TO KAISER-FRANCES BELL LAKE UNIT SOUTH 26 WELLPAD, FROM THE NORTHEAST PAD CORNER GO NORTHEAST APPROX. 149' TO THE SOUTHWEST CORNER OF EXISTING PAD FOR THIS LOCATION.


**KAISER-FRANCIS OIL COMPANY
BELL LAKE UNIT SOUTH 330H
LOCATED 2130 FT. FROM THE SOUTH LINE
AND 620 FT. FROM THE EAST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO**

MARCH 7, 2018

SURVEY NO. 6072

MADRON SURVEYING, INC. 301 SOUTH CANAL (575) 234-3341 CARLSBAD, NEW MEXICO

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL PHOTO



NOT TO SCALE
AERIAL PHOTO:
GOOGLE EARTH
NOV. 2017


KAISER-FRANCIS OIL COMPANY
BELL LAKE UNIT SOUTH 330H
LOCATED 2130 FT. FROM THE SOUTH LINE
AND 620 FT. FROM THE EAST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

MARCH 7, 2018

SURVEY NO. 6072

MADRON SURVEYING, INC. 301 SOUTH CANAL (575) 234-3341 CARLSBAD, NEW MEXICO

SECTION 6, TOWNSHIP 24 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
AERIAL ACCESS ROUTE MAP



NOT TO SCALE
AERIAL PHOTO:
GOOGLE EARTH
NOV. 2017

KAISER-FRANCIS OIL COMPANY
BELL LAKE UNIT SOUTH 330H
LOCATED 2130 FT. FROM THE SOUTH LINE
AND 620 FT. FROM THE EAST LINE OF
SECTION 6, TOWNSHIP 24 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

MARCH 7, 2018

SURVEY NO. 6072

MADRON SURVEYING, INC. 301 SOUTH CANAL (575) 234-3341 CARLSBAD, NEW MEXICO

