

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-43444
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Encore M 21 Fee
8. Well Number 002
9. OGRID Number 370080
10. Pool name or Wildcat Drinkard
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3361' GL

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other Injection

2. Name of Operator
Breitburn Operating LP

3. Address of Operator
1111 Bagby Street, Suite 1600 Houston, TX 77002

4. Well Location
Unit Letter K : 2130 feet from the South line and 1765 feet from the West line
Section 21 Township 22S Range 37E NMPM County Lea

HOBBS OCD
 OCT 09 2018
 RECEIVED

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input checked="" type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: Intermediate <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10-3-2018-10-5-2018: NU BOP. Test BOPs, choke, and floor valves, 250 low, 3600 high with good test. Test 13 3/8" casing to 1,000psi & held for 30 mins. Good test. TIH w/ 12 1/4" directional assembly and drill string. Tag cement @1174', drill out cement shoe @1220. Drill 10' new formation to 1230' & perform FIT to 11ppg. Good test. Drill 12-1/4 intermediate hole from 1318' - 4537' TD. TOOH.

10-5-2018-10-6-2018: RU casing crew and RIH w/9 5/8", 40#, J-55, LT&C casing and DV tool. Circulate bottom up while rigging up cement crew. Maintain full returns. Pump stage 1: Lead-Class C Premium Plus 447 sks, 13.5ppg, 1,766 yield, 9,113 gal/sk. Tail: 147 sks, 14.1ppg, 1,416 yield, 6,961 gal/sks dropped plug. Displace 120 bbls fresh water, 217 brine. Bumped plug@1250psi & held for 5 min..bled back 1.5bbls, dropped bomb, open tool with 400psi cement in place. Full circulation thru job. Circulate @ 5bpm receive 137 bbls of cement to surface, total circ. 4 hrs. Cement 2nd stage: lead: Class C Premium Plus 894 sks, 13.5ppg, 1,7639 yield, 9.12 ga/sks. Drop plug, displacement 228.4 bbls of 10ppg brine. Bump plug @520psi, lift pressure to 1780psi held 5 min. Float held, bleed 1 bbl no cement to surface. est. TOC 500'.

Spud Date: 9-30-2018 10/09/16 Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charlotte Nash TITLE Regulatory Analyst DATE 10-8-2018

Type or print name Charlotte Nash E-mail address: charlotte.nash@breitburn.com PHONE: 713-632-8730

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engineer DATE 10/09/16

Conditions of Approval (if any): [Signature]