

HOBBS OCD

OCT 22 2018

RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

Form C-103 fields including: WELL API NO., Sundry Notices and Reports on Wells, 1. Type of Well, 2. Name of Operator, 3. Address of Operator, 4. Well Location Surface, 5. Indicate Type of Lease BLM, 6. State Oil & Gas Lease No., 7. Lease Name or Unit Agreement Name, 8. Well Number, 9. OGRID Number, 10. Pool name or Wildcat, 11. Elevation.

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK, TEMPORARILY ABANDON, PULL OR ALTER CASING, DOWNHOLE COMMINGLE, CLOSED-LOOP SYSTEM, OTHER. SUBSEQUENT REPORT OF: REMEDIAL WORK, COMMENCE DRILLING OPNS, CASING/CEMENT JOB, OTHER: Quarterly Injection Data Reports.

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Well bore Diagrams attached.

Zia AGI#1 MAOP 2233 psig NMOCC Order R-13809 / Zia AGI D#2 MAOP 5208psig NMOCC Order R-14207

Quarterly Report for the period from July 1 through September 30, 2018 Pursuant to NMOCC Orders 13809 and 14207 for Zia AGI #1 and AGI D#2, respectively.

This report includes the data and analysis of surface injection pressure, TAG temperature, casing annular pressure as well as downhole injection pressure, temperature and annular pressure for the Zia AGI#1 and for the Zia AGI D#2 for Q3 2018. AGI D#2 is the primary well for this facility with the Zia AGI#1 to be used only as a redundant and backup well. Based on data for surface injection/annular pressure and their current MITs both wells continue to show excellent integrity. For the third quarter 2018, the values for injection parameters are generally stable and yielded the following results which are graphed in detail in attached Figures 1 through 10. All of the values presented below are averages for the static conditions in the AGI #1 since the well was not in operation for the entire reporting period. Only AGI D#2 was operated during this quarter and its average values represent the normal operational condition of the well.

AGI#1 Surface Measurements (inactive): Average TAG Line Pressure: 9 psig, Average Annular Pressure: 111 psig, Average Pressure Differential: -103 psig, Average Tag Line Temperature: 81°F, Average TAG injection rate: 0.00 MMSCFD (not in use this quarter).

AGI#1 Downhole Measurements (inactive): Average bottom hole pressure 3,305 psig, Average annular bottom hole pressure: 2,280 psig, Average bottom hole TAG Temperature: 98°F.

AGI D#2 Surface Measurements: Average TAG Injection Pressure: 1,512 psig, Average Annular Pressure: 548 psig, Average Pressure Differential: 964 psig, Average Tag Temperature: 106°F, Average TAG injection rate: 5.16 MMSCFD.

AGI D#2 Downhole Measurements: Average bottom hole pressure 6,137 psig, Average bottom hole TAG Temperature: 165°F. Only AGI D#2 was operated during this reporting period.

The data gathered throughout the third quarter of 2018 demonstrate the correlative behavior of the annular pressure with the flowrate, injection pressure and temperature and also show the sensitive and correlative response of the annular pressure confirming that both wells have good integrity and are functioning appropriately within the requirements of their respective NMOCC orders. No mechanical

See page 2

MR

changes to the either well or wellhead have been made since the last quarterly report. Well AGI D#2 displays excellent reservoir characteristics easily accommodating the required volumes of TAG from the facility. This well will be used as the primary disposal well for the facility with the AGI #1 well being operated as needed to confirm functionality and to allow for any required future maintenance on the AGI D#2 well.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE Consultant to DCP Midstream LP DATE 10/9/2018

Type or print name: Alberto A Gutiérrez, RG E-mail address: aag@geolex.com PHONE: 505-842-8000

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**Accepted for Record Only**

*MS Brown* *10/22/2018*







FIGURE 2: ZIA AGI #1 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION RATE




**FIGURE 3: ZIA AGI #1 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION TEMPERATURE**








**FIGURE 5: ZIA AGI #D2 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION RATE**



**FIGURE 6: ZIA AGI #D2 SURFACE INJECTION PRESSURE, ANNULAR PRESSURE AND INJECTION TEMPERATURE**











FIGURE 10: ZIA AGI #1 AND #D2 DIFFERENTIAL PRESSURE




**WELL SCHEMATICS**

<b>Zia AGI#1</b>	<b>API# 30-025-42208</b>
<b>Zia AGI D#2</b>	<b>API# 30-025-42207</b>

Location: DCP Zia AGI #1 (API 30-025-42268)  
 STR: Section 19(L), T19S-R32E (2100' FSL & 999' FWL)  
 County, St.: LEA COUNTY, NEW MEXICO

**16.2 DEGREE SLANT**



**CONDUCTOR CASING**  
 20" Conductor sl 120' (cement to surface)

**SURFACE CASING**  
 13 3/8", 68.0#/ft, J55, BTC at 842' (cement to surface)

**ANNULAR FLUID:**  
 Diesel Fuel from top of packer to surface

**INTERMEDIATE CASING:**  
 9 5/8", 60.0 #/ft, J55, LT&C at 4,921' (4,830 FT TVD) cement to surface

**PRODUCTION CASING:**  
 7 5/8", 29.7 #/ft, HCL-80 LT&C, Surf To 319' (MTD)  
 7", 24 #/ft, HCL-80 LT&C, 319' to 5,306' (MTD)  
 7", 24 #/ft, 28CR VAM TOP, 5,306' to 5,613' (MTD)  
 7", 26 #/ft, HCL-80 LT&C, 5,613' to 5,344' (MTD) cement to surface

**TUBING:**  
 Subsurface Safety Valve at 242' MD (242' TVD)  
 3 1/2", 9.3#/ft, L-80 Fiberglass Lined Tubing surf to 5,443' MD, ID=2.694", Drill=2.559"  
 3 1/2", 9.3#/ft, SM2550 from 5,443' to 5,573' MD  
 All tubing to include premium threads utilizing metal to metal sealing in collars

**PACKER:**  
 Permanent Production Packer @ 5,579' MD (5,450' TVD)  
 Adj. Choke (if needed, placed in nipple below packer)  
 Check valve (if needed, placed in nipple below packer)

PERFORATIONS:	
MD	
5,682' - 5,756'	complete and inject
5,788' - 5,890'	complete and inject
5,907' - 6,010'	complete and inject
6,030' - 6,136'	complete and inject
6,162' - 6,260'	complete and inject

Temperature & pressure gauge set above packer with internal and external measurement at 5,575' MD (5,445' TVD)

Profile Nipple 300 Corrosion Resistant Alloy (CRA) Casing


Packer at 5,579' MD (5,450' TVD)

OH = 2 1/2"

TD = 6,360' MD (6,195' TVD)

**NOT TO SCALE**

Bottom Hole Location: Section 19(L), T19S, R32E (2,099' FNL & 662' FWL)



**FIGURE 3: Zia AGI D #2 as-built well schematic**

Final Installation		Installation	Length	Depth	Description	OD	ID
1	→	1	25.00	7.52	KB CORRECTION		
2	→	1	0.50	32.52	TUBING HANGER		
		1	3.62	33.02	DOUBLE PIN ADAPTER	3.500	2.925
3	→	2	31.41	36.64	1 JOINT 3.5" 9.3# L-80 BTS8 TUBING	3.500	2.925
		3	17.48	68.05	3.5" 9.3# L80 BTS8- TUBING SUBS(9.73, 7.75)	3.500	2.925
		4	188.39	85.53	6 JOINT 3.5" 9.3# L-80 BTS8 TUBING	3.500	2.925
4	→	5	3.72	273.92	3.5" 9.3# X-OVER SUB BTS8 BOX X AB-TC-II PIN	3.940	2.910
		6	4.40	277.64	HALLIBURTON TUBING RETRIEVABLE SAFETY VALVE 3.5" 9.2# AB-TC-II BOX X PIN 478HRE18 102588547 SN-0003667034-2 NICKLE ALLOY 925 15,000# PRESSURE RATING 750 PSI CLOSING 2300 PSI OPENING 2.813 "R" PROFILE IN TOP OF VALVE.	5.290	2.813
5	→	7	3.75	282.04	3.5" 9.3# X-OVER SUB AB-TC-II BOX X BTS8 PIN	3.940	2.910
6	→	8	12911.35	285.79	411 JOINTS 3.5" 9.3# L80 BTS8 TUBING	3.500	2.684
		9	3.75	13,197.14	X-OVER PUP JOINT 3.5" 9.3# BTS8 box X 3.5" 9.3# VAMTOP pin	3.930	2.684
		10	317.56	13,200.89	9 JOINTS 3.5" 9.3# VAMTOP SM2550 NICKEL TUBING	3.500	2.992
		11	1.33	13,518.45	HALLIBURTON 2.562 X 3.5# 9.3# L-80 VAM TOP LANDING NIPPLE (811R25635)(102204262)(SN-0003744132-3) NICKEL ALLOY 925	3.940	2.562
		12	6.35	13,519.78	3.5" 9.2# G3-125 VAMTOP BOX X PIN SUB (COUPLING ON BTM)	3.930	2.992
		13	4.32	13,526.13	HALLIBURTON ROC GAUGE MANDREL 3.5" VAMTOP PXP 102329817 SN-ATM-16-106669-1 ROC GAUGE ROC16K175C 101663926 WDO9381-6034 ADDRESS 094 SN-ROC004482	4.670	2.950
		14	3.75	13,530.45	3.5" 9.2# G3-125 VAMTOP BOX X PIN SUB	3.930	2.992
		A			HALLIBURTON SEAL ASSEMBLY		
		a-1	1.73	13,534.20	STRAIGHT SLOT LOCATOR 3.5" VAMTOP X 3.5" 10.2# VAMINSIDE INCOLOY 925 (21294042-D)(102351212)(SN-G3362241-1)	4.460	2.888
		a-2	4.33	13,535.93	EXTENSION 3.5" 10.2# VAMINSIDE NICKEL ALLOY 925 (212X38814-D) (158726)(SN-G3362256-1)	3.880	2.902
9	→	a-3	4.33	13,540.26	EXTENSION 3.5" 10.2# VAMINSIDE NICKEL ALLOY 925 (212X38814-D) (158726)(SN-G3362256-1)	3.860	2.902
		a-4	5.00	13,544.59	5- SEAL UNITS 4" X 3.5" 10.2 VAM TOP NICKEL ALLOY 925 MOLDED AFLAS SEALS 4.07 OD, 8000 PSI (812MSA40003-D)(102133617)(SN-0003744129-1 0003744129-4) (0003744129-3 0003744129-2 0003744129-5) (METAL OD 3.95") (TOP 2 SEAL ARE FLOUREL BOTTOM 3 SEALS ARE AFLAS)	4.050	2.883
		a-5	0.54	13,549.59	MULE SHOE GUIDE 3.5" 10.2# VAMINSIDE NICKEL ALLOY 925 (812G40137-D) (102133560)(SN-3744130)	3.950	2.980
		15			LAND HANGER WITH 26,000# COMPRESSION PUTS 20,000# COMPRESSION ON PACKER PICK UP WEIGHT IS 132,000# SLACK OFF IS 120,000# HALLIBURTON PACKER ASSEMBLY		
		15	3.11	13,535.00	HALLIBURTON 7" 26-32# BWD PERMANENT PACKER WITH 4" BORE, 4.75" 8UN BOX THREAD, INCOLOY 925 (212BWD70412-D)(101303583)(SN C3774119) WAS RUN ON W/L AND TOP @ 13535' ELEMENTS @ 13533.21'	5.880	4.000
		16	11.41	13,538.11	SEAL BORE EXTENSION 4" X 8" INCOLOY 925 4.75 8UN PXP (PN212C7674)(120051359)(SN-0003744131-1)	5.030	4.000
		17	0.83	13,549.52	X-OVER 4.75" 8UN BOX X 3.5" 9.3# VAM INCOLOY 925 (212N100131)(101718647)(SN-0003744131-1)	5.680	2.983
		18	5.76	13,550.35	PUP JOINT 3.5" 9.3# VAM TOP INCOLOY 925 WITH COUPLING	3.520	2.940
		19	1.33	13,556.11	HALLIBURTON 2.562"R" X 3.5" VAMTOP LANDING NIPPLE (811X25635) (102204262) ( SN- 0003744132-1) NICKEL ALLOY 925	3.940	2.562
		20	5.76	13,557.44	PUP JOINT 3.5" 9.3# VAM INCOLOY 925 WITH COUPLING	3.520	2.930
		21	1.33	13,563.20	HALLIBURTON 2.562" X 3.5" VAMTOP LANDING NIPPLE (811X25635) (102204262) ( SN- 0003744132-2) NICKEL ALLOY 925	3.940	2.562
		22	0.73	13,564.53	WIRELINE RE-ENTRY GUIDE 3.5" 9.3# VAM INCOLOY 925	3.970	3.000
				13,565.26	BOTTOM OF ASSEMBLY		

EOC @ 13,622'  
TD @ 14,750'

DIESEL USED FOR PACKER FLUID

Filename:

FIGURE 4: Zia AGI D #2 as-built injection tubing and equipment schematic