



EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Jolly Roger 16 State

#703H

OH

Plan: Plan #0.1

Standard Planning Report

17 October, 2018



Planning Report

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Jolly Roger 16 State				
Site Position:		Northing:	445,511.00 usft	Latitude:	32° 13' 18.918 N	
From:	Map	Easting:	804,489.00 usft	Longitude:	103° 28' 56.577 W	
Position Uncertainty:		0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.45

Well	#703H					
Well Position	+N/-S	844.0 usft	Northing:	446,355.00 usft	Latitude:	32° 13' 27.173 N
	+E/-W	1,230.0 usft	Easting:	805,719.00 usft	Longitude:	103° 28' 42.181 W
Position Uncertainty	0.0 usft	Wellhead Elevation:		Ground Level:	3,555.0 usft	

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	10/17/2018	6.77	60.06	47,809.78084004

Design	Plan #0.1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N-S (usft)	+E-W (usft)	Direction (°)
	0.0	0.0	0.0	178.53

Plan Survey Tool Program	Date	10/17/2018		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks
1	0.0	16,965.3 Plan #0.1 (OH)	MWD	
			OWSG MWD - Standard	

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.00	0.00	0.00	0.00	
3,063.5	1.27	25.48	3,063.5	0.6	0.3	2.00	2.00	0.00	25.48	
11,501.1	1.27	25.48	11,499.0	169.4	80.7	0.00	0.00	0.00	0.00	
11,564.6	0.00	0.00	11,562.5	170.0	81.0	2.00	-2.00	0.00	180.00	KOP (Jolly Rogers 16)
12,314.6	90.00	179.49	12,040.0	-307.4	85.3	12.00	12.00	23.93	179.49	
16,965.3	90.00	179.49	12,040.0	-4,958.0	127.0	0.00	0.00	0.00	0.00	PBHL (Jolly Rogers 16)

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00	
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00	
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00	
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00	
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00	
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00	
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00	
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00	
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00	
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00	
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00	
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.0	0.00	0.00	0.00	
3,063.5	1.27	25.48	3,063.5	0.6	0.3	-0.6	2.00	2.00	0.00	
3,100.0	1.27	25.48	3,100.0	1.4	0.7	-1.3	0.00	0.00	0.00	
3,200.0	1.27	25.48	3,200.0	3.4	1.6	-3.3	0.00	0.00	0.00	
3,300.0	1.27	25.48	3,299.9	5.4	2.6	-5.3	0.00	0.00	0.00	
3,400.0	1.27	25.48	3,399.9	7.4	3.5	-7.3	0.00	0.00	0.00	
3,500.0	1.27	25.48	3,499.9	9.4	4.5	-9.2	0.00	0.00	0.00	
3,600.0	1.27	25.48	3,599.9	11.4	5.4	-11.2	0.00	0.00	0.00	
3,700.0	1.27	25.48	3,699.8	13.4	6.4	-13.2	0.00	0.00	0.00	
3,800.0	1.27	25.48	3,799.8	15.4	7.3	-15.2	0.00	0.00	0.00	
3,900.0	1.27	25.48	3,899.8	17.4	8.3	-17.1	0.00	0.00	0.00	
4,000.0	1.27	25.48	3,999.8	19.4	9.2	-19.1	0.00	0.00	0.00	
4,100.0	1.27	25.48	4,099.7	21.4	10.2	-21.1	0.00	0.00	0.00	
4,200.0	1.27	25.48	4,199.7	23.4	11.1	-23.1	0.00	0.00	0.00	
4,300.0	1.27	25.48	4,299.7	25.4	12.1	-25.0	0.00	0.00	0.00	
4,400.0	1.27	25.48	4,399.7	27.4	13.0	-27.0	0.00	0.00	0.00	
4,500.0	1.27	25.48	4,499.6	29.4	14.0	-29.0	0.00	0.00	0.00	
4,600.0	1.27	25.48	4,599.6	31.4	14.9	-31.0	0.00	0.00	0.00	
4,700.0	1.27	25.48	4,699.6	33.4	15.9	-32.9	0.00	0.00	0.00	
4,800.0	1.27	25.48	4,799.6	35.4	16.8	-34.9	0.00	0.00	0.00	
4,900.0	1.27	25.48	4,899.5	37.4	17.8	-36.9	0.00	0.00	0.00	
5,000.0	1.27	25.48	4,999.5	39.4	18.8	-38.9	0.00	0.00	0.00	
5,100.0	1.27	25.48	5,099.5	41.4	19.7	-40.8	0.00	0.00	0.00	
5,200.0	1.27	25.48	5,199.5	43.4	20.7	-42.8	0.00	0.00	0.00	

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5,300.0	1.27	25.48	5,299.4	45.4	21.6	-44.8	0.00	0.00	0.00	
5,400.0	1.27	25.48	5,399.4	47.4	22.6	-46.8	0.00	0.00	0.00	
5,500.0	1.27	25.48	5,499.4	49.4	23.5	-48.7	0.00	0.00	0.00	
5,600.0	1.27	25.48	5,599.4	51.4	24.5	-50.7	0.00	0.00	0.00	
5,700.0	1.27	25.48	5,699.3	53.4	25.4	-52.7	0.00	0.00	0.00	
5,800.0	1.27	25.48	5,799.3	55.4	26.4	-54.7	0.00	0.00	0.00	
5,900.0	1.27	25.48	5,899.3	57.4	27.3	-56.6	0.00	0.00	0.00	
6,000.0	1.27	25.48	5,999.3	59.4	28.3	-58.6	0.00	0.00	0.00	
6,100.0	1.27	25.48	6,099.2	61.4	29.2	-60.6	0.00	0.00	0.00	
6,200.0	1.27	25.48	6,199.2	63.4	30.2	-62.6	0.00	0.00	0.00	
6,300.0	1.27	25.48	6,299.2	65.4	31.1	-64.5	0.00	0.00	0.00	
6,400.0	1.27	25.48	6,399.2	67.4	32.1	-66.5	0.00	0.00	0.00	
6,500.0	1.27	25.48	6,499.2	69.4	33.0	-68.5	0.00	0.00	0.00	
6,600.0	1.27	25.48	6,599.1	71.4	34.0	-70.5	0.00	0.00	0.00	
6,700.0	1.27	25.48	6,699.1	73.4	35.0	-72.4	0.00	0.00	0.00	
6,800.0	1.27	25.48	6,799.1	75.4	35.9	-74.4	0.00	0.00	0.00	
6,900.0	1.27	25.48	6,899.1	77.4	36.9	-76.4	0.00	0.00	0.00	
7,000.0	1.27	25.48	6,999.0	79.4	37.8	-78.4	0.00	0.00	0.00	
7,100.0	1.27	25.48	7,099.0	81.4	38.8	-80.3	0.00	0.00	0.00	
7,200.0	1.27	25.48	7,199.0	83.4	39.7	-82.3	0.00	0.00	0.00	
7,300.0	1.27	25.48	7,299.0	85.4	40.7	-84.3	0.00	0.00	0.00	
7,400.0	1.27	25.48	7,398.9	87.4	41.6	-86.3	0.00	0.00	0.00	
7,500.0	1.27	25.48	7,498.9	89.4	42.6	-88.2	0.00	0.00	0.00	
7,600.0	1.27	25.48	7,598.9	91.4	43.5	-90.2	0.00	0.00	0.00	
7,700.0	1.27	25.48	7,698.9	93.4	44.5	-92.2	0.00	0.00	0.00	
7,800.0	1.27	25.48	7,798.8	95.4	45.4	-94.2	0.00	0.00	0.00	
7,900.0	1.27	25.48	7,898.8	97.4	46.4	-96.1	0.00	0.00	0.00	
8,000.0	1.27	25.48	7,998.8	99.4	47.3	-98.1	0.00	0.00	0.00	
8,100.0	1.27	25.48	8,098.8	101.4	48.3	-100.1	0.00	0.00	0.00	
8,200.0	1.27	25.48	8,198.7	103.4	49.2	-102.1	0.00	0.00	0.00	
8,300.0	1.27	25.48	8,298.7	105.4	50.2	-104.0	0.00	0.00	0.00	
8,400.0	1.27	25.48	8,398.7	107.4	51.1	-106.0	0.00	0.00	0.00	
8,500.0	1.27	25.48	8,498.7	109.4	52.1	-108.0	0.00	0.00	0.00	
8,600.0	1.27	25.48	8,598.6	111.4	53.1	-110.0	0.00	0.00	0.00	
8,700.0	1.27	25.48	8,698.6	113.4	54.0	-111.9	0.00	0.00	0.00	
8,800.0	1.27	25.48	8,798.6	115.4	55.0	-113.9	0.00	0.00	0.00	
8,900.0	1.27	25.48	8,898.6	117.3	55.9	-115.9	0.00	0.00	0.00	
9,000.0	1.27	25.48	8,998.5	119.3	56.9	-117.9	0.00	0.00	0.00	
9,100.0	1.27	25.48	9,098.5	121.3	57.8	-119.8	0.00	0.00	0.00	
9,200.0	1.27	25.48	9,198.5	123.3	58.8	-121.8	0.00	0.00	0.00	
9,300.0	1.27	25.48	9,298.5	125.3	59.7	-123.8	0.00	0.00	0.00	
9,400.0	1.27	25.48	9,398.4	127.3	60.7	-125.8	0.00	0.00	0.00	
9,500.0	1.27	25.48	9,498.4	129.3	61.6	-127.7	0.00	0.00	0.00	
9,600.0	1.27	25.48	9,598.4	131.3	62.6	-129.7	0.00	0.00	0.00	
9,700.0	1.27	25.48	9,698.4	133.3	63.5	-131.7	0.00	0.00	0.00	
9,800.0	1.27	25.48	9,798.3	135.3	64.5	-133.7	0.00	0.00	0.00	
9,900.0	1.27	25.48	9,898.3	137.3	65.4	-135.6	0.00	0.00	0.00	
10,000.0	1.27	25.48	9,998.3	139.3	66.4	-137.6	0.00	0.00	0.00	
10,100.0	1.27	25.48	10,098.3	141.3	67.3	-139.6	0.00	0.00	0.00	
10,200.0	1.27	25.48	10,198.2	143.3	68.3	-141.6	0.00	0.00	0.00	
10,300.0	1.27	25.48	10,298.2	145.3	69.3	-143.5	0.00	0.00	0.00	
10,400.0	1.27	25.48	10,398.2	147.3	70.2	-145.5	0.00	0.00	0.00	
10,500.0	1.27	25.48	10,498.2	149.3	71.2	-147.5	0.00	0.00	0.00	
10,600.0	1.27	25.48	10,598.1	151.3	72.1	-149.4	0.00	0.00	0.00	

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,700.0	1.27	25.48	10,698.1	153.3	73.1	-151.4	0.00	0.00	0.00	
10,800.0	1.27	25.48	10,798.1	155.3	74.0	-153.4	0.00	0.00	0.00	
10,900.0	1.27	25.48	10,898.1	157.3	75.0	-155.4	0.00	0.00	0.00	
11,000.0	1.27	25.48	10,998.0	159.3	75.9	-157.3	0.00	0.00	0.00	
11,100.0	1.27	25.48	11,098.0	161.3	76.9	-159.3	0.00	0.00	0.00	
11,200.0	1.27	25.48	11,198.0	163.3	77.8	-161.3	0.00	0.00	0.00	
11,300.0	1.27	25.48	11,298.0	165.3	78.8	-163.3	0.00	0.00	0.00	
11,400.0	1.27	25.48	11,397.9	167.3	79.7	-165.2	0.00	0.00	0.00	
11,501.1	1.27	25.48	11,499.0	169.4	80.7	-167.2	0.00	0.00	0.00	
11,564.6	0.00	0.00	11,562.5	170.0	81.0	-167.9	2.00	-2.00	0.00	
KOP (Jolly Rogers 16 State #703H)										
11,575.0	1.25	179.49	11,572.9	169.9	81.0	-167.8	12.00	12.00	0.00	
11,600.0	4.25	179.49	11,597.9	168.7	81.0	-166.6	12.00	12.00	0.00	
11,625.0	7.25	179.49	11,622.8	166.2	81.0	-164.1	12.00	12.00	0.00	
11,650.0	10.25	179.49	11,647.5	162.4	81.1	-160.3	12.00	12.00	0.00	
11,675.0	13.25	179.49	11,671.9	157.3	81.1	-155.2	12.00	12.00	0.00	
11,700.0	16.25	179.49	11,696.1	150.9	81.2	-148.8	12.00	12.00	0.00	
11,725.0	19.25	179.49	11,719.9	143.3	81.2	-141.2	12.00	12.00	0.00	
11,750.0	22.25	179.49	11,743.3	134.4	81.3	-132.3	12.00	12.00	0.00	
11,775.0	25.25	179.49	11,766.2	124.4	81.4	-122.3	12.00	12.00	0.00	
11,800.0	28.25	179.49	11,788.5	113.1	81.5	-111.0	12.00	12.00	0.00	
11,825.0	31.25	179.49	11,810.2	100.7	81.6	-98.6	12.00	12.00	0.00	
11,850.0	34.25	179.49	11,831.2	87.2	81.7	-85.1	12.00	12.00	0.00	
11,875.0	37.25	179.49	11,851.5	72.6	81.9	-70.5	12.00	12.00	0.00	
11,900.0	40.25	179.49	11,871.0	57.0	82.0	-54.8	12.00	12.00	0.00	
11,925.0	43.25	179.49	11,889.7	40.3	82.2	-38.2	12.00	12.00	0.00	
11,950.0	46.25	179.49	11,907.4	22.7	82.3	-20.6	12.00	12.00	0.00	
11,967.1	48.31	179.49	11,919.0	10.1	82.4	-8.0	12.00	12.00	0.00	
FTP (Jolly Rogers 16 State #703H)										
11,975.0	49.25	179.49	11,924.2	4.2	82.5	-2.1	12.00	12.00	0.00	
12,000.0	52.25	179.49	11,940.0	-15.1	82.7	17.3	12.00	12.00	0.00	
12,025.0	55.25	179.49	11,954.8	-35.3	82.8	37.4	12.00	12.00	0.00	
12,050.0	58.25	179.49	11,968.5	-56.2	83.0	58.3	12.00	12.00	0.00	
12,075.0	61.25	179.49	11,981.1	-77.8	83.2	79.9	12.00	12.00	0.00	
12,100.0	64.25	179.49	11,992.6	-100.0	83.4	102.1	12.00	12.00	0.00	
12,125.0	67.25	179.49	12,002.8	-122.8	83.6	124.9	12.00	12.00	0.00	
12,150.0	70.25	179.49	12,011.9	-146.1	83.8	148.2	12.00	12.00	0.00	
12,175.0	73.25	179.49	12,019.7	-169.9	84.0	171.9	12.00	12.00	0.00	
12,200.0	76.25	179.49	12,026.3	-194.0	84.3	196.1	12.00	12.00	0.00	
12,225.0	79.25	179.49	12,031.6	-218.4	84.5	220.5	12.00	12.00	0.00	
12,250.0	82.25	179.49	12,035.6	-243.1	84.7	245.2	12.00	12.00	0.00	
12,275.0	85.25	179.49	12,038.3	-267.9	84.9	270.0	12.00	12.00	0.00	
12,300.0	88.25	179.49	12,039.7	-292.9	85.2	295.0	12.00	12.00	0.00	
12,314.6	90.00	179.49	12,040.0	-307.4	85.3	309.5	12.00	12.00	0.00	
12,400.0	90.00	179.49	12,040.0	-392.9	86.0	394.9	0.00	0.00	0.00	
12,500.0	90.00	179.49	12,040.0	-492.9	86.9	494.9	0.00	0.00	0.00	
12,600.0	90.00	179.49	12,040.0	-592.9	87.8	594.9	0.00	0.00	0.00	
12,700.0	90.00	179.49	12,040.0	-692.8	88.7	694.9	0.00	0.00	0.00	
12,800.0	90.00	179.49	12,040.0	-792.8	89.6	794.9	0.00	0.00	0.00	
12,900.0	90.00	179.49	12,040.0	-892.8	90.5	894.9	0.00	0.00	0.00	
13,000.0	90.00	179.49	12,040.0	-992.8	91.4	994.9	0.00	0.00	0.00	
13,100.0	90.00	179.49	12,040.0	-1,092.8	92.3	1,094.8	0.00	0.00	0.00	
13,200.0	90.00	179.49	12,040.0	-1,192.8	93.2	1,194.8	0.00	0.00	0.00	
13,300.0	90.00	179.49	12,040.0	-1,292.8	94.1	1,294.8	0.00	0.00	0.00	



Planning Report

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,400.0	90.00	179.49	12,040.0	-1,392.8	95.0	1,394.8	0.00	0.00	0.00
13,500.0	90.00	179.49	12,040.0	-1,492.8	95.9	1,494.8	0.00	0.00	0.00
13,600.0	90.00	179.49	12,040.0	-1,592.8	96.8	1,594.8	0.00	0.00	0.00
13,700.0	90.00	179.49	12,040.0	-1,692.8	97.7	1,694.8	0.00	0.00	0.00
13,800.0	90.00	179.49	12,040.0	-1,792.8	98.6	1,794.7	0.00	0.00	0.00
13,900.0	90.00	179.49	12,040.0	-1,892.8	99.5	1,894.7	0.00	0.00	0.00
14,000.0	90.00	179.49	12,040.0	-1,992.8	100.4	1,994.7	0.00	0.00	0.00
14,100.0	90.00	179.49	12,040.0	-2,092.8	101.3	2,094.7	0.00	0.00	0.00
14,200.0	90.00	179.49	12,040.0	-2,192.8	102.2	2,194.7	0.00	0.00	0.00
14,300.0	90.00	179.49	12,040.0	-2,292.8	103.1	2,294.7	0.00	0.00	0.00
14,400.0	90.00	179.49	12,040.0	-2,392.8	104.0	2,394.7	0.00	0.00	0.00
14,500.0	90.00	179.49	12,040.0	-2,492.8	104.9	2,494.6	0.00	0.00	0.00
14,600.0	90.00	179.49	12,040.0	-2,592.8	105.8	2,594.6	0.00	0.00	0.00
14,700.0	90.00	179.49	12,040.0	-2,692.8	106.7	2,694.6	0.00	0.00	0.00
14,800.0	90.00	179.49	12,040.0	-2,792.8	107.6	2,794.6	0.00	0.00	0.00
14,900.0	90.00	179.49	12,040.0	-2,892.8	108.5	2,894.6	0.00	0.00	0.00
15,000.0	90.00	179.49	12,040.0	-2,992.8	109.4	2,994.6	0.00	0.00	0.00
15,100.0	90.00	179.49	12,040.0	-3,092.8	110.3	3,094.6	0.00	0.00	0.00
15,200.0	90.00	179.49	12,040.0	-3,192.7	111.2	3,194.5	0.00	0.00	0.00
15,300.0	90.00	179.49	12,040.0	-3,292.7	112.1	3,294.5	0.00	0.00	0.00
15,400.0	90.00	179.49	12,040.0	-3,392.7	113.0	3,394.5	0.00	0.00	0.00
15,500.0	90.00	179.49	12,040.0	-3,492.7	113.9	3,494.5	0.00	0.00	0.00
15,600.0	90.00	179.49	12,040.0	-3,592.7	114.8	3,594.5	0.00	0.00	0.00
15,700.0	90.00	179.49	12,040.0	-3,692.7	115.7	3,694.5	0.00	0.00	0.00
15,800.0	90.00	179.49	12,040.0	-3,792.7	116.5	3,794.5	0.00	0.00	0.00
15,900.0	90.00	179.49	12,040.0	-3,892.7	117.4	3,894.5	0.00	0.00	0.00
16,000.0	90.00	179.49	12,040.0	-3,992.7	118.3	3,994.4	0.00	0.00	0.00
16,100.0	90.00	179.49	12,040.0	-4,092.7	119.2	4,094.4	0.00	0.00	0.00
16,200.0	90.00	179.49	12,040.0	-4,192.7	120.1	4,194.4	0.00	0.00	0.00
16,300.0	90.00	179.49	12,040.0	-4,292.7	121.0	4,294.4	0.00	0.00	0.00
16,400.0	90.00	179.49	12,040.0	-4,392.7	121.9	4,394.4	0.00	0.00	0.00
16,500.0	90.00	179.49	12,040.0	-4,492.7	122.8	4,494.4	0.00	0.00	0.00
16,600.0	90.00	179.49	12,040.0	-4,592.7	123.7	4,594.4	0.00	0.00	0.00
16,700.0	90.00	179.49	12,040.0	-4,692.7	124.6	4,694.3	0.00	0.00	0.00
16,800.0	90.00	179.49	12,040.0	-4,792.7	125.5	4,794.3	0.00	0.00	0.00
16,900.0	90.00	179.49	12,040.0	-4,892.7	126.4	4,894.3	0.00	0.00	0.00
16,985.3	90.00	179.49	12,040.0	-4,958.0	127.0	4,959.6	0.00	0.00	0.00

PBHL (Jolly Rogers 16 State #703H)

Database:	EDM 5000.14	Local Co-ordinate Reference:	Well #703H
Company:	EOG Resources - Midland	TVD Reference:	KB = 25 @ 3580.0usft
Project:	Lea County, NM (NAD 83 NME)	MD Reference:	KB = 25 @ 3580.0usft
Site:	Jolly Roger 16 State	North Reference:	Grid
Well:	#703H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #0.1		

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
- Shape									
KOP (Jolly Rogers 16 St - plan hits target center - Point	0.00	0.00	11,562.5	170.0	81.0	446,525.00	805,800.00	32° 13' 28.849 N	103° 28' 41.223 W
PBHL (Jolly Rogers 16 S - plan hits target center - Point	0.00	0.00	12,040.0	-4,958.0	127.0	441,397.00	805,846.00	32° 12' 38.104 N	103° 28' 41.162 W
FTP (Jolly Rogers 16 St - plan misses target center by 163.4usft at 11967.1usft MD (11919.0 TVD, 10.1 N, 82.4 E) - Point	0.00	0.00	12,040.0	120.0	81.0	446,475.00	805,800.00	32° 13' 28.354 N	103° 28' 41.227 W



Lea County, NM (NAD 83 NME)

Jolly Roger 16 State #703H


Plan #0.1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #703H







KB = 25 @ 3550.0usft 3555.0
Northing 446355.00 Easting 805719.00 Latitude 32° 13' 27.173 N Longitude 103° 28' 42.181 W



Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	3000.0	0.00	0.00	3000.0	0.0	0.0	0.00	0.00	0.0	
3	3063.5	1.27	25.48	3063.5	0.8	0.3	2.00	25.48	-0.6	
4	11501.1	1.27	25.48	11499.0	169.4	80.7	0.00	0.00	-187.2	KOP (Jolly Rogers 16 State #703H)
5	11564.6	0.00	0.00	11562.5	170.0	81.0	2.00	180.00	-187.8	
6	12314.6	90.00	179.49	12040.0	-307.4	85.3	12.00	179.49	309.5	PBHL (Jolly Rogers 16 State #703H)
7	16965.3	90.00	179.49	12040.0	-4958.0	127.0	0.00	0.00	4959.6	

CASING DETAILS
No casing data is available

Name	TVD	+N/-S	+E/-W	Northing	Easting
KOP (Jolly Rogers 16 State #703H)	11562.5	170.0	81.0	446925.00	805800.00
FTP (Jolly Rogers 16 State #703H)	12040.0	120.0	81.0	446475.00	805800.00
PBHL (Jolly Rogers 16 State #703H)	12040.0	-4958.0	127.0	441397.00	805848.00



Vertical Section at 178.51° (200 usft/in)