	ate District State o	of New Mexico		Form C-103	
Office District I	Energy, Minera	Is and Natural Resour	ces	Revised July 18, 2013	
1625 N. French Dr., Hobbs, N			WELL API NO.		
District II	OIL CONSEL	RVATION DIVISIO	N <u>30-025-04036</u>		
 1301 W. Grand Ave., Artesia, District III 	1401.00210	th St. Francis Dr.	5. Indicate Type of Le		
1000 Rio Brazos Rd., Aztec, 1	NN/ 87/10		STATE 🛛	FEE	
District IV	Santa	Fe, NM 87505	6. State Oil & Gas Le	ase No.	
1220 S. St. Francis Dr., Santa 87505	Fe, NM				
SUNI (DO NOT USE THIS FORM	DRY NOTICES AND REPORTS FOR PROPOSALS TO DRILL OR TO DE USE "APPLICATION FOR PERMIT" (FC	EEPEN OR PLUG BACK TO DRM C-101) FOR SUCH			
PROPOSALS.) 1. Type of Well: Oil W	/ell 🛛 Gas Well 🗌 Other	HOBBS OCD	8. Well Number: 131		
2. Name of Operator		NOV 192019	9. OGRID Number: ()19111	
RHOMBUS OPERATI	NG CO., LID	NUV 1960	10 Deal area an Will	Jack FUNONIT	
3. Address of Operator PO BOX 627, Littleton,	CO 80160		10. Pool name or Wild	{	
		RECEIVED	YATES -7 RVRS-QU	EEN (OII)	
4. Well Location					
Unit Letter <u>N</u>	<u>A: 990'</u> feet from the <u>S</u>	OUTH line and 3.	<u>80</u> ° feet from the <u>WEST</u>	line	
Section 23	Township 19S	Range 36E	NMPM Cour	nty LEA	
	11. Elevation (Show	whether DR, RKB, RT,	GR. etc.)	s The second second	
Pit or Below-grade Tank Ap	Dication 🗌 or Closure 🗌			P	
Pit type Depth	to GroundwaterDistance from	nearest fresh water well	Distance from nearest surface w	ater	
Pit Liner Thickness:					
			obls: Construction Material	J	
12.	Check Appropriate Box to	Indicate Nature of N	lotice, Report or Other Dat	a	
NOTIC		I			
NOTICE OF INTENTION TO: SUE PERFORM REMEDIAL WORK DULUG AND ABANDON REMEDIAL WOR		SUBSEQUENT REPO			
PULL OR ALTER CASI					
OTHER:		OTHER:			
13. Describe propos	ed or completed operations. (Clea	rly state all pertinent de			
	roposed work). SEE RULE 1103.	For Multiple Completi	ons: Attach wellbore diagram o	t proposed completion	
or recompletion.					
	va WS. Spot rig.				
	RU. POH & LD rods & pump. ND WH. NU BOP. POH & LD 128 jts 2.375" tbg. RU WL. RIH/ w/ gauge ring to 3700". RIH & set 5.5" CIBP at 3700". RIH w/				
		L. RIH/ w/ gauge ring	to 3700°. RIH & set 5.5" CI	BP at 3700°. RIH w/	
	workstring to 3700'. SDFWE.				
	ole w/ brine and salt gel. Spot 2				
	2597' (base of salt). POH w/ 41				
41. m/	H w/ Baker AD-1 pkr and set a				
	IR & circ out 8-5/8" ND BOP	& NU WH. Circ 30 s	x cmt from 100' to surface. F	RDMO	
	since one out o-5/0. HD DOI				
100'. E		ace. Installed dry hole	marker, Cut off anchors.		
100'. E	f wellhead. Cement was at surfa	ace. Installed dry hole	marker. Cut off anchors.		
100'. E		ace. Installed dry hole	marker. Cut off anchors.		
100'. E		ace. Installed dry hole	marker. Cut off anchors.		
100'. E		ace. Installed dry hole	marker. Cut off anchors.		

SIGNATURE	TITLEPresident of the GP	DATE 11/19/2018
Type or print name Greg Cielinski For State Use Only	E-mail address: rhombusenergy@gmail.com	Telephone No. 432-683-8873
APPROVED BY: <u>Xenn</u> Juk_ Conditions of Approval (if By):	TITLE Compliance Officer A	DATE 120-18