

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>WELL API NO. 30-015-01190 ✓</p>
<p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> HOBBS OGD ✓</p>		<p>5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓</p>
<p>2. Name of Operator State of New Mexico formerly Canyon E&P Company DEC 04 2018</p>		<p>6. State Oil & Gas Lease No.</p>
<p>3. Address of Operator 1625 N. French Drive Hobbs, NM 88240 RECEIVED</p>		<p>7. Lease Name or Unit Agreement Name Artesia Metex Unit ✓</p>
<p>4. Well Location Unit Letter <u>I</u>: <u>1650</u> feet from the <u>South</u> line and <u>330</u> feet from the <u>East</u> line Section <u>26</u> Township <u>18S</u> Range <u>27E</u> NMPM Eddy County ✓</p>		<p>8. Well Number <u>044</u> ✓</p>
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.)</p>		<p>9. OGRID Number 269864 ✓</p>
<p>10. Pool name or Wildcat Artesia QU-GB-SA ✓</p>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>	<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>
---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: Mark Whitaker TITLE P.E.S. DATE 12/05/2018


Conditions of Approval (if any):

Canyon E&P Company
Artesia Metex Unit #44
30-015-01190
1650' FSL & 330' FEL
UL-I, Sec 26, T18S, R27E


8 5/8" 24# csg @ 502' with 50 sx cmt
Open hole: 502'-2030'

1. MIRU and lay down production equipment.
2. RIH with tubing and spot 50 sx cement at 1350'
3. Tag cement and circulate MLF.
4. POOH to 552' and circulate cement to surface.
5. Cut off 3' below ground level and verify cement is to surface.
6. Install upright marker and cut off anchors.

State of New Mexico for Canyon
E&P Company
Artesia Metex Unit #44
API 30-015-01190
WBD Before PA



State of New Mexico for Canyon
E&P Company
Artesia Metex Unit #44
API 30-015-01190
WBD After PA



8 5/8" casing set at 502'
Cemented w/50 sx

Circulate cement to surface
from 552'

Spot 50 sx cement at 1350'.
WOC and tag. Circulate MLF

TD 2030'
Open Hole 502'-2030'