

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-37303
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VO-6502
7. Lease Name or Unit Agreement Name Locklin BHL State Com
8. Well Number 1
9. OGRID Number 025575
10. Pool name or Wildcat X-4 Ranch; Atoka (Gas)

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator  
Yates Petroleum Corporation

3. Address of Operator  
105 S. 4<sup>th</sup> Street, Artesia, NM 88210

4. Well Location  
Unit Letter N : 660 feet from the South line and 1800 feet from the West line  
Section 32 Township 9S Range 34E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
4255' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P & A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Completion Operations ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1-6-06 Perforated Lower Atoka (6 JSPF) 11814-18' (24) and 11830-32' (12) for total of 36 .42" holes.

1-9-06 Acidized Atoka w/500 gal 7-1/2% Morrow acid w/40 balls.

1-13-06 Frac Atoka w/16000 gal 40# Medallion 40Q foam w/16000# 18/40 Versaprop.

1-23-06 Set composite plug @ 11750'. Perforated Upper Atoka (6 JSPF) 11511-14' (18).

1-26-06 Acidized Upper Atoka w/250 gal 7-1/2% Morrow acid.

2-1-06 Tagged composite plug @ 11820'. Set RBP @ 11750'.

2-3-06 Acidized Upper Atoka w/400 gal 7-1/2% Morrow acid.

4-6-06 Dumped 2 sx sand on RBP.


4-8-06 Set 5-1/2" cement retainer @ 11460'. Pumped 50 sx "H" and 25 sx "H" Neat. Squeezed to 4200# w/65 sx information.

4-10-06 TIH w/4-3/4" bit and drilled out retainer and cement. Composite plug pushed to 11834', below all perfs.

4-12-06 Washed 6' sand off RBP. Tagged RBP and latched.

4-13-06 Released RBP and TOOH.

2-7/8" tubing @ 11750'



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Stormi Davis TITLE Regulatory Compliance Technician DATE 4-20-06

Type or print name Stormi Davis E-mail address: stormid@ypcnm.com Telephone No. 505-748-1471

For State Use Only

APPROVED BY: [Signature] TITLE PETROLEUM ENGINEER DATE MAY 05 2006

Conditions of Approval (if any):