

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis  
 Santa Fe, NM 87505

|   |
|---|
| WELL API NO.<br>30-025-12297  |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.<br>31732   |
| 7. Lease Name or Unit Agreement Name<br>West Dollarhide Devonian Unit                               |
| 8. Well Number<br>104   |
| 9. OGRID Number<br>16696  |
| 10. Pool name or Wildcat<br>Dollarhide Devonian   |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>3192'   |

HOBS OGD  
 RECEIVED  
 JAN 10 2019

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other

2. Name of Operator  
OXY USA Inc.

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710

4. Well Location  
 Unit Letter I : 1980 feet from the south line and 660 feet from the east line  
 Section 32 Township 24S Range 38E - NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

|  |   |   |  |
|--|---|---|--|
| <b>NOTICE OF INTENTION TO:</b>                 |   | <b>SUBSEQUENT REPORT OF:</b>  |  |
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>                              | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>                    | P AND A <input type="checkbox"/>         |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>                          |  |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |   |   |  |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    |   |   |  |
| OTHER: <input type="checkbox"/>                |   | OTHER: <u>MIT-T/A Extension</u> <input checked="" type="checkbox"/> |  |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

West Dollarhide Devonian Unit #104 - 30-025-12297  
 TD-10320' PBD-7577' Perfs-7656-7808' CIBP-7600'

This Approval of Temporary Abandonment Expires 1/14/2023  
 JPM

OXY USA Inc. respectfully requests to extend the Temporarily Abandon Status Approval. This unit is currently being evaluated for possible CO2 flood.

1. Notified NMOCD of casing integrity test 24hrs in advance.
2. RU pump truck 12/19/18, circulate well with treated water, pressure test casing to 580# for 30 min.

Witnessed by Rick Rickman, George Bower-NMOCD

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 1/7/19

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717


For State Use Only

APPROVED BY: George Bower TITLE Compliance Supervisor DATE 1/14/2019  
 Conditions of Approval (if any):

Graphic Controls


OKY-WDDU 104  
DATE 12/19/18  
BR 2222

PRINTED IN U.S.A.



Rec Mid Reg 1/7/19 - Tested 12/19/18 - OKY-WDDU 104 - 30-025-12297

OXY USA Inc. - Current  
West Dollarhide Devonian Unit #104  
API No. 30-025-12297



17-1/2" hole @ 300'  
13-3/8" csg @ 300'  
w/ 300sx-TOC-Surf-Circ

12-1/4" hole @ 3055'  
9-5/8" csg @ 3055'  
w/ 1800sx-TOC-Surf-Circ

CIBP @ 7600' w/ 3sx cmt to 7577'

Perfs @ 7656-7808'

CIBP @ 7860' w/ 2sx cmt

Perfs @ 8710-8744'

CIBP @ 8650'  
CIBP @ 8790'

7-7/8" hole @ 10320'  
5-1/2" csg @ 10320'  
DVT @ 8585'  
w/ 1570sx-TOC-3315'-TS

Perfs @ 10236-10264'  
Perfs @ 10280-10292' sqz w/ 25sx

TD-10320'