	Do not use this form for proposals to drill or to rabandoned well. Use form 3160-3 (APD) for such	e-ent
Form 3160-5 (June 2015)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON W	

		FORM APPROVED
Brichal & R	TOP A D	OMB NO. 1004-0137
WE HOUSE	riein	January 31, 2018

SUNDRY	NOTICES AND REPOR	RTS ON WELLS UC	D Hobby	LC031670A	
Do not use thi abandoned wel	is form for proposals to C II. Use form 3160-3 (APD	) for such property	6. If Inc	dian, Allottee or Tri	be Name
SUBMIT IN 1	TRIPLICATE - Other instr	ructions on page 3	7. If Ur	nit or CA/Agreemer	nt, Name and/or No.
1. Type of Well  Gas Well Gas Well Oth	ner	RECE		Name and No. 1U BURGER 126	
Name of Operator     CONOCOPHILLIPS COMPAN		RHONDA ROGERS nocophillips.com		Well No. 025-34127-00-S	1
3a. Address MIDLAND, TX 79710		3b. Phone No. (include area code) Ph: 432-688-9174		ld and Pool or Expl RREN	oratory Area
4. Location of Well (Footage, Sec., T.	., R., M., or Survey Description)		11. Cou	anty or Parish, State	<u></u> :
Sec 19 T20S R38E SWSW 13			LEA	COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPOR	RT, OR OTHER	DATA
TYPE OF SUBMISSION		TYPE OF	ACTION		
☐ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Star	t/Resume)	Water Shut-Off
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation		Well Integrity
Subsequent Report	☐ Casing Repair	☐ New Construction	Recomplete		) Other
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	☐ Temporarily Aba	andon	
	☐ Convert to Injection	☐ Plug Back	■ Water Disposal		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit CONOCOPHILLIPS COMPAN 10/22/18 RIH & TAG CIBP @ 10/23/18 TOP W/40' CMT, TO W/CIBP & SET 4150' 10/24/18 RIH & PERFED @ 3 ACID W/CORROSION INHIBI 11/1/18 PUMP 5000 GALS 15 31920# 30/50 ATLAS CRC. TO 11/14/18 RIH W/126 JTS 2.87 11/15/18 RIH W/RODS AND FITAL STORY CONTROL TO THE STOR	k will be performed or provide to operations. If the operation restort operation is the operation restort operation.  NY PLUGGED BACK THE 6747'  OC @ 6707'& RIH W/CIBP 922'-3928', 3883'-3888', 370R ACROSS PERFS. 50% ACID, 5 BBLS LINEAR OTAL SAND = 102,020#. 5", 6.5#, L-80 EUE8RD TEPUMP, SPACE OUT PUMI	he Bond No. on file with BLM/BIA alts in a multiple completion or reco d only after all requirements, includ SEMU; BTD AND RECOMP & SET @ 6396'& TOP W/40' 862'-3867', 3817'-3825'. SPC AND 1526 BBLS X-LINK. FBG & SET @ 4063'. P. HANG WELL. RDMO	Required subsequent rimpletion in a new interving reclamation, have be LETED IN THE SKA COMMITTEE (COMMITTEE)	eports must be filed ral, a Form 3160-4 ren completed and the AGGS; GRAYBI 9', RIH NEFE 0100#30/50 &	l within 30 days nust be filed once he operator has
Com	For CONOCOF	46612 verified by the BLM Wel PHILLIPS COMPANY, sent to t ssing by PRISCILLA PEREZ or	he Hobbs		
Name (Printed/Typed) RHONDA		- · <b>!</b>	REGULATORY TEC		
Signature (Electronic S	Submission)	Date 12/05/20	018		
	THIS SPACE FO	R FEDERAL OF STATE	OFFICE USE		
Approved By  Conditions of approval, if any, are attached			<b>n 201</b> 8		Date
certify that the applicant holds legal or equ which would entitle the applicant to condu	ct operations thereon.	Office		•	hon Shepard
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a catatements or representations as t	rime for any person knowingly and o any matter within its furisdiction.	willfully to make to any	department or ager	icy of the United

## Additional data for EC transaction #446612 that would not fit on the form

32. Additional remarks, continued

ATTACHED IS A CURRENT WELLBORE SCHEMATIC.



		Schemati	c - Curre	nt			·	
:(O)	Concedentilles SEMU 126							
DISTRICT PERMIAN CON	Field Name VENTIONAL HARDY NORTH	API / UWI 300253412700		Geunty LEA			/Province / MEXICO	
Original Spud Da	te Surface Legal Location	East/West Distance (ft)	East/West Ref		North/South Distance (		North/South I	Reference
11/4/1997.	Sect. 19, T-20S, R-38E	1,120.00	<u>Jw</u>	<del></del>	1,320.00		<u> </u> S	
		VERTICAL - Main Hole,	12/5/2018 12	2:55:27 PM				
MD (ftKB)		Vertic	cal schematic	(actual)				
		Surface Casing; 11.0-	1 206 4: 1 19	5.36: 1-1: 8.6	25			
11.2		Float Collar; 1,206.4-1 Surface Casing; 1,207	,207.4; 1.00;	1-2; 8.625		INDAUGUA		aradiian aa a
1,206.4		Float Shoe; 1,249.0-1,	,250.0; 1.00; 1	-4; 8.625				
1,250.0		Tubing; 11.0-3,682.7; Casing Joints; 11.0-3,						
3,671.9	~~~~					~~~	~~~~	~~~~
3,696.9		Marker Sub; 3,682.7-3	3,690.8; 8.10;	5-2; 2.875; 2	<del>44</del> 1			
3,730.0		Tubing; 3,690.8-3,754	.2; 63.31; 5-3	; 2.875; 2.441	1			
		D. V. Tool; 3,750.5-3,7	753.0; 2.56; 2	-2; 5.500				
3,754.3			3,754.2-3,756	6.9; 2.75; 5-4;	; 4.995; 2.441			
3,758.9								
3,813.0		Perforated; 3,817.0-3,	825 N: 10/24/	2018				
3,841.9		Tubing; 3,756.9-3,946	·		41			
3,861.9		Perforated; 3,857.0-3,						
3,882.9		Desferrated: 3 993 O 3	999 O. 40/04/	004.0				
3,903.9		Perforated; 3,883.0-3,	000.0, 10/24/2	2016				
		Perforated; 3,922.0-3,	928.0; 10/24/2	2018				
3,929.1								
3,958.0		Tubing PC-101; 3,946						
3,980.0		Pump Seating Nipple; Tubing Sub; 3,980.5-3						
3,984.6		Cavin's Desander (D2 FG Mud Joint/Tailpipe				0		
4,062.3		Purge Valve; 4,061.7-						
4,151.9								
·		Casing Joints; 3,753.0	D-6,953.4; 3,2i	00.40; 2-3; 5.	500; 4.950			
6,399.0		Perforated; 6,444.0-6,	460.0; 3/30/20	000				
6,480.0		Perforated; 6,480.0-6,	494.0; 3/30/20	000				
6,527.9		Perforated; 6,516.0-6,	•					
6,707.0		Perforated; 6,546.0-6,	JOU.U; 3/3U/2U	,,,,				
6,766.1		Perforated; 6,766.0-6,	776 O+ 12/12/4	997				
6,795.9		Perforated; 6,792.0-6,	•					
·		Perforated; 6,804.0-6,						
6,831.0	-	Perforated; 6,831.0-6,						
6,846.1		Perforated; 6,842.0-6,						
6,886.2		Perforated; 6,886.0-6,	•					
6,953.1		_ Float Collar, 6,953.4-6	954 8: 1 34:	2-4: 5 500				
		Casing Joints; 6,954.8	3-6,998.9; 44.	15; 2-5; 5.500	0; 4.950			
6,999.0		Float Shoe; 6,998.9-7,		2-6; 5.500		B-:	AM BULACO:	42/8/2040
		Pag	e 1/1	<u> </u>		Rep	oort Printed:	12/5/2018