Form 3160-5 (June 2015) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals HOBBS						FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM77060			
abandoned we									
SUBMIT IN TRIPLICATE - Other instructions on page 2 JAN 1 to						20 BUnit or CA/Agreement, Name and/or No.			
1. Type of Well S Oil Well Gas Well Oth		RECEIVED TANK 34 FEDERAL 07							
2. Name of Operator OXY USA INCORPORATED	JANA MENDIOLA endiola@oxy.com	DIOLA com			9. API Well No. 30-025-35941-00-S1				
3a. Address P O BOX 4294 HOUSTON, TX 77210-4294	3b. Phone No. (include area code) Ph: 432-685-5936 Fx: 432-685-5742				10. Field and Pool or Exploratory Area W RED TANK				
4. Location of Well (Footage, Sec., T				11.	11. County or Parish, State				
Sec 34 T22S R32E NESE 198				L	LEA COUNTY, NM				
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE N	ATURE O	F NOTICE	, REP	ORT, OR OTH	ER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION								
Notice of Intent	 Acidize Alter Casing 	Deepen Hydraulic	pen DProdu draulic Fracturing Recla		uction (Start/Resume)		U Water Shu		
Subsequent Report	Casing Repair	New Construction				Other	5)		
Final Abandonment Notice	onment Notice Change Plans		Plug and Abandon		Temporarily Abandon				
	Plug Back Water			-					
13. Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the won following completion of the involved testing has been completed. Final At determined that the site is ready for finance	ally or recomplete horizontally, k will be performed or provide operations. If the operation resonandonment Notices must be file	give subsurface locatio the Bond No. on file w sults in a multiple comp	ons and measur with BLM/BIA poletion or reco	red and true v . Required sumpletion in a	ertical ibseque new in	depths of all pertine ent reports must be terval, a Form 3160	ent markers and : filed within 30 d)-4 must be filed	zones. ays once	
1. Name(s) of formation(s) pro	ducing water on the lease	e: Red Tank; Delav	vare, West						
2. Amount of water produced from each formation in barrels per day: 226bbl SEE ATTACHED FOR									
3. How water is stored on the	(S			· · · · · · · · · · · · · · · · · · ·					
4. How water is moved to disp	ıp	CONI			DITIONS OF APPROVAL				
5. Operator(s) of disposal facility(ies): OXY USA Inc. -Lease name or well name & number: Red Tank 35 Federal #3 -Location by 1/4 1/4 Section, Township, and Range of the disposal system: NWSW-35-22S-32E									
14. I hereby certify that the foregoing is true and correct. Electronic Submission #447068 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by DEBORAH MCKINNEY on 12/11/2018 (19DLM0169SE)									
Name(Printed/Typed) DAVID ST	Title								
a									
Signature (Electronic S		Date 12/10/2018 A			CCEPTED FOR RECORD				
						BCO 1 7	2010		
Approved By	<u></u>	2			DEC 1/	2018 Date			
Conditions of approval, if any, are attached certify that the applicant holds legal or equ which would entitle the applicant to condu	subject lease	Office			REAU OF LAND N				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.									
(Instructions on page 2) ** BLM REVI	SED ** BLM REVISED	** BLM REVISI	ED ** BLM	REVISE	D ** E)** 1/		

	/
V	~
×	1
\sim	1
Δ.	

Additional data for EC transaction #447068 that would not fit on the form

32. Additional remarks, continued

-The appropriate NMOCD permit number: SWD-616

Operator(s) of disposal facility(ies): OXY USA Inc. -Lease name or well name & number: Diamond 34 State #1 -Location by 1/4 1/4 Section, Township, and Range of the disposal system: SESW-34-22S-33E -The appropriate NMOCD permit number: SWD-640

.

NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

ADMINISTRATIVE ORDER SWD-616

APPLICATION OF POGO PRODUCING COMPANY FOR SALT WATER DISPOSAL, LEA COUNTY. NEW MEXICO.

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 701(B), Pogo Producing Company made application to the New Mexico Oil Conservation Division on November 28, 1995, for permission to complete for salt water disposal its Red Tank '35' Federal Well No.3 located 2310 feet from the South line and 990 feet from the West line (Unit L) of Section 35, Township 22 South, Range 32 East, NMPM, Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

(1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;

(2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;

(3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and

(4) No objections have been received within the waiting period prescribed by said rule.

IT IS THEREFORE ORDERED THAT:

The applicant herein, is hereby authorized to complete its Red Tank '35' Federal Well No.3 located 2310 feet from the South line and 990 feet from the East line (Unit L) of Section 35, Township 22 South, Range 32 East, NMPM, Lea County, New Mexico, in such manner as to permit the injection of salt water for disposal purposes into the Bell Canyon and Upper Cherry Canyon formations at approximately 4950 feet to 6252 feet through 2-7/8 inch plastic lined tubing set in a packer located at approximately 4850 feet.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert 'luid and equipped with a pressure gauge at the surface or left open to the atmosphere to facili-ate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 940 psi.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Bell Canyon and Upper Cherry Canyon formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment and of the mechanical integrity test so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

<u>PROVIDED FURTHER THAT</u>, jurisdiction of this cause is hereby retained by the Division for the entry of such further order or orders as may be deemed necessary or convenient for the prevention of waste and/or protection of correlative rights; upon failure of the operator to conduct operations in a manner which will ensure the protection of fresh water or in a manner inconsistent with the requirements set forth in this order, the Division may, after notice and hearing, terminate the injection authority granted herein. Administrative Order SWD-616 Pogo Producing Company December 27, 1995 Page 3

The operator shall submit monthly reports of the disposal operations in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

Approved at Santa Fe, New Mexico, on this 27th day of December, 1995.

WILLIAM J. LEMAY, Director

SEAL

WJL/BES

xc: Oil Conservation Division - Hobbs Bureau of Land Management - Carlsbad



CORRECTED ADMINISTRATIVE ORDER SWD-640

APPLICATION OF POGO PRODUCING COMPANY FOR SALT WATER DISPOSAL, LEA COUNTY, NEW MEXICO.

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 701(B), Pogo Producing Company made application to the New Mexico Oil Conservation Division on August 7, 1996, for permission to complete for salt water disposal its Diamond '34' State Well No.1 located 990 feet from the South line and 1650 feet from the West line (Unit N) of Section 34, Township 22 South, Range 33 East, NMPM, Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

(1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;

(2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;

(3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and

(4) No objections have been received within the waiting period prescribed by said rule.

(5) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant herein, is hereby authorized to complete its Diamond '34' State Well No.1 located 990 feet from the South line and 1650 feet from the West line (Unit N) of Section 34, Township 22 South, Range 33 East, NMPM, Lea County, New Mexico, in such manner as to permit the injection of salt water for disposal purposes into the Bell Canyon and Upper Cherry Canyon formations at approximately 5,100 feet to 6,516 feet through 2 3/8-inch plastic-lined tubing set in a packer located at approximately 5,000 feet.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 1020 psi.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Bell Canyon and Upper Cherry Canyon formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment and of the mechanical integrity test so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.

<u>PROVIDED FURTHER THAT</u>, jurisdiction of this cause is hereby retained by the Division for the entry of such further order or orders as may be deemed necessary or convenient for the prevention of waste and/or protection of correlative rights; upon failure of the operator to conduct operations in a manner which will ensure the protection of fresh water or in a manner inconsistent with the requirements set forth in this order, the Division may, after notice and hearing, terminate the injection authority granted herein.

The operator shall submit monthly reports of the disposal operations in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

Corrected Administrative Order SWD-640 Pogo Producing Company September 10, 1996 Page 3

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

Approved at Santa Fe, New Mexico, on this 4th day of September, 1996.

AM J. LEMAY, Director

SEAL

WJL/BES

xc: Oil Conservation Division - Hobbs State Land Office - Oil & Gas Division